



# OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on September 6, 2017.

**Nupi Industrie Italiane SpA**  
**Via Stefano Ferrario Z.I. Sud-Ovest**  
**21052 Busto Ariszio (VA)**  
**Italy**  
**39 03 313 44211**

**Facility: Busto Arsizio (VA), Italy**

### Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings <sup>[1]</sup>			
Niron	1/2" - 12"	C. HOT	PP

- [1] Configurations include:
- Welding Saddles Socket Fusion Outlet
    - 1 1/2" x 1/2" (27NGS5020)
    - 1 1/2" x 3/4" (27NGS5025)
    - 2" x 1/2" (27NGS6320)
    - 2" x 3/4" (27NGS6325)
    - 2" x 1" (27NGS6332)
    - 2 1/2" x 1/2" (27NGS7520)
    - 2 1/2" x 3/4" (27NGS7525)
    - 2 1/2" x 1" (27NGS7532)
    - 3" x 1/2" (27NGS9020)
    - 3" x 3/4" (27NGS9025)
    - 3" x 1" (27NGS9032)
    - 3 1/2" x 1/2" (27NGS11020)
    - 3 1/2" x 3/4" (27NGS11025)
    - 3 1/2" x 1" (27NGS11032)
    - 4" x 2" (27NGS12563)
    - 6" x 1 1/4" (27NGS16040)
    - 6" x 2" (27NGS16063)
  - Male Side Fusion Welding Saddle
    - 2" x 8" (27NGS63M200)
    - 2" x 10" (27NGS63M250)
    - 2" x 12" (27NGS63M315)
    - 3" x 6" (27NGS90M160)
    - 3" x 8" (27NGS90M200)
    - 3" x 10" (27NGS90M250)
    - 3" x 12" (27NGS90M315)
    - 4" x 6" (27NGS125M160)
    - 4" x 8" (27NGS125M200)
    - 4" x 10" (27NGS125M250)
    - 4" x 12" (27NGS125M315)
    - 6" x 8" (27NGS160M200)
    - 6" x 10" (27NGS160M250)
    - 6" x 12" (27NGS160M315)
  - Female Side Fusion Welding Saddle w/NPT Lead Free Brass
    - 1 1/4" x 1/2" NPT (27NGSF4012NPT)
    - 1 1/2" x 1/2" NPT (27NGSF5012NPT)
    - 1 1/2" x 3/4" NPT (27NGSF5034NPT)
    - 2" x 1/2" NPT (27NGSF6312NPT)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



- 2" x 3/4" NPT (27NGSF6334NPT)
- 2 1/4" x 1" NPT (27NGSF631NPT)
- 2 1/2" x 1/2" NPT (27NGSF7512NPT)
- 2 1/2" x 1" NPT (27NGSF751NPT)
- 2 1/2" x 3/4" NPT (27NGSF7534NPT)
- 3" x 1/2" NPT (27NGSF9012NPT)
- 3" x 1" NPT (27NGSF901NPT)
- 3" x 3/4" NPT (27NGSF9034NPT)
- 3 1/2" x 1/2" NPT (27NGSF11012NPT)
- 3 1/2" x 3/4" NPT (27NGSF11034NPT)
- 3 1/2" x 1" NPT (27NGSF1101NPT)

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Fittings</b> [G] ELOFIT [1] [2] [3] [4] [5]	1/2" - 42"	CLD 23	PE
<b>Fittings</b> [G] Niron [6] [7] [8]	1/2" - 24"	C. HOT	PP
Niron [9]	1/2" - 4"	C. HOT	MLTPL

[1] Configurations include:

- 12DICRT02 PE4710 SDR17 FLANGE ADAPTER 2" IPS
- 12DICRT03 PE4710 SDR17 FLANGE ADAPTER 3" IPS
- 12DICRT04 PE4710 SDR17 FLANGE ADAPTER 4" IPS
- 12DICRT06 PE4710 SDR17 FLANGE ADAPTER 6" IPS
- 12DICRT08 PE4710 SDR17 FLANGE ADAPTER 8" IPS
- 12DICRT10 PE4710 SDR17 FLANGE ADAPTER 10" IPS
- 12DICRT12 PE4710 SDR17 FLANGE ADAPTER 12" IPS
- 12DICRT14 PE4710 SDR17 FLANGE ADAPTER 14" IPS
- 12DICRT16 PE4710 SDR17 FLANGE ADAPTER 16" IPS
- 12DICRT18 PE4710 SDR17 FLANGE ADAPTER 18" IPS
- 12DICRT20 PE4710 SDR17 FLANGE ADAPTER 20" IPS
- 12DICRT22 PE4710 SDR17 FLANGE ADAPTER 22" IPS
- 12DICRT24 PE4710 SDR17 FLANGE ADAPTER 24" IPS
- 12EIC02 CURVA 45° 2" IPS CODOLO LUNGO
- 12EIC03 CURVA 45° 3" IPS CODOLO LUNGO
- 12EIC04 CURVA 45° 4" IPS CODOLO LUNGO
- 12EIC06 CURVA 45° 6" IPS CODOLO LUNGO
- 12EICAL03 CALOTTA DI CHIUSURA 3" IPS CODOLO LUNGO
- 12EICEM02 PE100 SDR11 E/F SINGLE WIRE 45° ELBOW D.2" IPS
- 12EICRT02 PE4710 SDR11 FLANGE ADAPTER 2" IPS
- 12EICRT03 PE4710 SDR11 FLANGE ADAPTER 3" IPS
- 12EICRT04 PE4710 SDR11 FLANGE ADAPTER 4" IPS
- 12EICRT06 PE4710 SDR11 FLANGE ADAPTER 6" IPS
- 12EICRT08 PE4710 SDR11 FLANGE ADAPTER 8" IPS
- 12EICRT10 PE4710 SDR11 FLANGE ADAPTER 10" IPS
- 12EICRT12 PE4710 SDR11 FLANGE ADAPTER 12" IPS
- 12EICRT14 PE4710 SDR11 FLANGE ADAPTER 14" IPS
- 12EICRT16 PE4710 SDR11 FLANGE ADAPTER 16" IPS
- 12EICRT18 PE4710 SDR11 FLANGE ADAPTER 18" IPS
- 12EICRT20 PE4710 SDR11 FLANGE ADAPTER 20" IPS
- 12EICRT22 PE4710 SDR11 FLANGE ADAPTER 22" IPS
- 12EICRT24 PE4710 SDR11 FLANGE ADAPTER 24" IPS
- 12EICRTB02 PE4710 SDR11 FLANGE ADAPTER 2" IPS BEVELED
- 12EICRTB03 PE4710 SDR11 FLANGE ADAPTER 3" IPS BEVELED
- 12EICRTB04 PE4710 SDR11 FLANGE ADAPTER 4" IPS BEVELED
- 12EICRTB06 PE4710 SDR11 FLANGE ADAPTER 6" IPS BEVELED
- 12EICRTB10 PE4710 SDR11 FLANGE ADAPTER 10" IPS
- 12EICRTB12 PE4710 SDR11 FLANGE ADAPTER 12" IPS BEVELED
- 12EICRTB20 PE4710 SDR11 FLANGE ADAPTER 20" IPS BEVELED
- 12EIMJ02 MALE JOINT ADAPTER D.2" IPS
- 12EIRIP12 PE100 SDR11 COLLARE DI RIPARAZIONE 12" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EIRIP14 PE100 SDR11 COLLARE DI RIPARAZIONE 14" IPS  
12EIRIP16 PE100 SDR11 COLLARE DI RIPARAZIONE 16" IPS  
12EIRIP18 PE100 SDR11 COLLARE DI RIPARAZIONE 18" IPS  
12EIRIP20 PE100 SDR11 COLLARE DI RIPARAZIONE 20" IPS  
12EIRIP22 PE100 SDR11 COLLARE DI RIPARAZIONE 22" IPS  
12EIRIP24 PE100 SDR11 COLLARE DI RIPARAZIONE 24" IPS  
12EIRIP28 PE100 SDR11 COLLARE DI RIPARAZIONE 28" IPS  
12EIRIP30 PE100 SDR11 COLLARE DI RIPARAZIONE 30" IPS  
12EIRIP32 PE100 SDR11 COLLARE DI RIPARAZIONE 32" IPS  
12EIRIP36 PE100 SDR11 COLLARE DI RIPARAZIONE 36" IPS  
12EIRIP40 PE100 SDR11 COLLARE DI RIPARAZIONE 40" IPS  
12EIRS0201 SOCKET FUSION REDUCING DN 2" - 1" IPS  
12EIRS02034 SOCKET FUSION REDUCING DN 2" - 3/4" IPS  
12EIRS02112 SOCKET FUSION REDUCING DN 2" - 1"1/2 IPS  
12EIRS02114 SOCKET FUSION REDUCING DN 2" - 1"1/4 IPS  
12EIRS11201 SOCKET FUSION REDUCING DN 1"1/2 - 1" IPS  
12EIRS112034 SOCKET FUSION REDUCING DN 1"1/2 - 3/4" IPS  
12EIRS112114 SOCKET FUSION REDUCING DN 1"1/2 - 1"1/4 IPS  
12EIRS11401 SOCKET FUSION REDUCING DN 1"1/4 - 1" IPS  
12EIRS114034 SOCKET FUSION REDUCING DN 1"1/4 - 3/4" IPS  
12EIRSC02114 SOCKET FUSION FEM. RED. COUPLING D. 2"-1"1/4 IPS  
12EIRSC11401 SOCKET FUSION FEM. RED. COUPLING D. 1"1/4-1" IPS  
12EISC01 SOCKET FUSION COUPLING DN 1" IPS  
12EISC02 SOCKET FUSION COUPLING DN 2" IPS  
12EISC034 SOCKET FUSION COUPLING DN 3/4" IPS  
12EISC112 SOCKET FUSION COUPLING DN 1"1/2 IPS  
12EISC114 SOCKET FUSION COUPLING DN 1"1/4 IPS  
12EISC4502 SOCKET FUSION 45° ELBOW DN 2" IPS  
12EISC45114 SOCKET FUSION 45° ELBOW DN 1"1/4 IPS  
12EISCAP01 SOCKET FUSION END CAP D.1" IPS  
12EISCAP02 SOCKET FUSION END CAP D.2" IPS  
12EISCAP034 SOCKET FUSION END CAP D.3/4" IPS  
12EISCAP114 SOCKET FUSION END CAP D.1" 1/4 IPS  
12EISCG114 SOCKET FUSION GEOTHERMAL COUPLING DN 1"1/4 IPS  
[2] 12EISG01 SOCKET FUSION 90° ELBOW D. 1" IPS  
12EISG02 SOCKET FUSION 90° ELBOW DN 2" IPS  
12EISG034 SOCKET FUSION 90° ELBOW DN 3/4" IPS  
12EISG112 SOCKET FUSION 90° ELBOW DN 1"1/2 IPS  
12EISG114 SOCKET FUSION 90° ELBOW DN 1"1/4 IPS  
12EISGG114 SOCKET FUSION GEOTHERMAL 90° ELBOW DN 1"1/4 IPS  
12EIST01 SOCKET FUSION TEE D.1" IPS  
12EIST02 SOCKET FUSION TEE D.2" IPS  
12EIST034 SOCKET FUSION TEE D.3/4" IPS  
12EIST112 SOCKET FUSION TEE D.1"1/2 IPS  
12EIST114 SOCKET FUSION TEE D.1"1/4 IPS  
12EISTRO101034 SOCKET FUSION RED. TEE D.1"-1"-3/4" IPS  
12EISTRO20201 SOCKET FUSION RED. TEE D.2"-2"-1" IPS  
12EISTRO202034 SOCKET FUSION RED. TEE D.2"-2"-3/4" IPS  
12EISTRO202114 SOCKET FUSION RED. TEE D.2"-2"-1"1/4 IPS  
12EISTRO211201 SOCKET FUSION RED. TEE D.2"-1"1/2-1" IPS  
12EISTRO2112034 SOCKET FUSION RED. TEE D.2"-1"1/2-3/4" IPS  
12EISTRO2112114 SOCKET FUSION RED. TEE D.2"-1"1/2-1"1/4 IPS  
12EISTRO211401 SOCKET FUSION RED. TEE D.2"-1"1/4-1" IPS  
12EISTRO2114034 SOCKET FUSION RED. TEE D.2"-1"1/4-3/4" IPS  
12EISTRO2114114 SOCKET FUSION RED. TEE D.2"-1"1/4-1"1/4 IPS  
12EISTR11211201 SOCKET FUSION RED. TEE DN 1"1/2 - 1"1/2 - 1" IPS  
12EISTR112112034 SOCKET FUSION RED. TEE DN 1"1/2 - 1"1/2 - 3/4" IPS  
12EISTR112112114 SOCKET FUSION RED. TEE D.1"1/2-1"1/2-1"1/4 IPS  
12EISTR11211401 SOCKET FUSION RED. TEE D.1"1/2-1"1/4-1" IPS  
12EISTR112114034 SOCKET FUSION RED. TEE D.1"1/2-1"1/4-3/4" IPS  
12EISTR112114114 SOCKET FUSION RED. TEE D.1"1/2-1"1/4-1"1/4 IPS  
12EISTR1140101 SOCKET FUSION RED. TEE DN 1"1/4 - 1" - 1" IPS  
12EISTR114034034 SOCKET FUSION RED. TEE DN 1"1/4 - 3/4" - 3/4" IPS  
12EISTR11411401 SOCKET FUSION RED. TEE DN 1"1/4 - 1"1/4 - 1" IPS  
12EISTR114114034 SOCKET FUSION RED. TEE DN 1"1/4 - 1"1/4 - 3/4" IPS  
12EIT02 PE100 SDR11 BUTT FUSION TEE 2" IPS  
12EIT03 PE100 SDR11 BUTT FUSION TEE 3" IPS  
12EIT04 PE100 SDR11 BUTT FUSION TEE 4" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EIT06 PE100 SDR11 BUTT FUSION TEE 6" IPS  
12EITCE012C S. WIRE E/F TEE W/SPIGOT END D.1/2" CTS  
12EITCE01C S. WIRE E/F TEE W/SPIGOT END D.1" CTS  
12EITCE02 S. WIRE E/F TEE W/SPIGOT END D.2" IPS  
12EITCE114 S. WIRE E/F TEE W/SPIGOT END D.1" 1/4 IPS  
12EITRMC1612 PE4710 SDR11 REDUCING TEE 16" IPS x 12" IPS  
12EIVLRS04180 VARIABLE LENGHT REPAIR SLEEVE 4" IPS 180°  
12EIVLRS04180M MODULAR VARIABLE LENGTH REPAIR SLEEVE 4" IPS 180°  
12EIVLRS06180 VARIABLE LENGHT REPAIR SLEEVE 6" IPS 180°  
12EIVLRS06180M MODULAR VARIABLE LENGHT REPAIR SLEEVE 6" IPS 180°  
12EIWYE02 BUTT FUSION 45° WYE 2" IPS PE4710 SDR11  
12GICRT02 PE4710 SDR 7 FLANGE ADAPTER 2" IPS  
12GICRT03 PE4710 SDR 7 FLANGE ADAPTER 3" IPS  
12GICRT04 PE4710 SDR 7 FLANGE ADAPTER 4" IPS  
12GICRT06 PE4710 SDR 7 FLANGE ADAPTER 6" IPS  
12GICRT08 PE4710 SDR 7 FLANGE ADAPTER 8" IPS  
12GICRT10 PE4710 SDR 7 FLANGE ADAPTER 10" IPS  
12GICRT12 PE4710 SDR 7 FLANGE ADAPTER 12" IPS  
12GICRT14 PE4710 SDR 7 FLANGE ADAPTER 14" IPS  
12GICRT16 PE4710 SDR 7 FLANGE ADAPTER 16" IPS  
12GICRT18 PE4710 SDR 7 FLANGE ADAPTER 18" IPS  
12GICRT20 PE4710 SDR 7 FLANGE ADAPTER 20" IPS  
12GICRT24 PE4710 SDR 7 FLANGE ADAPTER 24" IPS  
12GIG04 PE100 SDR7 BUTT FUSION 90° ELBOW 4" IPS  
12GIME06 E/F COUPLER D.6" IPS 380PSI  
12GIME08 E/F COUPLER D.8 IPS 380PSI  
12GIME10 E/F COUPLER D.10" IPS 380PSI  
12GIME12 E/F Coupler 12" IPS 380PSI  
12GIR0302 BUT FUSION REDUCER D. 3" IPS x 2" IPS PE100 SDR7  
12GIR0402 BUT FUSION REDUCER D. 4" IPS x 2" IPS PE100 SDR7  
12GIR0403 BUT FUSION REDUCER D. 4" IPS x 3" IPS PE100 SDR7  
12GIR0604 BUT FUSION REDUCER D. 6" IPS x 4" IPS PE100 SDR7  
12GIR1006 BUT FUSION REDUCER D. 10" IPS x 6" IPS PE100 SDR7  
12GIR1008 BUT FUSION REDUCER D. 10" IPS x 8" IPS PE100 SDR7  
12GIR1208 BUT FUSION REDUCER D. 12" IPS x 8" IPS PE100 SDR7  
12GIT04 PE100 SDR7 BUTT FUSION TEE 4" IPS  
12HICRT02 PE4710 SDR 9 FLANGE ADAPTER 2" IPS  
12HICRT03 PE4710 SDR 9 FLANGE ADAPTER 3" IPS  
12HICRT04 PE4710 SDR 9 FLANGE ADAPTER 4" IPS  
12HICRT06 PE4710 SDR 9 FLANGE ADAPTER 6" IPS  
12HICRT08 PE4710 SDR 9 FLANGE ADAPTER 8" IPS  
12HICRT10 PE4710 SDR 9 FLANGE ADAPTER 10" IPS  
  
[3] 12HICRT12 PE4710 SDR 9 FLANGE ADAPTER 12" IPS  
12HICRT14 PE4710 SDR 9 FLANGE ADAPTER 14" IPS  
12HICRT16 PE4710 SDR 9 FLANGE ADAPTER 16" IPS  
12HICRT18 PE4710 SDR 9 FLANGE ADAPTER 18" IPS  
12HICRT20 PE4710 SDR 9 FLANGE ADAPTER 20" IPS  
12HICRT24 PE4710 SDR 9 FLANGE ADAPTER 24" IPS  
12HIR0302 BUT FUSION REDUCER D. 3"IPS x 2"IPS PE100 SDR9  
12HIR0402 BUT FUSION REDUCER D. 4"IPS x 2"IPS PE100 SDR9  
12HIR0403 BUT FUSION REDUCER D. 4"IPS x 3"IPS PE100 SDR9  
12HIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR9  
12HIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR9  
12HIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR9  
12HIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR9  
12HIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR9  
12HIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR9  
12HIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR9  
12DIME08 E/F COUPLER D.8" IPS 160PSI  
12DIME10 E/F COUPLER D.10" 160 psi  
12DIME12 E/F COUPLER D.12" 160 psi  
12DIME16 E/F COUPLER D.16" 160 psi  
12DIME22 E/F COUPLER D.22" 160 psi  
12DIME28 E/F COUPLER D.28" 160 psi  
12DIME32 E/F COUPLER D.32" IPS 160PSI  
12DIME36 E/F COUPLER D.36" IPS 160PSI  
12DIMED16 E/F COUPLER D.16" DIPS 160 psi

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12DIMED24 E/F COUPLER D.24" DIPS 160 psi  
12EICOL0201 E/F BRANCH SADDLE D. 2" IPS x 1" IPS  
12EICOL0201C E/F BRANCH SADDLE D. 2" CTS x 1" CTS  
12EICOL0202 E/F BRANCH SADDLE D. 2" IPS x 2" IPS  
12EICOL02112 E/F BRANCH SADDLE D. 2" IPS x 1/2" IPS  
12EICOL0212C E/F BRANCH SADDLE D. 2" CTS x 1/2" CTS  
12EICOL0234 E/F BRANCH SADDLE D. 2" IPS x 3/4" IPS  
12EICOL0301 E/F Branching saddle 3"IPS x1" IPS  
12EICOL0302 E/F BRANCH SADDLE D.3" X 2"  
12EICOL03114 E/F BRANCH SADDLE D.3" X 1"1/4  
12EICOL0334 E/F BRANCH SADDLE D. 3" IPS x 3/4" IPS  
12EICOL0401 E/F Branching saddle 4"IPS x1" IPS  
12EICOL0402 E/F BRANCH SADDLE D.4" X 2"  
12EICOL0403 E/F BRANCH SADDLE D.4" x 3"  
12EICOL0404 E/F BRANCH SADDLE D.4" x 4"  
12EICOL04114 E/F BRANCH SADDLE D.4" X 1"1/4  
12EICOL0434 E/F BRANCH SADDLE D. 4" IPS x 3/4" IPS  
12EICOL0601 E/F Branching saddle 6"IPS x1" IPS  
12EICOL0602 E/F BRANCH SADDLE D.6" X 2"  
12EICOL0603 E/F BRANCH SADDLE D.6" X 3"  
12EICOL0604 E/F BRANCH SADDLE 6" X 4"  
12EICOL06114 E/F BRANCH SADDLE D.6" X 1"1/4  
12EICOL0634 E/F BRANCH SADDLE D. 6" IPS x 3/4" IPS  
12EICOL0801 E/F Branching saddle 8"IPS x1" IPS  
12EICOL0802 E/F BRANCH SADDLE D.8" X 2"  
12EICOL0803 E/F BRANCH SADDLE D.8" IPS X 3" IPS  
12EICOL0804 E/F BRANCH SADDLE 8" X 4"  
12EICOL08114 E/F BRANCH SADDLE D.8" X 1"1/4  
12EICOL0834 E/F BRANCH SADDLE D. 8" IPS x 3/4" IPS  
12EICOL1001 E/F BRANCH SADDLE D.10" X 1"  
12EICOL1002 E/F BRANCH SADDLE D.10" X 2"  
12EICOL1003 E/F BRANCH SADDLE D.10" IPS X 3" IPS  
12EICOL1004 E/F BRANCH SADDLE 10" X 4"  
12EICOL10114 E/F BRANCH SADDLE D.10" X 1"1/4  
12EICOL1034 E/F BRANCH SADDLE D.10" X 3/4"  
12EICOL11401 E/F BRANCH SADDLE D.1"1/4 IPS x 1" IPS  
12EICOL11401C E/F BRANCH SADDLE D.1"1/4 CTS x 1" CTS  
12EICOL11412C E/F BRANCH SADDLE D.1"1/4 CTS x 1/2" CTS  
12EICOL11434 E/F BRANCH SADDLE D.1"1/4 IPS x 3/4" IPS  
12EICOL1201 E/F BRANCH SADDLE D.12" x 1"  
12EICOL1202 E/F BRANCH SADDLE D.12" x 2"  
12EICOL1203 E/F BRANCH SADDLE D.12" IPS X 3" IPS  
12EICOL1204 E/F BRANCH SADDLE 12" X 4"  
12EICOL12114 E/F BRANCH SADDLE D.12" X 1"1/4  
12EICOL1234 E/F BRANCH SADDLE D.12" x 3/4"  
12EICOLS0604 SEWAGE E/F BRANCH SADDLE 6" X 4"  
12EICOLTL0606 E/F BRANCH SADDLE TL WITH STRAPS 6" x 6" IPS  
12EICOLTL0806 E/F BRANCH SADDLE TL WITH STRAPS 8" x 6" IPS  
12EICOLTL1006 E/F BRANCH SADDLE TL WITH STRAPS 10" x 6" IPS  
12EICOLTL1206 E/F BRANCH SADDLE TL WITH STRAPS 12" x 6" IPS  
12EICOLTL1208 E/F BRANCH SADDLE TL WITH STRAPS 12" x 8" IPS  
12EICOLTL1406 E/F BRANCH SADDLE TL WITH STRAPS 14" x 6" IPS  
12EICOLTL142402 E/F BRANCH SADDLE TOP LOAD D.14"/24" x 2"  
12EICOLTL1606 E/F BRANCH SADDLE TL WITH STRAPS 16" x 6" IPS  
12EICOLTL1806 E/F BRANCH SADDLE TL WITH STRAPS 18" x 6" IPS  
12EICOLTL2006 E/F BRANCH SADDLE TL WITH STRAPS 20" x 6" IPS  
12EICOLTL2206 E/F BRANCH SADDLE TL WITH STRAPS 22" x 6" IPS

- [4] 12EICOLTL2406 E/F BRANCH SADDLE TL WITH STRAPS 24" x 6" IPS
- 12EICOLTL2408 E/F BRANCH SADDLE TL WITH STRAPS 24" x 8" IPS
- 12EICOLTL2806 E/F BRANCH SADDLE TL WITH STRAPS 28" x 6" IPS
- 12EICOLTL2808 E/F BRANCH SADDLE TL WITH STRAPS 28" x 8" IPS
- 12EICOLTL3006 E/F BRANCH SADDLE TL WITH STRAPS 30" x 6" IPS
- 12EICOLTL3008 E/F BRANCH SADDLE TL WITH STRAPS 30" x 8" IPS
- 12EICOLTL3206 E/F BRANCH SADDLE TL WITH STRAPS 32" x 6" IPS
- 12EICOLTL3606 E/F BRANCH SADDLE TL WITH STRAPS 36" x 6" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EICOLTL4006 E/F BRANCH SADDLE TL WITH STRAPS 40" x 6" IPS  
12EICOLTLFL1804 BRANCHING SADDLE 18" IPS x 4" STUB-END K  
12EICOLTLS0606 E/F BRANCH SADDLE TL SHORT 6" x 6" IPS  
12EICOLTLS0806 E/F BRANCH SADDLE TL SHORT 8" x 6" IPS  
12EICOLTLS1006 E/F BRANCH SADDLE TL SHORT 10" x 6" IPS  
12EICOLTLS1206 E/F BRANCH SADDLE TL SHORT 12" x 6" IPS  
12EIGEM02 PE100 SDR11 E/F SINGLE WIRE 90° ELBOW D.2" IPS  
12EIGEM03 PE100 SDR11 E/F SINGLE WIRE 90° ELBOW D.3" IPS  
12EIME01 PE100 SDR11 E/F COUPLER D.1" IPS  
12EIME012C PE100 SDR11 E/F COUPLER D.1/2" CTS  
12EIME01C PE100 SDR11 E/F COUPLER D.1" CTS  
12EIME02 PE100 SDR11 E/F COUPLER D.2"  
12EIME03 PE100 SDR11 E/F COUPLER D.3"  
12EIME034 PE100 SDR11 E/F COUPLER D.3/4"  
12EIME04 PE100 SDR11 E/F COUPLER D.4"  
12EIME06 PE100 SDR11 E/F COUPLER D.6"  
12EIME08 PE100 SDR11 E/F COUPLER D.8"  
12EIME10 PE100 SDR11 E/F COUPLER D.10"  
12EIME112 PE100 SDR11 E/F COUPLER D.1"1/2  
12EIME114 PE100 SDR11 E/F COUPLER D.1"1/4  
12EIME12 PE100 SDR11 E/F COUPLER D.12"  
12EIME14 PE100 SDR11 E/F COUPLER D.14"  
12EIME16 PE100 SDR11 E/F COUPLER D.16"  
12EIME18 PE100 SDR11 E/F COUPLER D.18"  
12EIME20 PE100 SDR11 E/F COUPLER D.20"  
12EIME22 PE100 SDR11 E/F COUPLER D.22"  
12EIME24 PE100 SDR11 E/F COUPLER D.24"  
12EIME30 PE100 SDR11 E/F COUPLER D.30" IPS  
12EIMED08 PE100 E/F COUPLER D.8" DIPS 230 psi  
12EIMED10 PE100 E/F COUPLER D.10" DIPS 230 psi  
12EIMED12 PE100 E/F COUPLER D.12" DIPS 230 psi  
12EIRDE01034 E/F REDUCER D.1"IPSx3/4"IPS  
12EIRDE01C012C E/F REDUCER D.1"CTSx1/2"CTS  
12EIRDE01C034 E/F REDUCER D.1"CTSx3/4"IPS  
12EIRDE02112 E/F REDUCER D.2" IPS x 1"1/2 IPS  
12EIRDE02114 E/F REDUCER D.2"IPSx1"1/4 IPS  
12EIRDE0302 E/F REDUCER D. 3"IPS x 2"IPS  
12EIRDE034012 E/F REDUCER D.3/4"IPSx1/2"IPS  
12EIRDE034012C E/F REDUCER D.3/4"IPSx1/2"CTS  
12EIRDE034034C E/F REDUCER D.3/4" IPS x 3/4" CTS  
12EIRDE0402 E/F REDUCER D.4"IPSx2"IPS  
12EIRDE0403 E/F REDUCER D.4"IPSx3"IPS  
12EIRDE0604 E/F REDUCER D.6"IPSx4"IPS  
12EIRDE114114C E/F REDUCER D.1"1/4 IPS x 1"1/4 CTS  
12EIRDME0363 PE100 SDR11 E/F REDUCER D. 3" IPS x 63 mm  
12EIRDME04110 PE100 SDR11 E/F REDUCER D. 110 mm x 4" IPS  
12EIRDME0616 PE100 SDR11 E/F REDUCER D. 6" IPS x 160 mm  
12EIRDME11003 PE100 SDR11 E/F REDUCER D. 110 mm x 3" IPS  
12EIRDME11240 PE100 SDR11 E/F REDUCER D. 1"1/2 IPS x 40 mm  
12EIRDME11440 PE100 SDR11 E/F REDUCER D. 1"1/4 IPS x 40 mm  
12EIRDME12504 PE100 SDR11 E/F REDUCER D.125mm x 4" IPS  
12EIRDME3420 PE100 SDR11 E/F REDUCER 20 mm x 3/4" IPS  
12EIRDME4001 PE100 SDR11 E/F REDUCER D. 40mm x 1" IPS  
12EIRDME4034 PE100 SDR11 E/F REDUCER 40 mm x 3/4" IPS  
12EIRDME6302 PE100 SDR11 E/F REDUCER D. 63mm x 2" IPS  
12DIR0302 BUT FUSION REDUCER D. 3"IPS x 2"IPS PE100 SDR17  
12DIR0402 BUT FUSION REDUCER D. 4"IPS x 2"IPS PE100 SDR17  
12DIR0403 BUT FUSION REDUCER D. 4"IPS x 3"IPS PE100 SDR17  
12DIR0603 BUT FUSION REDUCER D. 6"IPS x 3"IPS PE100 SDR17  
12DIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR17  
12DIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR17  
12DIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR17  
12DIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR17  
12DIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR17  
12DIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR17  
12DIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR17  
12DIR1210 BUT FUSION REDUCER D. 12"IPSx10"IPS PE100 SDR17  
12EIBFRS04 BUTT FUSION REPAIR SLEEVE 4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EIBFRS06 BUTT FUSION REPAIR SLEEVE 6" IPS  
12EIG02 PE100 SDR11 BUTT FUSION 90° ELBOW 2" IPS  
12EIG03 PE100 SDR11 BUTT FUSION 90° ELBOW 3" IPS  
12EIG04 PE100 SDR11 BUTT FUSION 90° ELBOW 4" IPS

- [5] 12EIG06 PE100 SDR11 BUTT FUSION 90° ELBOW 6" IPS
- 12EIR02112 BUT FUSION REDUCER D. 2" IPS x 1"1/2 IPS
- 12EIR0302 BUT FUSION REDUCER D. 3" IPS x 2" IPS
- 12EIR0402 BUT FUSION REDUCER D. 4" IPS x 2" IPS
- 12EIR0403 BUT FUSION REDUCER D. 4" IPS x 3" IPS
- 12EIR0603 BUT FUSION REDUCER D. 6"IPS x 3"IPS PE100 SDR11
- 12EIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR11
- 12EIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR11
- 12EIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR11
- 12EIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR11
- 12EIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR11
- 12EIR112114 BUTT FUSION REDUCER D. 1"1/2 IPS x 1"1/4 IPS
- 12EIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR11
- 12EIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR11
- 12EITRS0201 BUTT FUS. RED. TEE 2"IPS x 1" IPS PE4710 230PSI
- 12EITRS02034 BUTT FUS. RED. TEE 2"IPS x 3/4" IPS PE4710 230PSI
- 12EITRS02114 BUTT FUS. RED. TEE 2"IPS x 1"1/4 IPS PE4710 230PSI
- 12EITRS0301 BUTT FUS. RED. TEE 3"IPS x 1" IPS PE4710 230PSI
- 12EITRS0302 BUTT FUS. RED. TEE 3"IPS x 2" IPS PE4710 230PSI
- 12EITRS03114 BUTT FUS. RED. TEE 3"IPS x 1"1/4 IPS PE4710 230PSI
- 12EITRS0402 BUTT FUS. RED. TEE 4"IPS x 2" IPS PE4710 230PSI
- 12EITRS04114 BUTT FUS. RED. TEE 4"IPS x 1"1/4 IPS PE4710 230PSI
- 12EITRS0602 BUTT FUS. RED. TEE 6"IPS x 2" IPS PE4710 230PSI
- 12EITRS0603 BUTT FUS. RED. TEE 6"IPS x 3" IPS PE4710 230PSI
- 12EITRS0604 BUTT FUS. RED. TEE 6"IPS x 4" IPS PE4710 230PSI

[6] Configurations include:

Socket Long Radius 90° Elbow  
27NCLR20 1/2"  
27NCLR25 3/4"  
Crossover Pipe - Plain End  
27NSOR20 1/2"  
27NSOR25 3/4"  
27NSOR32 1"  
Compact Cross Over F/F - Socket  
27NSOFF20 1/2"  
27NSOFF25 3/4"  
Compact Cross Over M/F - Socket  
27NSOFM20 1/2"  
27NSOFM25 3/4"  
Socket Fusion 90° Elbow  
27NG20 1/2"  
27NG25 3/4"  
27NG32 1"  
27NG40 1 1/4"  
27NG50 1 1/2"  
27NG63 2"  
27NG75 2 1/2"  
27NG90 3"  
27NG110 3 1/2"  
27NG125 4"  
Butt Weld 90° Elbow - Long Spigot (SDR 7.3)  
27NG907463MM 2"  
27NG907490MM 3"  
27NG9074110MM 3 1/2"  
27NG9074125MM 4"  
27NG9074160MM 6"  
Segmented 90° Elbow - Long Spigot (SDR 7.3)  
27NG9074200MM 8"  
27NG9074250MM 10"  
27NG9074315MM 12"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.





27NG9074355MM 14"  
Butt Weld 90° Elbow - Long Spigot (SDR 11)  
27NG901163MM 2"  
27NG901190MM 3"  
27NG9011110MM 3 1/2"  
27NG9011125MM 4"  
27NG9011160MM 6"  
27NG9011200MM 8"  
27NG9011250MM 10"  
27NG9011315MM 12"  
Segmented 90° Elbow - Long Spigot (SDR 11)  
27NG9011355MM 14"  
27NG9011400MM 16"  
27NG9011450MM 18"  
27NG9011500MM 20"  
Butt Weld 90° Elbow - Long Spigot (SDR 17)  
27NG901763MM 2"  
27NG901790MM 3"  
27NG9017110MM 3 1/2"  
27NG9017125MM 4"  
27NG9017160MM 6"  
27NG9017200MM 8"  
27NG9017250MM 10"  
27NG9017315MM 12"  
Segmented 90° Elbow - Long Spigot (SDR 17)  
27NG9017355MM 14"  
27NG9017400MM 16"  
27NG9017450MM 18"  
27NG9017500MM 20"  
27NG9017560MM 22"  
27NG9017630MM 24"  
Socket Fusion Street 90° Elbow  
27NGMF20 1/2"  
27NGMF25 3/4"  
27NGMF32 1"  
27NGMF40 1 1/4"  
Socket Fusion 45° Elbow  
27NC4520 1/2"  
27NC4525 3/4"  
27NC4532 1"  
27NC4540 1 1/4"  
27NC4550 1 1/2"  
27NC4563 2"  
27NC4575 2 1/2"  
27NC4590 3"  
27NC45110 3 1/2"  
27NC45125 4"  
Butt Weld 45° Elbow - Long Spigot (SDR 7.3)  
27NC457463MM 2"  
27NC457490MM 3"  
27NC4574110MM 3 1/2"  
27NC4574125MM 4"  
27NC4574160MM 6"  
Segmented 45° Elbow - Long Spigot (SDR 7.3)  
27NC4574200MM 8"  
27NC4574250MM 10"  
27NC4574315MM 12"  
27NC4574355MM 14"  
Butt Weld 45° Elbow - Long Spigot (SDR 11)  
27NC451163MM 2"  
27NC451190MM 3"  
27NC4511110MM 3 1/2"  
27NC4511125MM 4"  
27NC4511160MM 6"  
27NC4511200MM 8"  
27NC4511250MM 10"  
27NC4511315MM 12"  
Segmented 45° Elbow - Long Spigot (SDR 11)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.





27NC4511355MM 14"  
27NC4511400MM 16"  
27NC4511450MM 18"  
27NC4511500MM 20"  
Butt Weld 45° Elbow - Long Spigot (SDR 17)  
27NC451763MM 2"  
27NC451790MM 3"  
27NC4517110MM 3 1/2"  
27NC4517125MM 4"  
27NC4517160MM 6"  
27NC4517200MM 8"  
27NC4517250MM 10"  
27NC4517315MM 12"  
Segmented 45° Elbow - Long Spigot (SDR 17)  
27NC4517355MM 14"  
27NC4517400MM 16"  
27NC4517450MM 18"  
27NC4517500MM 20"  
27NC4517560MM 22"  
27NC4517630MM 24"  
Socket Fusion Street 45° Elbow  
27NCMF4520 1/2"  
27NCMF4525 3/4"  
Socket Fusion Tee  
27NT20 1/2"  
27NT25 3/4"  
27NT32 1"  
27NT40 1 1/4"  
27NT50 1 1/2"  
27NT63 2"  
27NT75 2 1/2"  
27NT90 3"  
27NT110 3 1/2"  
27NT125 4"  
Butt Weld - Socket Fusion Tee (SDR 7.3)  
27NT7463MM 2"  
27NT7490MM 3"  
27NT74110MM 3 1/2"  
27NT74125MM 4"  
27NT74160MM 6"  
Segmented - Socket Fusion Tee (SDR 7.3)  
27NT74200MM 8"  
27NT74250MM 10"  
27NT74315MM 12"  
27NT74355MM 14"  
Butt Weld Tee - Long Spigot (SDR 11)  
27NT1163MM 2"  
27NT1190MM 3"  
27NT11110MM 3 1/2"  
27NT11125MM 4"  
27NT11160MM 6"  
27NT11200MM 8"  
27NT11250MM 10"  
Segmented Tee - Long Spigot (SDR 11)  
27NT11315MM 12"  
27NT11355MM 14"  
27NT11400MM 16"  
27NT11450MM 18"  
27NT11500MM 20"  
Butt Weld Tee - Long Spigot (SDR 17)  
27NT1763MM 2"  
27NT1790MM 3"  
27NT17110MM 3 1/2"  
27NT17125MM 4"  
27NT17160MM 6"  
27NT17200MM 8"  
27NT17250MM 10"  
Segmented Tee - Long Spigot (SDR 17)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NTR17315MM 12"  
 27NTR17355MM 14"  
 27NTR17400MM 16"  
 27NTR17450MM 18"  
 27NTR17500MM 20"  
 27NTR17560MM 22"  
 27NTR17630MM 24"

[7] Socket Fusion Reduced Tee

27NTR252020 3/4" x 1/2" x 1/2"  
 27NTR252025 3/4" x 1/2" x 3/4"  
 27NTR252520 3/4" x 3/4" x 1/2"  
 27NTR323225 1" x 1" x 3/4"  
 27NTR253225 3/4" x 1" x 3/4"  
 27NTR322020 1" x 1/2" x 1/2"  
 27NTR322025 1" x 1/2" x 3/4"  
 27NTR322525 1" x 3/4" x 3/4"  
 27NTR322032 1" x 1/2" x 1"  
 27NTR322532 1" x 3/4" x 1"  
 27NTR402040 1 1/4" x 1/2" x 1 1/4"  
 27NTR402540 1 1/4" x 3/4" x 1 1/4"  
 27NTR403240 1 1/4" x 1" x 1 1/4"  
 27NTR502050 1 1/2" x 1/2" x 1 1/2"  
 27NTR502550 1 1/2" x 3/4" x 1 1/2"  
 27NTR503250 1 1/2" x 1" x 1 1/2"  
 27NTR504050 1 1/2" x 1 1/4" x 1 1/2"  
 27NTR632563 2" x 3/4" x 2"  
 27NTR633263 2" x 1" x 2"  
 27NTR634063 2" x 1 1/4" x 2"  
 27NTR635063 2" x 1 1/2" x 2"  
 27NTR753275 2 1/2" x 1" x 2 1/2"  
 27NTR754075 2 1/2" x 1 1/4" x 2 1/2"  
 27NTR755075 2 1/2" x 1 1/2" x 2 1/2"  
 27NTR756375 2 1/2" x 2" x 2 1/2"  
 27NTR906390 3" x 2" x 3"  
 27NTR907590 3" x 2 1/2" x 3"  
 27NTR11063110 3 1/2" x 2" x 3 1/2"  
 27NTR11075110 3 1/2" x 2 1/2" x 3 1/2"  
 27NTR11090110 3 1/2" x 3" x 3 1/2"  
 27NTR12575125 4" x 2 1/2" x 4"  
 27NTR12590125 4" x 3" x 4"  
 27NTR125110125 4" x 3 1/2" x 4"

Fusion Male Side Fusion Reduced Tee - Long Spigot

27NTR11160110M160 6" x 3 1/2" x 6"  
 27NTR11160125M160 6" x 4" x 5"  
 27NTR11200110M200 8" x 3 1/2" x 8"  
 27NTR11200125M200 8" x 4" x 8"  
 27NTR11200160M200 8" x 6" x 8"  
 27NTR11250110M250 10" x 3 1/2" x 10"  
 27NTR11250125M250 10" x 4" x 10"  
 27NTR11250160M250 10" x 6" x 10"  
 27NTR11315110M315 12" x 3 1/2" x 12"  
 27NTR11315125M315 12" x 4" x 12"  
 27NTR11315160M315 12" x 6" x 12"  
 27NTR11355110M355 14" x 3 1/2" x 14"  
 27NTR11355125M355 14" x 4" x 14"  
 27NTR11355160M355 14" x 6" x 14"

Fusion Female Side Fusion Reduced Tee - Long Spigot

27NTR119040F90 3" x 1 1/4" x 3"  
 27NTR119050F90 3" x 1 1/2" x 3"  
 27NTR119063F90 3" x 2" x 3"  
 27NTR1111040F110 3 1/2" x 1 1/4" x 3 1/2"  
 27NTR1111050F110 3 1/2" x 1 1/2" x 3 1/2"  
 27NTR1111063F110 3 1/2" x 2" x 3 1/2"  
 27NTR1112540F125 4" x 1 1/4" x 4"  
 27NTR1112550F125 4" x 1 1/2" x 4"  
 27NTR1112563F125 4" x 2" x 4"  
 27NTR1112575F125 4" x 2 1/2" x 4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NTR1112590F125 4" x 3" x 4"  
27NTR1116040F160 6" x 1 1/4" x 6"  
27NTR1116050F160 6" x 1 1/2" x 6"  
27NTR1116063F160 6" x 2" x 6"  
27NTR1116075F160 6" x 2 1/2" x 6"  
27NTR1116090F160 6" x 3" x 6"  
27NTR1120040F200 8" x 1 1/4" x 8"  
27NTR1120050F200 8" x 1 1/2" x 8"  
27NTR1120063F200 8" x 2" x 8"  
27NTR1120075F200 8" x 2 1/2" x 8"  
27NTR1120090F200 8" x 3" x 8"  
27NTR1125040F250 10" x 1 1/4" x 10"  
27NTR1125050F250 10" x 1 1/2" x 10"  
27NTR1125063F250 10" x 2" x 10"  
27NTR1125075F250 10" x 2 1/2" x 10"  
27NTR1125090F250 10" x 3" x 10"  
27NTR1131540F315 12" x 1 1/4" x 12"  
27NTR1131550F315 12" x 1 1/2" x 12"  
27NTR1131563F315 12" x 2" x 12"  
27NTR1131575F315 12" x 2 1/2" x 12"  
27NTR1131590F315 12" x 3" x 12"  
27NTR1135540F355 14" x 1 1/4" x 14"  
27NTR1135550F355 14" x 1 1/2" x 14"  
27NTR1135563F355 14" x 2" x 14"  
27NTR1135575F355 14" x 2 1/2" x 14"  
27NTR1135590F355 14" x 3 1/2" x 14"  
Socket Fusion Reduced Cross  
27NCR402020 1 1/4" x 1/2"x 1/2" x 1 1/4"  
27NCR402525 1 1/4" x 3/4" x 3/4"x 1 1/4"  
Socket Fusion Side Elbow Three Outlets  
27NCTV20 1/2"  
Socket Fusion Reduced Bushing  
27NR2520 3/4" x 1/2"  
27NR3220 1" x 1/2"  
27NR3225 1" x 3/4"  
27NR4020 1 1/4" x 1/2"  
27NR4025 1 1/4" x 3/4"  
27NR4032 1 1/4" x 1"  
27NR5020 1 1/2" x 1/2"  
27NR5025 1 1/2" x 3/4"  
27NR5032 1 1/2" x 1"  
27NR5040 1 1/2" x 1"  
27NR6325 2"x 3/4"  
27NR6332 2" x 1"  
27NR6340 2" x 1 1/4"  
27NR6350 2" x 1 1/2"  
27NR7520 2 1/2" x 1/2"  
27NR7525 2 1/2" x 3/4"  
27NR7532 2 1/2" x 1"  
27NR7540 2 1/2" x 1 1/4"  
27NR7550 2 1/2" x 1 1/2"  
27NR7563 2 1/2" x 2"  
27NR9063 3" x 2"  
27NR9075 3" x 2 1/2"  
27NR11063 3 1/2" x 2"  
27NR11075 3 1/2" x 2 1/2"  
27NR11090 3 1/2" x 3"  
27NR12590 4" x 3"  
27NR125110 4" x 3 1/2"  
27NR160110 6" x 3 1/2"  
27NR160125 6" x 4"  
[8] Male Concentric Reducer - Long Spigot  
27NR754011MM 2 1/2" x 1 1/4"  
27NR755011MM 2 1/2" x 1 1/2"  
27NR756311MM 2 1/2" x 2"  
27NR905011MM 3" x 1 1/2"  
27NR906311MM 3" x 2"  
27NR907511MM 3" x 2 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NR1106311MM 3 1/2" x 2"  
27NR1107511MM 3 1/2" x 2 1/2"  
27NR1109011MM 3 1/2" x 3"  
27NR12511011MM 4" x 3 1/2"  
27NR1257511MM 4" x 2 1/2"  
27NR1259011MM 4" x 3"  
27NR16011011MM 6" x 3 1/2"  
27NR16012511MM 6" x 4"  
27NR20016011MM 8" x 6"  
Socket Fusion Coupling  
27NMAN20 1/2"  
27NMAN25 3/4"  
27NMAN32 1"  
27NMAN40 1 1/4"  
27NMAN50 1 1/2"  
27NMAN63 2"  
27NMAN75 2 1/2"  
27NMAN90 3"  
27NMAN110 3 1/2"  
27NMAN125 4"  
Socket Fusion End Cap  
27NCC20 1/2"  
27NCC25 3/4"  
27NCC32 1"  
27NCC40 1 1/4"  
27NCC50 1 1/2"  
27NCC63 2"  
27NCC75 2 1/2"  
27NCC90 3"  
27NCC110 3 1/2"  
27NCC125 4"  
End Cap - Long Spigot (SDR 7.3)  
27NCC16074M 6"  
27NCC20074M 8"  
End Cap - Short Spigot (SDR 7.3)  
27NCC25074MS 10"  
27NCC31574MS 12"  
27NCC35574MS 14"  
27NCC40074MS 16"  
27NCC45074MS 18"  
End Cap - Long Spigot (SDR 11)  
27NCC16011M 6"  
27NCC20011M 8"  
End Cap - Short Spigot (SDR 11)  
27NCC25011MS 10"  
27NCC31511MS 12"  
27NCC35511MS 14"  
27NCC40011MS 16"  
27NCC45011MS 18"  
End Cap - Long Spigot (SDR 17)  
27NCC16017M 6"  
27NCC20017M 8"  
End Cap - Short Spigot (SDR 17)  
27NCC25011MS 10"  
27NCC31511MS 12"  
27NCC35511MS 14"  
27NCC40011MS 16"  
27NCC45011MS 18"  
Stub Flange - Long Spigot  
27NCRT3211 1"  
27NCRT4011 1 1/4"  
27NCRT5011 1 1/2"  
27NCRT6311 2"  
27NCRT7511 2 1/2"  
27NCRT9011 3"  
27NCRT11011 3 1/2"  
27NCRT12511 4"  
27NCRT16011 6"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NCRT20011 8"  
27NCRT25011 10"  
Stub Flange - Short Spigot  
27NCRT31511S 12"  
27NCRT35511S 14"  
27NCRT40011S 16"  
27NCRT45011S 18"  
27NCRT50011S 20"  
Electrofusion Coupling  
27NME20 1/2"  
27NME25 3/4"  
27NME32 1"  
27NME40 1 1/4"  
27NME50 1 1/2"  
27NME63 2"  
27NME75 2 1/2"  
27NME90 3"  
27NME110 3 1/2"  
27NME125 4"  
27NME160 6"  
27NME200 8"  
27NME250 10"  
27NME315 12"  
Electrofusion Reducer  
27NRDE3225 1/2" x 3/4"  
27NRDE4032 1 1/4" x 1"  
27NRDE5032 1 1/2" x 1"  
27NRDE5040 1 1/2" x 1 1/4"  
27NRDE6332 2" x 1"  
27NRDE6340 2" x 1 1/4"  
27NRDE6350 2" x 1 1/2"  
27NRDE7563 2 1/2" x 2"  
27NRDE9063 3" x 2"  
27NRDE1163 3 1/2" x 2"  
27NRDE1190 3 1/2" x 3"  
Electrofusion 90° Elbow  
27NGEM20 1/2"  
27NGEM25 3/4"  
27NGEM32 1"  
27NGEM40 1 1/4"  
27NGEM50 1 1/2"  
27NGEM63 2"  
27NGEM75 2 1/2"  
27NGEM90 3"  
27NGEM110 3 1/2"  
Electrofusion 45° Elbow  
27NCEM32 1"  
27NCEM40 1 1/4"  
27NCEM50 1 1/2"  
27NCEM63 2"  
27NCEM75 2 1/2"  
27NCEM90 3"  
27NCEM110 3 1/2"  
Electrofusion Tee  
27NTCE20 1/2"  
27NTCE25 3/4"  
27NTCE32 1"  
27NTCE40 1 1/4"  
27NTCE50 1 1/2"  
27NTCE63 2"  
27NTCE75 2 1/2"  
27NTE90 3"  
27NTCE110 3 1/2"  
27NTCE160 6"

[9] Configurations include:

Socket Female Threaded 90° Elbow w/NPT Lead Free Brass

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1/2" x 1/2"NPT (27NGF2012NPT)  
3/4" x 1/2"NPT (27NGF2512NPT)  
3/4" x 3/4"NPT (27NGF2534NPT)  
1" x 1/2"NPT (27NGF3212NPT)  
1" x 3/4"NPT (27NGF3234NPT)  
1" x 1"NPT (27NGF321NPT)  
1 1/4" x 1"NPT (27NGF401NPT)  
1 1/2" x 1 1/4"NPT (27NGF50114NPT)  
1 1/2" x 1 1/2"NPT (27NGF50112NPT)  
2" x 1"NPT (27NGF63112NPT)  
2" x 2"NPT (27NGF632NPT)  
Socket Male Threaded 90° Elbow w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NGM2012NPT)  
3/4" x 1/2"NPT (27NGM2512NPT)  
3/4" x 3/4"NPT (27NGM2534NPT)  
1" x 1/2"NPT (27NGM3212NPT)  
1" x 3/4"NPT (27NGM3234NPT)  
1" x 1"NPT (27NGM321NPT)  
Socket Female Threaded Back Plate 90° w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NTER2012NPT)  
Female Threaded Winged 90° w/NPT Lead Free Brass  
1/2" x 3/8"NPT (27NGTF2038NPT)  
1/2" x 1/2"NPT (27NGTF2012NPT)  
Socket Fusion Male Threaded Winged 90° w/NPT Lead Free Brass  
1/2" x 3/8"NPT (27NGTM2038NPT)  
1/2" x 1/2"NPT (27NGTM2012NPT)  
Female Threaded 90° Elbow for Template with NPT Lead Free Brass  
1/2" x 3/8"NPT (27NG0F2012NPT)  
3/4" x 1/2"NPT (27NG0F2512NPT)  
Male Threaded 90° Elbow for Template with NPT Lead Free Brass  
1/2" x 1/2"NPT (27NG0M2012NPT)  
Female Threaded Street 90° Elbows w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NGMFF2012NPT)  
Female Threaded Tee w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NTF2012NPT)  
3/4" x 1/2"NPT (27NTF2512NPT)  
3/4" x 3/4"NPT (27NTF2534NPT)  
1" x 1/2"NPT (27NTF3212NPT)  
1" x 3/4"NPT (27NTF3234NPT)  
1" x 1"NPT (27NTF321NPT)  
Male Threaded Tee w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NTM2012NPT)  
3/4" x 1/2"NPT (27NTM2512NPT)  
3/4" x 3/4"NPT (27NTM2534NPT)  
1" x 1/2"NPT (27NTM3212NPT)  
1" x 3/4"NPT (27NTM3234NPT)  
1" x 1"NPT (27NTM321NPT)  
Female Threaded Adapter w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NRFF2012NPT)  
1/2" x 3/4"NPT (27NRFF2034NPT)  
3/4" x 1/2"NPT (27NRFF2512NPT)  
3/4" x 3/4"NPT (27NRFF2534NPT)  
1" x 3/4"NPT (27NRFF3234NPT)  
1" x 1"NPT (27NRFF321NPT)  
1 1/4" x 1"NPT (27NRFF401NPT)  
1 1/4" x 1 1/4"NPT (27NRFF40114NPT)  
1 1/2" x 1 1/4"NPT (27NRFF50114NPT)  
1 1/2" x 1 1/2"NPT (27NRFF50112NPT)  
2" x 1 1/2"NPT (27NRFF63112NPT)  
2" x 2"NPT (27NRFF632NPT)  
2 1/2" x 2"NPT (27NRFF752NPT)  
2 1/2" x 2 1/2"NPT (27NRFF75212NPT)  
3" x 3"NPT (27NRFF903NPT)  
3 1/2" x 4"NPT (27NRFF1104NPT)  
4" x 4"NPT (27NRFF1254NPT)  
Male Threaded Adapter w/NPT Lead Free Brass  
1/2" x 1/2"NPT (27NRFM2012NPT)  
1/2" x 3/4"NPT (27NRFM2034NPT)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



- 3/4" x 1/2"NPT (27NRFM2512NPT)
- 3/4" x 3/4"NPT (27NRFM2534NPT)
- 1" x 3/4"NPT (27NRFM3234NPT)
- 1" x 1"NPT (27NRFM321NPT)
- 1 1/4" x 1"NPT (27NRFM401NPT)
- 1 1/4" x 1 1/4"NPT (27NRFM40114NPT)
- 1 1/2" x 1 1/4"NPT (27NRFM50114NPT)
- 1 1/2" x 1 1/2"NPT (27NRFM50112NPT)
- 2" x 1 1/2"NPT (27NRFM63112NPT)
- 2" x 2"NPT (27NRFM632NPT)
- 2 1/2" x 2"NPT (27NRFM752NPT)
- 2 1/2" x 2 1/2"NPT (27NRFM75212NPT)
- 3" x 3"NPT (27NRFM903NPT)
- 3 1/2" x 4"NPT (27NRFM1104NPT)
- 4" x 4"NPT (27NRFM1254NPT)

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility: Castel Guelfo di Bologna (BO), Italy

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
<sup>[G]</sup> Pipe			
Niron Blue	20 mm - 630 mm	C. HOT	PP
Niron Clima	20 mm - 630 mm	C. HOT	PP
Niron FG Red	20 mm - 630 mm	C. HOT	PP
Niron Grey	20 mm - 630 mm	C. HOT	PP

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.