



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI/CAN 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on November 13, 2024.

Nupi Industrie Italiane SpA
Via Stefano Ferrario Z.I. Sud-Ovest
21052 Busto Ariszio (VA)
Italy
39 03 313 44211

Facility: Busto Arsizio (VA), Italy

Mechanical Devices

| Trade Name | Size | Water Contact Temp | Water Contact Material |
|---|-----------------------|--------------------|------------------------|
| Fittings | | | |
| Elofit ^[1] [2] [3] [4] [5] | 1/4" x 1/2" - 40 x 60 | CLD 23 | PE |
| Niron ^[6] [7] | 1/2" - 12" | C. HOT | PP |
| Miscellaneous Process Devices/Components ^[G] | | | |
| NCOLVPR Branch Fitting with Valve ^[8] | 1-1/4" - 12" | C. HOT | MLTPL |
| PEX Adapter (Cold Expansion) SDR 11 | | | |
| NCOLVPRCR Branch Fitting with Valve ^[9] | 1-1/4" - 12" | C. HOT | MLTPL |
| PEX Adapter (Crimp Ring) SDR 11 | | | |
| Valves ^[G] | | | |
| Niron Ball Valves ^[10] | 20 - 75 mm | C. HOT | MLTPL |
| PE VALVE FOR UNDERGROUND APPLICATION (12EIVSxx) ^[11] | 1" - 4" | CLD 23 | MLTPL |

[1] Configurations include:

- 12EICOL0201 E/F BRANCH SADDLE D. 2" IPS x 1" IPS
- 12EICOL0201C E/F BRANCH SADDLE D. 2" CTS x 1" CTS
- 12EICOL0202 E/F BRANCH SADDLE D. 2" IPS x 2" IPS
- 12EICOL02112 E/F BRANCH SADDLE D. 2" IPS x 1/2" IPS
- 12EICOL0212C E/F BRANCH SADDLE D. 2" CTS x 1/2" CTS
- 12EICOL0234 E/F BRANCH SADDLE D. 2" IPS x 3/4" IPS
- 12EICOL0301 E/F Branching saddle 3" IPS x 1" IPS
- 12EICOL0302 E/F BRANCH SADDLE D.3" x 2"
- 12EICOL03114 E/F BRANCH SADDLE D.3" x 1 1/4"
- 12EICOL0334 E/F BRANCH SADDLE D. 3" IPS x 3/4" IPS
- 12EICOL0401 E/F Branching saddle 4" IPS x 1" IPS
- 12EICOL0402 E/F BRANCH SADDLE D.4" x 2"
- 12EICOL0403 E/F BRANCH SADDLE D.4" x 3"
- 12EICOL0404 E/F BRANCH SADDLE D.4" x 4"
- 12EICOL04114 E/F BRANCH SADDLE D.4" x 1 1/4"
- 12EICOL0434 E/F BRANCH SADDLE D. 4" IPS x 3/4" IPS
- 12EICOL0601 E/F Branching saddle 6" IPS x 1" IPS
- 12EICOL0602 E/F BRANCH SADDLE D.6" x 2"
- 12EICOL0603 E/F BRANCH SADDLE D.6" x 3"
- 12EICOL0604 E/F BRANCH SADDLE 6" x 4"
- 12EICOLTTL1606 E/F BRANCH SADDLE TL WITH STRAPS 16" x 6" IPS
- 12EICOLTTL1608 E/F BRANCH SADDLE TL WITH STRAPS 16" x 8" IPS
- 12EICOLTTL2406 E/F BRANCH SADDLE TL WITH STRAPS 24" x 6" IPS
- 12EICOLTTL2408 E/F BRANCH SADDLE TL WITH STRAPS 24" x 8" IPS
- 12EICOLTTL2606 E/F BRANCH SADDLE TL WITH STRAPS 26" x 6" IPS
- 12EICOLTTL2806 E/F BRANCH SADDLE TL WITH STRAPS 28" x 6" IPS
- 12EICOLTTL2808 E/F BRANCH SADDLE TL WITH STRAPS 28" x 8" IPS
- 12EICOLTTL3006 E/F BRANCH SADDLE TL WITH STRAPS 30" x 6" IPS
- 12EICOLTTL4006 E/F BRANCH SADDLE TL WITH STRAPS 40" x 6" IPS
- 12EICOLTFL1804 BRANCHING SADDLE 18" IPS x 4" STUB-END K
- 12EICOLTLS0606 E/F BRANCH SADDLE TL SHORT 6" x 6" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EICOLTLS0806 E/F BRANCH SADDLE TL SHORT 8" x 6" IPS
12EICOLTLS1006 E/F BRANCH SADDLE TL SHORT 10" x 6" IPS
12EICOLTLS1206 E/F BRANCH SADDLE TL SHORT 12" x 6" IPS
12EIRIP02 PE100 SDR11 REPAIR SADDLE 2" IPS
12EIRIP03 PE100 SDR11 REPAIR SADDLE 3" IPS
12EIRIP04 PE100 SDR11 REPAIR SADDLE 4" IPS
12EIRIP06 PE100 SDR11 REPAIR SADDLE 6" IPS
12EIRIP08 PE100 SDR11 REPAIR SADDLE 8" IPS
12EIRIP10 PE100 SDR11 REPAIR SADDLE 10" IPS
12EIRIP14 PE100 SDR11 REPAIR SADDLE 14" IPS
12EIRIP16 PE100 SDR11 REPAIR SADDLE 16" IPS
12EIRIP18 PE100 SDR11 REPAIR SADDLE 18" IPS
12EIRIP20 PE100 SDR11 REPAIR SADDLE 20" IPS
12EIRIP22 PE100 SDR11 REPAIR SADDLE 22" IPS
12EIRIP24 PE100 SDR11 REPAIR SADDLE 24" IPS
12EIRIP28 PE100 SDR11 REPAIR SADDLE 28" IPS
12EIRIP30 PE100 SDR11 REPAIR SADDLE 30" IPS
12EIRIP32 PE100 SDR11 REPAIR SADDLE 32" IPS
12EIRIP36 PE100 SDR11 REPAIR SADDLE 36" IPS
12EIRIP40 PE100 SDR11 REPAIR SADDLE 40" IPS
12EICOL0201 E/F BRANCH SADDLE D. 2" IPS x 1" IPS
12EICOL0201C E/F BRANCH SADDLE D. 2" CTS x 1" CTS
12EICOL0202 E/F BRANCH SADDLE D. 2" IPS x 2" IPS
12EICOL02112 E/F BRANCH SADDLE D. 2" IPS x 1/2" IPS
12EICOL0212C E/F BRANCH SADDLE D. 2" CTS x 1/2" CTS
12EICOL0234 E/F BRANCH SADDLE D. 2" IPS x 3/4" IPS
12EICOL0301 E/F Branching saddle 3" IPS x 1" IPS
12EICOL0302 E/F BRANCH SADDLE D.3" x 2"
12EICOL03114 E/F BRANCH SADDLE D.3" x 1 1/4"
12EICOL0334 E/F BRANCH SADDLE D. 3" IPS x 3/4" IPS
12EICOL0401 E/F Branching saddle 4" IPS x 1" IPS
12EICOL0402 E/F BRANCH SADDLE D.4" x 2"
12EICOL0403 E/F BRANCH SADDLE D.4" x 3"
12EICOL0404 E/F BRANCH SADDLE D.4" x 4"
12EICOL04114 E/F BRANCH SADDLE D.4" x 1 1/4"
12EICOL0434 E/F BRANCH SADDLE D. 4" IPS x 3/4" IPS
12EICOL0601 E/F Branching saddle 6" IPS x 1" IPS
12EICOL0602 E/F BRANCH SADDLE D.6" x 2"
12EICOL0603 E/F BRANCH SADDLE D.6" x 3"
12EICOL0604 E/F BRANCH SADDLE 6" x 4"
12EICOL06114 E/F BRANCH SADDLE D.6" x 1 1/4"
12EICOL0634 E/F BRANCH SADDLE D. 6" IPS x 3/4" IPS
12EICOL0801 E/F Branching saddle 8" IPS x 1" IPS
12EICOL0802 E/F BRANCH SADDLE D.8" x 2"
12EICOL0803 E/F BRANCH SADDLE D.8" IPS x 3" IPS
12EICOL0804 E/F BRANCH SADDLE 8" x 4"
12EICOL08114 E/F BRANCH SADDLE D.8" x 1 1/4"
12EICOL0834 E/F BRANCH SADDLE D. 8" IPS x 3/4" IPS
12EICOL1001 E/F BRANCH SADDLE D.10" x 1"
12EICOL1002 E/F BRANCH SADDLE D.10" x 2"
[2] 12EICOL1003 E/F BRANCH SADDLE D.10" IPS x 3" IPS
12EICOL1004 E/F BRANCH SADDLE 10" x 4"
12EICOL10114 E/F BRANCH SADDLE D.10" x 1 1/4"
12EICOL1034 E/F BRANCH SADDLE D.10" x 3/4"
12EICOL11401 E/F BRANCH SADDLE D.1 1/4 IPS x 1" IPS
12EICOL11401C E/F BRANCH SADDLE D.1 1/4 CTS x 1" CTS
12EICOL11412C E/F BRANCH SADDLE D.1 1/4 CTS x 1/2" CTS
12EICOL11434 E/F BRANCH SADDLE D.1 1/4 IPS x 3/4" IPS
12EICOL1201 E/F BRANCH SADDLE D.12" x 1"
12EICOL1202 E/F BRANCH SADDLE D.12" x 2"
12EICOL1203 E/F BRANCH SADDLE D.12" IPS x 3" IPS
12EICOL1204 E/F BRANCH SADDLE 12" x 4"
12EICOL12114 E/F BRANCH SADDLE D.12" x 1 1/4"
12EICOL1234 E/F BRANCH SADDLE D.12" x 3/4"
12EICOLS0604 SEWAGE E/F BRANCH SADDLE 6" x 4"
12EICOLTL0606 E/F BRANCH SADDLE TL WITH STRAPS 6" x 6" IPS
12EICOLTL0806 E/F BRANCH SADDLE TL WITH STRAPS 8" x 6" IPS
12EICOLTL1006 E/F BRANCH SADDLE TL WITH STRAPS 10" x 6" IPS
12EICOLTL1206 E/F BRANCH SADDLE TL WITH STRAPS 12" x 6" IPS
12EICOLTL1208 E/F BRANCH SADDLE TL WITH STRAPS 12" x 8" IPS
12EICOLTL1406 E/F BRANCH SADDLE TL WITH STRAPS 14" x 6" IPS
12EICOLTL142402 E/F BRANCH SADDLE TOP LOAD D.14"/24" x 2"
12EICOLTL1606 E/F BRANCH SADDLE TL WITH STRAPS 16" x 6" IPS
12EICOLTL1806 E/F BRANCH SADDLE TL WITH STRAPS 18" x 6" IPS
12EICOLTL2006 E/F BRANCH SADDLE TL WITH STRAPS 20" x 6" IPS
12EICOLTL2206 E/F BRANCH SADDLE TL WITH STRAPS 22" x 6" IPS
12EICOLTL2406 E/F BRANCH SADDLE TL WITH STRAPS 24" x 6" IPS
12EICOLTL2408 E/F BRANCH SADDLE TL WITH STRAPS 24" x 8" IPS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12EICOLTTL2806 E/F BRANCH SADDLE TL WITH STRAPS 28" x 6" IPS
12EICOLTTL2808 E/F BRANCH SADDLE TL WITH STRAPS 28" x 8" IPS
12EICOLTTL3006 E/F BRANCH SADDLE TL WITH STRAPS 30" x 6" IPS
12EICOLTTL3008 E/F BRANCH SADDLE TL WITH STRAPS 30" x 8" IPS
12EICOLTTL3206 E/F BRANCH SADDLE TL WITH STRAPS 32" x 6" IPS
12EICOLTTL3606 E/F BRANCH SADDLE TL WITH STRAPS 36" x 6" IPS
12EICOLTTL4006 E/F BRANCH SADDLE TL WITH STRAPS 40" x 6" IPS
12EICOLTTLFL1804 BRANCHING SADDLE 18" IPS x 4" STUB-END K
12EICOLTLS0606 E/F BRANCH SADDLE TL SHORT 6" x 6" IPS
12EICOLTLS0806 E/F BRANCH SADDLE TL SHORT 8" x 6" IPS
12EICOLTLS1006 E/F BRANCH SADDLE TL SHORT 10" x 6" IPS
12EICOLTLS1206 E/F BRANCH SADDLE TL SHORT 12" x 6" IPS

[3] 12ECOL04040 BRANCH SADDLE 40 x 40mm
12ECOL05020 BRANCH SADDLE 50 x 20mm
12ECOL05025 BRANCH SADDLE 50 x 25mm
12ECOL05032 BRANCH SADDLE 50 x 32mm
12ECOL05040 BRANCH SADDLE 50 x 40mm
12ECOL06320 BRANCH SADDLE 63x 20mm
12ECOL06325 BRANCH SADDLE 63 x 25mm
12ECOL06332 BRANCH SADDLE 63 x 32mm
12ECOL06340 BRANCH SADDLE 63 x 40mm
12ECOL06350 BRANCH SADDLE 63 x 50mm
12ECOL06363 BRANCH SADDLE TEE 63 x 63mm
12ECOL07520 BRANCH SADDLE 75 x 20mm
12ECOL07525 BRANCH SADDLE 75 x 25mm
12ECOL07532 BRANCH SADDLE 75 x 32mm
12ECOL07540 BRANCH SADDLE 75 x 40mm
12ECOL07550 BRANCH SADDLE 75 x 50mm
12ECOL07563 BRANCH SADDLE 75 x 63mm
12ECOL09020 BRANCH SADDLE 90 x 20mm
12ECOL09025 BRANCH SADDLE 90 x 25mm
12ECOL09032 BRANCH SADDLE 90 x 32mm
12ECOL09040 BRANCH SADDLE 90 x 40mm
12ECOL09050 BRANCH SADDLE 90 x 50mm
12ECOL09063 BRANCH SADDLE 90 x 63mm
12ECOL09090 BRANCH SADDLE TEE 90 x 90mm
12ECOL110110 BRANCH SADDLE 110 x 110mm
12ECOL11020 BRANCH SADDLE 110 x 20mm
12ECOL11025 BRANCH SADDLE 110 x 25mm
12ECOL11032 BRANCH SADDLE 110 x 32mm
12ECOL11040 BRANCH SADDLE 110 x 40mm
12ECOL11050 BRANCH SADDLE 110 x 50mm
12ECOL11063 BRANCH SADDLE 110 x 63mm
12ECOL11075 HIGH VOLUME BRANCH SADDLE 110 x 75mm
12ECOL11090 HIGH VOLUME BRANCH SADDLE 110 x 90mm
12ECOL125110 HIGH VOLUME BRANCH SADDLE 125 x 110mm
12ECOL125125 BRANCH SADDLE 125 x 125mm
12ECOL12520 BRANCH SADDLE 125 x 20mm
12ECOL12525 BRANCH SADDLE 125 x 25mm
12ECOL12532 BRANCH SADDLE 125 x 32mm
12ECOL12540 BRANCH SADDLE 125 x 40mm
12ECOL12550 BRANCH SADDLE 125 x 50mm
12ECOL12563 BRANCH SADDLE 125 x 63mm
12ECOL12575 HIGH VOLUME BRANCH SADDLE 125 x 75mm
12ECOL12590 HIGH VOLUME BRANCH SADDLE 125 x 90mm
12ECOL14020 BRANCH SADDLE 140 x 20mm
12ECOL14025 BRANCH SADDLE 140 x 25mm
12ECOL14032 BRANCH SADDLE 140 x 32mm
12ECOL14040 BRANCH SADDLE 140 x 40mm
12ECOL14050 BRANCH SADDLE 140 x 50mm
12ECOL14063 BRANCH SADDLE 140x 63mm
12ECOL14075 HIGH VOLUME BRANCH SADDLE 140 x 75mm
12ECOL14090 HIGH VOLUME BRANCH SADDLE 140 x 90mm
12ECOL160110 HIGH VOLUME BRANCH SADDLE 160 x 110mm
12ECOL160125 HIGH VOLUME BRANCH SADDLE 140 x 125mm
12ECOL16020 BRANCH SADDLE 160 x 20mm
12ECOL16025 BRANCH SADDLE 160 x 25mm
12ECOL16032 BRANCH SADDLE 160 x 32mm
12ECOL16040 BRANCH SADDLE 160 x 40mm
12ECOL16050 BRANCH SADDLE 160 x 50mm
12ECOL16063 BRANCH SADDLE 160 x 63mm
12ECOL16075 HIGH VOLUME BRANCH SADDLE 160 x 75mm
12ECOL16090 HIGH VOLUME BRANCH SADDLE 160 x 90mm
12ECOL180110 HIGH VOLUME BRANCH SADDLE 180 x 110mm
12ECOL180125 HIGH VOLUME BRANCH SADDLE 180 x 125mm
12ECOL18020 BRANCH SADDLE 180 x 20mm
12ECOL18025 BRANCH SADDLE 180 x 25mm
12ECOL18032 BRANCH SADDLE 180 x 32mm

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



12ECOL18040 BRANCH SADDLE 180 x 40mm
12ECOL18050 BRANCH SADDLE 180 x 50mm
12ECOL18063 BRANCH SADDLE 180 x 63mm
12ECOL18075 HIGH VOLUME BRANCH SADDLE 180 x 75mm
12ECOL18090 HIGH VOLUME BRANCH SADDLE 180 x 90mm
12ECOL200110 HIGH VOLUME BRANCH SADDLE 200 x 110mm
12ECOL200125 HIGH VOLUME BRANCH SADDLE 200 x 125mm
12ECOL20020 BRANCH SADDLE 200 x 20mm
12ECOL20025 BRANCH SADDLE 200 x 25mm
12ECOL20032 BRANCH SADDLE 200 x 32mm
12ECOL20040 BRANCH SADDLE 200 x 40mm
12ECOL20050 BRANCH SADDLE 200 x 50mm
12ECOL20063 BRANCH SADDLE 200 x 63mm
12ECOL20075 HIGH VOLUME BRANCH SADDLE 200 x 75mm
12ECOL20090 HIGH VOLUME BRANCH SADDLE 200 x 90mm
12ECOL225110 HIGH VOLUME BRANCH SADDLE 225 x 110mm
12ECOL225125 HIGH VOLUME BRANCH SADDLE 225 x 125mm
12ECOL22520 BRANCH SADDLE 225 x 20mm
12ECOL22525 BRANCH SADDLE 225 x 25mm
12ECOL22532 BRANCH SADDLE 225 x 32mm
12ECOL22540 BRANCH SADDLE 225 x 40mm
12ECOL22550 BRANCH SADDLE 225 x 50mm
12ECOL22563 BRANCH SADDLE 225 x 63mm
12ECOL22590 HIGH VOLUME BRANCH SADDLE 225 x 90mm
12ECOL250110 HIGH VOLUME BRANCH SADDLE 250 x 110mm
12ECOL250125 HIGH VOLUME BRANCH SADDLE 50 x 125mm
12ECOL25020 BRANCH SADDLE 250 x 20mm
12ECOL25025 BRANCH SADDLE 250 x 25mm
12ECOL25032 BRANCH SADDLE 250 x 32mm
12ECOL25040 BRANCH SADDLE 250 x 40mm
12ECOL25050 BRANCH SADDLE 250 x 50mm
12ECOL25063 BRANCH SADDLE 250 x 63mm
[4] 12ECOL25090 HIGH VOLUME BRANCH SADDLE 250 x 90mm
12ECOL280110 HIGH VOLUME BRANCH SADDLE 280 x 110mm
12ECOL280125 HIGH VOLUME BRANCH SADDLE 280 x 125mm
12ECOL28020 BRANCH SADDLE 280 x 20mm
12ECOL28025 BRANCH SADDLE 280 x 25mm
12ECOL28032 BRANCH SADDLE 280 x 32mm
12ECOL28040 BRANCH SADDLE 280 x 40mm
12ECOL28050 BRANCH SADDLE 280 x 50mm
12ECOL28063 BRANCH SADDLE 280 x 63mm
12ECOL28090 HIGH VOLUME BRANCH SADDLE 280 x 90mm
12ECOL315110 HIGH VOLUME BRANCH SADDLE 315 x 110mm
12ECOL315125 HIGH VOLUME BRANCH SADDLE 315 x 125mm
12ECOL31520 BRANCH SADDLE 315 x 20mm
12ECOL31525 BRANCH SADDLE 315 x 25mm
12ECOL31532 BRANCH SADDLE 315 x 32mm
12ECOL31540 BRANCH SADDLE 315 x 40mm
12ECOL31550 BRANCH SADDLE 315 x 50mm
12ECOL31563 BRANCH SADDLE 315 x 63mm
12ECOL31590 HIGH VOLUME BRANCH SADDLE 315 x 90mm
12ECOLT1000160 HIGH VOLUME BRANCH SADDLE WITH BELT 1000 x 160mm
12ECOLT1000180 HIGH VOLUME BRANCH SADDLE WITH BELT 1000 x 180mm
12ECOLT1000200 HIGH VOLUME BRANCH SADDLE WITH BELT 1000 x 200mm
12ECOLT1000225 HIGH VOLUME BRANCH SADDLE WITH BELT 1000 x 225mm
12ECOLT100090 HIGH VOLUME BRANCH SADDLE WITH BELT 1000 x 90mm
12ECOLT160160 HIGH VOLUME BRANCH SADDLE WITH BELT 160 x 160mm
12ECOLT180160 HIGH VOLUME BRANCH SADDLE WITH BELT 180 x 160mm
12ECOLT180180 HIGH VOLUME BRANCH SADDLE WITH BELT 180 x 180mm
12ECOLT200160 HIGH VOLUME BRANCH SADDLE WITH BELT 200 x 160mm
12ECOLT200180 HIGH VOLUME BRANCH SADDLE WITH BELT 200 x 180mm
12ECOLT200200 HIGH VOLUME BRANCH SADDLE WITH BELT 200 x 200mm
12ECOLT225160 HIGH VOLUME BRANCH SADDLE WITH BELT 225 x 160mm
12ECOLT225180 HIGH VOLUME BRANCH SADDLE WITH BELT 225 x 180mm
12ECOLT225200 HIGH VOLUME BRANCH SADDLE WITH BELT 225 x 200mm
12ECOLT225225 HIGH VOLUME BRANCH SADDLE WITH BELT 225 x 225mm
12ECOLT250160 HIGH VOLUME BRANCH SADDLE WITH BELT 250 x 160mm
12ECOLT250180 HIGH VOLUME BRANCH SADDLE WITH BELT 250 x 180mm
12ECOLT250200 HIGH VOLUME BRANCH SADDLE WITH BELT 250 x 200mm
12ECOLT250225 HIGH VOLUME BRANCH SADDLE WITH BELT 250 x 225mm
12ECOLT280160 HIGH VOLUME BRANCH SADDLE WITH BELT 280 x 160mm
12ECOLT280180 HIGH VOLUME BRANCH SADDLE WITH BELT 280 x 180mm
12ECOLT280200 HIGH VOLUME BRANCH SADDLE WITH BELT 280 x 200mm
12ECOLT280225 HIGH VOLUME BRANCH SADDLE WITH BELT 280 x 225mm
12ECOLT315160 HIGH VOLUME BRANCH SADDLE WITH BELT 315 x 160mm
12ECOLT315180 HIGH VOLUME BRANCH SADDLE WITH BELT 315 x 180mm
12ECOLT315200 HIGH VOLUME BRANCH SADDLE WITH BELT 315 x 200mm
12ECOLT315225 HIGH VOLUME BRANCH SADDLE WITH BELT 315 x 225mm

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



- 12ECOLTL355160 HIGH VOLUME BRANCH SADDLE WITH BELT 355 x 160mm
- 12ECOLTL355180 HIGH VOLUME BRANCH SADDLE WITH BELT 355 x 180mm
- 12ECOLTL355200 HIGH VOLUME BRANCH SADDLE WITH BELT 355 x 200mm
- 12ECOLTL355225 HIGH VOLUME BRANCH SADDLE WITH BELT 355 x 225mm
- 12ECOLTL35590 HIGH VOLUME BRANCH SADDLE WITH BELT 355 x 90mm
- 12ECOLTL35063 HIGH VOLUME BRANCH SADDLE WITH BELT 350 x 63mm
- 12ECOLTL400160 HIGH VOLUME BRANCH SADDLE WITH BELT 400 x 160mm
- 12ECOLTL400180 HIGH VOLUME BRANCH SADDLE WITH BELT 400 x 180mm
- 12ECOLTL400200 HIGH VOLUME BRANCH SADDLE WITH BELT 400 x 200mm
- 12ECOLTL400225 HIGH VOLUME BRANCH SADDLE WITH BELT 400 x 225mm
- 12ECOLTL40090 HIGH VOLUME BRANCH SADDLE WITH BELT 400 x 90mm
- 12ECOLTL450160 HIGH VOLUME BRANCH SADDLE WITH BELT 450 x 160mm
- 12ECOLTL450180 HIGH VOLUME BRANCH SADDLE WITH BELT 450 x 180mm
- 12ECOLTL450200 HIGH VOLUME BRANCH SADDLE WITH BELT 450 x 200mm
- 12ECOLTL450225 HIGH VOLUME BRANCH SADDLE WITH BELT 450 x 225mm
- 12ECOLTL45090 HIGH VOLUME BRANCH SADDLE WITH BELT 450 x 90mm
- 12ECOLTL500160 HIGH VOLUME BRANCH SADDLE WITH BELT 500 x 160mm
- 12ECOLTL500180 HIGH VOLUME BRANCH SADDLE WITH BELT 500 x 180mm
- 12ECOLTL500200 HIGH VOLUME BRANCH SADDLE WITH BELT 500 x 200mm
- 12ECOLTL500225 HIGH VOLUME BRANCH SADDLE WITH BELT 500 x 225mm
- 12ECOLTL50090 HIGH VOLUME BRANCH SADDLE WITH BELT 500 x 90mm
- 12ECOLTL560160 HIGH VOLUME BRANCH SADDLE WITH BELT 560 x 160mm
- 12ECOLTL560180 HIGH VOLUME BRANCH SADDLE WITH BELT 560 x 180mm
- [5] 12ECOLTL560200 HIGH VOLUME BRANCH SADDLE WITH BELT 560 x 200mm
- 12ECOLTL560225 HIGH VOLUME BRANCH SADDLE WITH BELT 560 x 225mm
- 12ECOLTL56090 HIGH VOLUME BRANCH SADDLE WITH BELT 560 x 90mm
- 12ECOLTL630160 HIGH VOLUME BRANCH SADDLE WITH BELT 630 x 160mm
- 12ECOLTL630180 HIGH VOLUME BRANCH SADDLE WITH BELT 630 x 180mm
- 12ECOLTL630200 HIGH VOLUME BRANCH SADDLE WITH BELT 630 x 200mm
- 12ECOLTL630225 HIGH VOLUME BRANCH SADDLE WITH BELT 630 x 225mm
- 12ECOLTL630250 HIGH VOLUME BRANCH SADDLE WITH BELT 630 x 250mm
- 12ECOLTL63090 HIGH VOLUME BRANCH SADDLE WITH BELT 630 x 90mm
- 12ECOLTL710160 HIGH VOLUME BRANCH SADDLE WITH BELT 710 x 160mm
- 12ECOLTL710180 HIGH VOLUME BRANCH SADDLE WITH BELT 710 x 180mm
- 12ECOLTL710200 HIGH VOLUME BRANCH SADDLE WITH BELT 710 x 200mm
- 12ECOLTL710225 HIGH VOLUME BRANCH SADDLE WITH BELT 710 x 225mm
- 12ECOLTL71090 HIGH VOLUME BRANCH SADDLE WITH BELT 710 x 90mm
- 12ECOLTL800160 HIGH VOLUME BRANCH SADDLE WITH BELT 800 x 160mm
- 12ECOLTL800180 HIGH VOLUME BRANCH SADDLE WITH BELT 800 x 180mm
- 12ECOLTL800200 HIGH VOLUME BRANCH SADDLE WITH BELT 800 x 200mm
- 12ECOLTL800225 HIGH VOLUME BRANCH SADDLE WITH BELT 800 x 225mm
- 12ECOLTL80090 HIGH VOLUME BRANCH SADDLE WITH BELT 800 x 90mm
- 12ECOLTL900160 HIGH VOLUME BRANCH SADDLE WITH BELT 900 x 160mm
- 12ECOLTL900180 HIGH VOLUME BRANCH SADDLE WITH BELT 900 x 180mm
- 12ECOLTL900200 HIGH VOLUME BRANCH SADDLE WITH BELT 900 x 200mm
- 12ECOLTL900225 HIGH VOLUME BRANCH SADDLE WITH BELT 900 x 225mm
- 12ECOLTL90090 HIGH VOLUME BRANCH SADDLE WITH BELT 900 x 90mm
- 12ERIP075 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 75mm
- 12ERIP090 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 90mm
- 12ERIP1000 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 1000mm
- 12ERIP110 REPAIR SADDLE FOR MEDIUM SIZED SURFACES 110mm
- 12ERIP125 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 125mm
- 12ERIP140 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 140mm
- 12ERIP160 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 160mm
- 12ERIP180 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 180mm
- 12ERIP200 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 200mm
- 12ERIP225 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 225mm
- 12ERIP250 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 250mm
- 12ERIP280 REPAIR SADDLE FOR MEDIUM-SIZED SURFACES 280mm
- 12ERIP315 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 315mm
- 12ERIP355 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 355mm
- 12ERIP400 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 400mm
- 12ERIP450 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 450mm
- 12ERIP500 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 500mm
- 12ERIP560 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 560mm
- 12ERIP630 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 630mm
- 12ERIP710 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 710mm
- 12ERIP800 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 800mm
- 12ERIP900 REPAIR SADDLE WITH BELTS FOR BIG SURFACES 900mm

- [6] Configurations include:
 - Welding Saddles Socket Fusion Outlet
 - 1/2" x 1 1/2" (27NGS2050)
 - 3/4"x 1 1/2" (27NGS2550)
 - 1/2"x 2 1/2 1/2" (27NGS206375)
 - 3/4"x 2 1/2 1/2" (27NGS256375)
 - 1"x 2 1/2 1/2" (27NGS326375)
 - 1"x 3 1/3 1/2"/4" (27NGS3290110125)
 - 1/2"x 3 1/3 1/2"/4" (27NGS2090110125)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3/4"x 3"/3 1/2"/4" (27NGS2590110125)
1"x 3"/3 1/2"/4" (27NGS3290110125)
2"x 4" (27NGS63125)
1 1/4"x 6"/8" (27NGS40160200)
2" x 6" (27NGS63160)
Male Side Fusion Welding Saddle
2" x 8" (27NGS63M200)
2" x 10" (27NGS63M250)
2" x 12" (27NGS63M315)
3" x 6" (27NGS90M160)
3" x 8" (27NGS90M200)
3" x 10" (27NGS90M250)
3" x 12" (27NGS90M315)
4" x 6" (27NGS125M160)
4" x 8" (27NGS125M200)
4" x 10" (27NGS125M250)
4" x 12" (27NGS125M315)
6" x 8" (27NGS160M200)
6" x 10" (27NGS160M250)
6" x 12" (27NGS160M315)
Female Side Fusion Welding Saddle w/NPT Lead Free Brass
1 1/4"x1 1/2"x1/2" NPT (27NGSF124050NPT)
1 1/4"x1 1/2"x3/4" NPT (27NGSF344050NPT)
2"x2 1/2"x1/2" NPT (27NGSF126375NPT)
2"x2 1/2"x3/4" NPT (27NGSF346375NPT)
2"x2 1/2"x1" (27NGSF016375NPT)
2"x2 1/2"x1/2" NPT (27NGSF126375NPT)
3" x 3/4" NPT (27NGSF9034NPT)
3"x3 1/2"x4"x1/2" NPT (27NGSF1290110125NPT)
3"x3 1/2"x4"x3/4" NPT (27NGSF3490110125NPT)
3"x3 1/2"x4"x1" NPT (27NGSF0190110125NPT)
Welding Saddles Socket Fusion Outlets
6" x 3 1/2" (27NGS110M160)
1/2" x 6" / 8" (27NGS20160200)
1/2" x 10" / 12" (27NGS20250315)
1/2" x 14" / 24" (27NGS20355630)
1/2" x 1 1/4" (27NGS2040)
1/2" x 1 1/2" (27NGS2050)
1/2" x 2" / 2 1/2" (27NGS206375)
1/2"x3"/3 1/2"/4" (27NGS2090110125)
3/4" x 6" / 8" (27NGS25160200)
3/4" x 10" / 12" (27NGS25250315)
3/4" x 14" / 24" (27NGS25355630)
3/4" x 1 1/4" (27NGS2540)
3/4" x 1 1/2" (27NGS2550)
3/4" x 2" / 2 1/2" (27NGS256375)
3/4"x 3"/3 1/2"/4" (27NGS2590110125)
1" x 6" / 8" (27NGS32160200)
1" x 10" / 12" (27NGS32250315)
1" x 14" / 24" (27NGS32355630)
1" x 2" / 2 1/2" (27NGS326375)
1"x 3"/3 1/2"/4" (27NGS3290110125)
1 1/4" x 3 1/2" (27NGS40110)
1 1/4" x 4" (27NGS40125)
1 1/4" x 6" / 8" (27NGS40160200)
1 1/4" x 10" / 12" (27NGS40250315)
1 1/4" x 14" / 24" W (27NGS40355630)
1 1/4" x 3" (27NGS4090)
1 1/2" x 3 1/2" (27NGS50110)
1 1/2" x 4" (27NGS50125)
1 1/2" x 6" (27NGS50160)
1 1/2" x 8" (27NGS50200)
1 1/2" x 10" (27NGS50250)
1 1/2" x 12" (27NGS50315)
1 1/2" x 14" / 18" (27NGS50355450)
1 1/2" x 20" / 24" (27NGS50500630)
1 1/2" x 3" (27NGS5090)
2" x 3 1/2" (27NGS63110)
2"x 4" (27NGS63125)
2" x 6" (27NGS63160)
2" x 8" (27NGS63200)
2" x 10" (27NGS63250)
2" x 12" (27NGS63315)
2" x 14" / 18" (27NGS63355450)
2" x 20" / 24" (27NGS63500630)
FemThrWeld Sad w/NPT & L.F.B. - Socket Fus
1" x 6" - 8" (27NGSF01160200NPT)
1" x 6" - 8" (27NGSF01160200NPTL)
1" x 10" - 12" (27NGSF01250315NPT)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1" x 10" - 12" (27NGSF01250315NPTL)
1" x 14" - 24" (27NGSF01355630NPT)
3"x3 1/2"x4"x1" (27NGSF016375NPT)
3"x3 1/2"x4"x1" (27NGSF016375NPTL)
1" x 3" - 3 1/2" - 4" (27NGSF0190110125NPT)
1" x 3" - 3 1/2" - 4" (27NGSF0190110125NPTL)
1/2" x 6" - 8" (27NGSF12160200NPT)
1/2" x 6" - 8" (27NGSF12160200NPTL)
1/2" x 10" - 12" (27NGSF12250315NPT)
1/2" x 10" - 12" (27NGSF12250315NPTL)
1/2" x 14" - 24" (27NGSF12355630NPT)
1 1/4"x1 1/2"x1/2'' (27NGSF124050NPT)
1 1/4"x1 1/2"x1/2'' (27NGSF124050NPTL)
2"x2 1/2"x1/2'' (27NGSF126375NPT)
2"x2 1/2"x1/2'' (27NGSF126375NPTL)
3"x3 1/2"x4"x1/2'' (27NGSF1290110125NPT)
3"x3 1/2"x4"x1/2'' (27NGSF1290110125NPTL)
3/4" x 6" - 8" (27NGSF34160200NPT)
3/4" x 6" - 8" (27NGSF34160200NPTL)
3/4" x 10" - 12" (27NGSF34250315NPT)
3/4" x 10" - 12" (27NGSF34250315NPTL)
3/4" x 14" - 24" (27NGSF34355630NPT)
1 1/4"x1 1/2"x3/4'' (27NGSF344050NPT)
1 1/4"x1 1/2"x3/4'' (27NGSF344050NPTL)
2"x2 1/2"x3/4'' (27NGSF346375NPT)
2"x2 1/2"x3/4'' (27NGSF346375NPTL)
3"x3 1/2"x4"x3/4'' (27NGSF3490110125NPT)
3"x3 1/2"x4"x3/4'' (27NGSF3490110125NPTL)

- [7] Electrofusion Saddle
3 1/2" - 3 1/2" (27NCOL110110)
3 1/2" x 3/4" (27NCOL11025)
3 1/2" x 1"E (27NCOL11032)
3 1/2" x 2" (27NCOL11063)
3 1/2" x 2 1/2" (27NCOL11075)
3 1/2" x 3" (27NCOL11090)
4" x 3/4" (27NCOL12525)
4" x 1" (27NCOL12532)
4" x 2" (27NCOL12563)
4" x 2 1/2" (27NCOL12575)
4" x 3" (27NCOL12590)
6" x 3/4" (27NCOL16025)
6" x 1" (27NCOL16032)
6" x 2" (27NCOL16063)
6" x 2 1/2" (27NCOL16075)
6" x 3" (27NCOL16090)
8" x 3 1/2" (27NCOL200110)
8" x 4" (27NCOL200125)
8" x 1" (27NCOL20032)
8" x 2" (27NCOL20063)
8" x 2 1 / 2" (27NCOL20075)
8" x 3" (27NCOL20090)
10" x 3 1/2" (27NCOL250110)
10" x 4" (27NCOL250125)
10" x 1" (27NCOL25032)
10" x 2" (27NCOL25063)
10" x 3" (27NCOL25090)
12" x 3 1/2" (27NCOL315110)
12" x 4" (27NCOL315125)
12" x 1" (27NCOL31532)
12" x 2" (27NCOL31563)
12" x 3" (27NCOL31590)
1 1/4" x 3/4" (27NCOL4025)
1 1/4" x 1" (27NCOL4032)
1 1/2" x 3/4" (27NCOL5025)
1 1/2" x 1" (27NCOL5032)
2" x 3/4" (27NCOL6325)
2" x 1" (27NCOL6332)
2" x 2" (27NCOL6363)
2 1/2" x 3/4" (27NCOL7525)
2 1/2" x 1" (27NCOL7532)
2 1/2" x 1 1/4" (27NCOL7540)
3" x 3/4" (27NCOL9025)
3" x 1" (27NCOL9032)
3" x 2" (27NCOL9063)
3" x 3" (27NCOL9090)

- [8] Certified for the following configurations:
40 mm (27NCOLVPR403212) 1-1/4''
50 mm (27NCOLVPR503212) 1-1/2''

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



63 mm (27NCOLVPR633212) 2"
75 mm (27NCOLVPR753212) 2-1/2"
90 mm (27NCOLVPR903212) 3"
110 mm (27NCOLVPR1103212) 3 1/2"
40 mm (27NCOLVPR403234) 1-1/4"
50 mm (27NCOLVPR503234) 1-1/2"
63 mm (27NCOLVPR633234) 2"
75 mm (27NCOLVPR753234) 2-1/2"
90 mm (27NCOLVPR903234) 3"
110 mm (27NCOLVPR1103234) 3 1/2"
40 mm (27NCOLVPR40321) 1-1/4"
50 mm (27NCOLVPR50321) 1-1/2"
63 mm (27NCOLVPR63321) 2"
75 mm (27NCOLVPR75321) 2-1/2"
90 mm (27NCOLVPR90321) 3"
110 mm (27NCOLVPR110321) 3 1/2"
125 mm (27NCOLVPR1253212) 4"
160 mm (27NCOLVPR1603212) 6"
200 mm (27NCOLVPR2003212) 8"
250 mm (27NCOLVPR2503212) 10"
315 mm (27NCOLVPR3153212) 12"
125 mm (27NCOLVPR1253234) 4"
160 mm (27NCOLVPR1603234) 6"
200 mm (27NCOLVPR2003234) 8"
250 mm (27NCOLVPR2503234) 10"
315 mm (27NCOLVPR3153234) 12"
125 mm (27NCOLVPR125321) 4"
160 mm (27NCOLVPR160321) 6"
200 mm (27NCOLVPR200321) 8"
250 mm (27NCOLVPR250321) 10"
315 mm (27NCOLVPR315321) 12"

[9] Certified for the following configurations:

40 mm (27NCOLVPRCR403212) 1-1/4"
50 mm (27NCOLVPRCR503212) 1-1/2"
63 mm (27NCOLVPRCR633212) 2"
75 mm (27NCOLVPRCR753212) 2-1/2"
90 mm (27NCOLVPRCR903212) 3"
110 mm (27NCOLVPRCR1103212) 3 1/2"
40 mm (27NCOLVPRCR403234) 1-1/4"
50 mm (27NCOLVPRCR503234) 1-1/2"
63 mm (27NCOLVPRCR633234) 2"
75 mm (27NCOLVPRCR753234) 2-1/2"
90 mm (27NCOLVPRCR903234) 3"
110 mm (27NCOLVPRCR1103234) 3 1/2"
40 mm (27NCOLVPRCR40321) 1-1/4"
50 mm (27NCOLVPRCR50321) 1-1/2"
63 mm (27NCOLVPRCR63321) 2"
75 mm (27NCOLVPRCR75321) 2-1/2"
90 mm (27NCOLVPRCR90321) 3"
110 mm (27NCOLVPRCR110321) 3 1/2"
125 mm (27NCOLVPRCR1253212) 4"
160 mm (27NCOLVPRCR1603212) 6"
200 mm (27NCOLVPRCR2003212) 8"
250 mm (27NCOLVPRCR2503212) 10"
315 mm (27NCOLVPRCR3153212) 12"
125 mm (27NCOLVPRCR1253234) 4"
160 mm (27NCOLVPRCR1603234) 6"
200 mm (27NCOLVPRCR2003234) 8"
250 mm (27NCOLVPRCR2503234) 10"
315 mm (27NCOLVPRCR3153234) 12"
125 mm (27NCOLVPRCR125321) 4"
160 mm (27NCOLVPRCR160321) 6"
200 mm (27NCOLVPRCR200321) 8"
250 mm (27NCOLVPRCR250321) 10"
315 mm (27NCOLVPRCR315321) 12"

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

[10] Configurations include:

PPR True Union Ball Valve PP-RCT Socket Fusion Ends
20 mm (27NRSPPRCT20) (1/2")
25 mm (27NRSPPRCT25) (3/4")
32 mm (27NRSPPRCT32) (1")
40 mm (27NRSPPRCT40) (1-1/4")
50 mm (27NRSPPRCT50) (1-1/2")

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



63 mm (27NRSPPRCT63) (2")
 75 mm (27NRSPPRCT75) (2-1/2")
 90 mm (27NRSPPRCT90) (3")
 110 mm (27NRSPPRCT110) (3-1/2")
 125 mm (27NRSPPRCT125) (4")

PPR True Union Ball Valve PP-RCT Spigot Ends - SDR 11

25 mm (27NRSPPRCTS25) (3/4")
 32 mm (27NRSPPRCTS32) (1")
 40 mm (27NRSPPRCTS40) (1-1/4")
 50 mm (27NRSPPRCTS50) (1-1/2")
 63 mm (27NRSPPRCTS63) (2")
 75 mm (27NRSPPRCTS75) (2-1/2")
 90 mm (27NRSPPRCTS90) (3")
 110 mm (27NRSPPRCTS110) (3-1/2")
 125 mm (27NRSPPRCTS125) (4")

[11] The "xx" indicates the size:

01 - 1"
 114 - 1 1/4"
 112 - 1 1/2"
 02 - 2"
 212 - 2 1/2"
 03 - 3"
 04 - 4"

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Pipes and Related Products

| Trade Name | Size | Water Contact Temp | Water Contact Material |
|---|-------------------|--------------------|------------------------|
| Fittings [G] | | | |
| ELOFIT 12EICOLF06114LF Pe/brass ef trans.saddle ø6" IPSx 1¼ NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 | PE |
| ELOFIT 12DC063 45° ELBOW LONG SPIGOT 63mm (PE100 SDR17) | 63 mm | CLD 23 | PE |
| ELOFIT 12DC075 45° ELBOW LONG SPIGOT 75mm (PE100 SDR17) | 75 mm | CLD 23 | PE |
| ELOFIT 12DC090 45° ELBOW LONG SPIGOT 90mm (PE100 SDR17) | 90 mm | CLD 23 | PE |
| ELOFIT 12DC110 45° ELBOW LONG SPIGOT 110mm (PE100 SDR17) | 110 mm | CLD 23 | PE |
| ELOFIT 12DC125 45° ELBOW LONG SPIGOT 125mm (PE100 SDR17) | 125 mm | CLD 23 | PE |
| ELOFIT 12DC140 45° ELBOW LONG SPIGOT 140mm (PE100 SDR17) | 140 mm | CLD 23 | PE |
| ELOFIT 12DC160 45° ELBOW LONG SPIGOT 160mm (PE100 SDR17) | 160 mm | CLD 23 | PE |
| ELOFIT 12DC180 45° ELBOW LONG SPIGOT 180mm (PE100 SDR17) | 180 mm | CLD 23 | PE |
| ELOFIT 12DC200 45° ELBOW LONG SPIGOT 200mm (PE100 SDR17) | 200 mm | CLD 23 | PE |
| ELOFIT 12DC225 45° ELBOW LONG SPIGOT 225mm (PE100 SDR17) | 225 mm | CLD 23 | PE |
| ELOFIT 12DC250 45° ELBOW LONG SPIGOT 250mm (PE100 SDR17) | 250 mm | CLD 23 | PE |
| ELOFIT 12DC280 45° ELBOW LONG SPIGOT 280mm (PE100 SDR17) | 280 mm | CLD 23 | PE |
| ELOFIT 12DC315 45° ELBOW LONG SPIGOT 315mm (PE100 SDR17) | 315 mm | CLD 23 | PE |
| ELOFIT 12DC355 45° ELBOW SHORT SPIGOT 355mm (PE100 SDR17) | 355 mm | CLD 23 | PE |
| ELOFIT 12DC400 45° ELBOW LONG SPIGOT 400mm (PE100 SDR17) | 400 mm | CLD 23 | PE |
| ELOFIT 12DC450 45° ELBOW LONG SPIGOT 450mm (PE100 SDR17) | 450 mm | CLD 23 | PE |
| ELOFIT 12DC500 45° ELBOW LONG SPIGOT 500mm (PE100 SDR17) | 500 mm | CLD 23 | PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------|-----------|
| ELOFIT 12DCAL063 LONG SPIGOT CAP 63mm (PE100 SDR17) | 63 mm | CLD 23 PE |
| ELOFIT 12DCAL075 LONG SPIGOT CAP 75mm (PE100 SDR17) | 75 mm | CLD 23 PE |
| ELOFIT 12DCAL090 LONG SPIGOT CAP 90mm (PE100 SDR17) | 90 mm | CLD 23 PE |
| ELOFIT 12DCAL110 LONG SPIGOT CAP 110mm (PE100 SDR17) | 110 mm | CLD 23 PE |
| ELOFIT 12DCAL125 LONG SPIGOT CAP 125mm (PE100 SDR17) | 125 mm | CLD 23 PE |
| ELOFIT 12DCAL140 LONG SPIGOT CAP 140mm (PE100 SDR17) | 140 mm | CLD 23 PE |
| ELOFIT 12DCAL160 LONG SPIGOT CAP 160mm (PE100 SDR17) | 160 mm | CLD 23 PE |
| ELOFIT 12DCAL180 LONG SPIGOT CAP 180mm (PE100 SDR17) | 180 mm | CLD 23 PE |
| ELOFIT 12DCAL200 LONG SPIGOT CAP 200mm (PE100 SDR17) | 200 mm | CLD 23 PE |
| ELOFIT 12DCAL225 LONG SPIGOT CAP 225mm (PE100 SDR17) | 225 mm | CLD 23 PE |
| ELOFIT 12DCAL250 LONG SPIGOT CAP 250mm (PE100 SDR17) | 250 mm | CLD 23 PE |
| ELOFIT 12DCAL280 LONG SPIGOT CAP 280mm (PE100 SDR17) | 280 mm | CLD 23 PE |
| ELOFIT 12DCAL315 LONG SPIGOT CAP 315mm (PE100 SDR17) | 315 mm | CLD 23 PE |
| ELOFIT 12DCAL355 LONG SPIGOT CAP 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DCAL400 LONG SPIGOT CAP 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DCAL450 LONG SPIGOT CAP 450mm (PE100 SDR17) | 450 mm | CLD 23 PE |
| ELOFIT 12DCAL500 LONG SPIGOT CAP 500mm (PE100 SDR17) | 500 mm | CLD 23 PE |
| ELOFIT 12DCAL560 LONG SPIGOT CAP 560mm (PE100 SDR17) | 560 mm | CLD 23 PE |
| ELOFIT 12DCAL630 LONG SPIGOT CAP 630mm (PE100 SDR17) | 630 mm | CLD 23 PE |
| ELOFIT 12DCC355 45° ELBOW SHORT SPIGOT 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DCC400 45° ELBOW SHORT SPIGOT 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DCC450 45° ELBOW SHORT SPIGOT 450mm (PE100 SDR17) | 450 mm | CLD 23 PE |
| ELOFIT 12DCC500 45° ELBOW SHORT SPIGOT 500mm (PE100 SDR17) | 500 mm | CLD 23 PE |
| ELOFIT 12DCRT063 LONG SPIGOT STUB END 63mm (PE100 SDR17) | 63 mm | CLD 23 PE |
| ELOFIT 12DCRT075 LONG SPIGOT STUB END 75mm (PE100 SDR17) | 75 mm | CLD 23 PE |
| ELOFIT 12DCRT090 LONG SPIGOT STUB END 90mm (PE100 SDR17) | 90 mm | CLD 23 PE |
| ELOFIT 12DCRT110 LONG SPIGOT STUB END 110mm (PE100 SDR17) | 110 mm | CLD 23 PE |
| ELOFIT 12DCRT125 LONG SPIGOT STUB END 120mm (PE100 SDR17) | 120 mm | CLD 23 PE |
| ELOFIT 12DCRT140 LONG SPIGOT STUB END 140mm (PE100 SDR17) | 140 mm | CLD 23 PE |
| ELOFIT 12DCRT160 LONG SPIGOT STUB END 160mm (PE100 SDR17) | 160 mm | CLD 23 PE |
| ELOFIT 12DCRT180 LONG SPIGOT STUB END 180mm (PE100 SDR17) | 180 mm | CLD 23 PE |
| ELOFIT 12DCRT200 LONG SPIGOT STUB END 200mm (PE100 SDR17) | 200 mm | CLD 23 PE |
| ELOFIT 12DCRT225 LONG SPIGOT STUB END 225mm (PE100 SDR17) | 225 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|---------|-----------|
| ELOFIT 12DCRT250 LONG SPIGOT STUB END 250mm (PE100 SDR17) | 250 mm | CLD 23 PE |
| ELOFIT 12DCRT280 LONG SPIGOT STUB END 280mm (PE100 SDR17) | 280 mm | CLD 23 PE |
| ELOFIT 12DCRT315 LONG SPIGOT STUB END 315mm (PE100 SDR17) | 315 mm | CLD 23 PE |
| ELOFIT 12DCRT355 LONG SPIGOT STUB END 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DCRT400 LONG SPIGOT STUB END 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DCRT450 LONG SPIGOT STUB END 450mm (PE100 SDR17) | 450 mm | CLD 23 PE |
| ELOFIT 12DCRT500 LONG SPIGOT STUB END 500mm (PE100 SDR17) | 500 mm | CLD 23 PE |
| ELOFIT 12DCRT560 LONG SPIGOT STUB END 560mm (PE100 SDR17) | 560 mm | CLD 23 PE |
| ELOFIT 12DCRT630 LONG SPIGOT STUB END 630mm (PE100 SDR17) | 630 mm | CLD 23 PE |
| ELOFIT 12DCRTC1000 SHORT SPIGOT STUB END 1000 mm (PE100 SDR17) | 1000 mm | CLD 23 PE |
| ELOFIT 12DCRTC110 SHORT SPIGOT STUB END 110mm (PE100 SDR17) | 110 mm | CLD 23 PE |
| ELOFIT 12DCRTC125 SHORT SPIGOT STUB END 125mm (PE100 SDR17) | 125 mm | CLD 23 PE |
| ELOFIT 12DCRTC140 SHORT SPIGOT STUB END 140mm (PE100 SDR17) | 140 mm | CLD 23 PE |
| ELOFIT 12DCRTC160 SHORT SPIGOT STUB END 160mm (PE100 SDR17) | 160 mm | CLD 23 PE |
| ELOFIT 12DCRTC180 SHORT SPIGOT STUB END 180mm (PE100 SDR17) | 180 mm | CLD 23 PE |
| ELOFIT 12DCRTC200 SHORT SPIGOT STUB END 200mm (PE100 SDR17) | 200 mm | CLD 23 PE |
| ELOFIT 12DCRTC225 SHORT SPIGOT STUB END 225mm (PE100 SDR17) | 225 mm | CLD 23 PE |
| ELOFIT 12DCRTC250 SHORT SPIGOT STUB END 250mm (PE100 SDR17) | 250 mm | CLD 23 PE |
| ELOFIT 12DCRTC280 SHORT SPIGOT STUB END 280mm (PE100 SDR17) | 280 mm | CLD 23 PE |
| ELOFIT 12DCRTC315 SHORT SPIGOT STUB END 315mm (PE100 SDR17) | 315 mm | CLD 23 PE |
| ELOFIT 12DCRTC355 SHORT SPIGOT STUB END 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DCRTC400 SHORT SPIGOT STUB END 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DCRTC450 SHORT SPIGOT STUB END 450mm (PE100 SDR17) | 450 mm | CLD 23 PE |
| ELOFIT 12DCRTC500 SHORT SPIGOT STUB END 500mm (PE100 SDR17) | 500 mm | CLD 23 PE |
| ELOFIT 12DCRTC560 SHORT SPIGOT STUB END 560mm (PE100 SDR17) | 560 mm | CLD 23 PE |
| ELOFIT 12DCRTC630 SHORT SPIGOT STUB END 630mm (PE100 SDR17) | 630 mm | CLD 23 PE |
| ELOFIT 12DCRTC710 SHORT SPIGOT STUB END 710mm (PE100 SDR17) | 710 mm | CLD 23 PE |
| ELOFIT 12DCRTC800 SHORT SPIGOT STUB END 800mm (PE100 SDR17) | 800 mm | CLD 23 PE |
| ELOFIT 12DCRTC900 SHORT SPIGOT STUB END 900mm (PE100 SDR17) | 900 mm | CLD 23 PE |
| ELOFIT 12DG063 LONG SPIGOT 90° ELBOW 63mm (PE100 SDR17) | 63 mm | CLD 23 PE |
| ELOFIT 12DG075 LONG SPIGOT 90° ELBOW 75mm (PE100 SDR17) | 75 mm | CLD 23 PE |
| ELOFIT 12DG090 LONG SPIGOT 90° ELBOW 90mm (PE100 SDR17) | 90 mm | CLD 23 PE |
| ELOFIT 12DG110 LONG SPIGOT 90° ELBOW 110mm (PE100 SDR17) | 110 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------|-----------|
| ELOFIT 12DG125 LONG SPIGOT 90° ELBOW 125mm (PE100 SDR17) | 125 mm | CLD 23 PE |
| ELOFIT 12DG140 LONG SPIGOT 90° ELBOW 140mm (PE100 SDR17) | 140 mm | CLD 23 PE |
| ELOFIT 12DG160 LONG SPIGOT 90° ELBOW 160mm (PE100 SDR17) | 160 mm | CLD 23 PE |
| ELOFIT 12DG180 LONG SPIGOT 90° ELBOW 180mm (PE100 SDR17) | 180 mm | CLD 23 PE |
| ELOFIT 12DG200 LONG SPIGOT 90° ELBOW 200mm (PE100 SDR17) | 200 mm | CLD 23 PE |
| ELOFIT 12DG225 LONG SPIGOT 90° ELBOW 225mm (PE100 SDR17) | 225 mm | CLD 23 PE |
| ELOFIT 12DG250 LONG SPIGOT 90° ELBOW 250mm (PE100 SDR17) | 250 mm | CLD 23 PE |
| ELOFIT 12DG280 LONG SPIGOT 90° ELBOW 280mm (PE100 SDR17) | 280 mm | CLD 23 PE |
| ELOFIT 12DG315 LONG SPIGOT 90° ELBOW 315mm (PE100 SDR17) | 315 mm | CLD 23 PE |
| ELOFIT 12DG355 LONG SPIGOT 90° ELBOW 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DG400 LONG SPIGOT 90° ELBOW 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DG450 LONG SPIGOT 90° ELBOW 450mm (PE100 SDR17) | 450 mm | CLD 23 PE |
| ELOFIT 12DG500 LONG SPIGOT 90° ELBOW 500mm (PE100 SDR17) | 500 mm | CLD 23 PE |
| ELOFIT 12DGC355 SHORT SPIGOT 90° ELBOW 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DGC400 SHORT SPIGOT 90° ELBOW 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DGC450 SHORT SPIGOT 90° ELBOW 450mm (PE100 SDR17) | 450 mm | CLD 23 PE |
| ELOFIT 12DGC500 SHORT SPIGOT 90° ELBOW 500mm (PE100 SDR17) | 500 mm | CLD 23 PE |
| ELOFIT 12DIC02 PE100 SDR17 BUTT FUSION 45° ELBOW 2" IPS LONG S. | 2" | CLD 23 PE |
| ELOFIT 12DIC03 PE100 SDR17 BUTT FUSION 45° ELBOW 3" IPS LONG S. | 3" | CLD 23 PE |
| ELOFIT 12DIC04 PE100 SDR17 BUTT FUSION 45° ELBOW 4" IPS LONG S. | 4" | CLD 23 PE |
| ELOFIT 12DIC06 PE100 SDR17 BUTT FUSION 45° ELBOW 6" IPS LONG S. | 6" | CLD 23 PE |
| ELOFIT 12DIC08 PE100 SDR17 BUTT FUSION 45° ELBOW 8" IPS LONG S. | 8" | CLD 23 PE |
| ELOFIT 12DICRT02 PE4710 SDR17 FLANGE ADAPTER 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12DICRT03 PE4710 SDR17 FLANGE ADAPTER 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12DICRT04 PE4710 SDR17 FLANGE ADAPTER 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12DICRT06 PE4710 SDR17 FLANGE ADAPTER 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12DICRT08 PE4710 SDR17 FLANGE ADAPTER 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12DICRT10 PE4710 SDR17 FLANGE ADAPTER 10" IPS | 10" | CLD 23 PE |
| ELOFIT 12DICRT12 PE4710 SDR17 FLANGE ADAPTER 12" IPS | 12" | CLD 23 PE |
| ELOFIT 12DICRT14 PE4710 SDR17 FLANGE ADAPTER 14" IPS | 14" | CLD 23 PE |
| ELOFIT 12DICRT16 PE4710 SDR17 FLANGE ADAPTER 16" IPS | 16" | CLD 23 PE |
| ELOFIT 12DICRT18 PE4710 SDR17 FLANGE ADAPTER 18" IPS | 18" | CLD 23 PE |
| ELOFIT 12DICRT20 PE4710 SDR17 FLANGE ADAPTER 20" IPS | 20" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|---------|-----------|
| ELOFIT 12DICRT22 PE4710 SDR17 FLANGE ADAPTER 22" IPS | 22" | CLD 23 PE |
| ELOFIT 12DICRT24 PE4710 SDR17 FLANGE ADAPTER 24" IPS | 24" | CLD 23 PE |
| ELOFIT 12DICRT26 PE4710 SDR17 FLANGE ADAPTER 26" IPS | 26" | CLD 23 PE |
| ELOFIT 12DICRT28 PE4710 SDR17 FLANGE ADAPTER 28" IPS | 28" | CLD 23 PE |
| ELOFIT 12DICRT30 PE4710 SDR17 FLANGE ADAPTER 30" IPS | 30" | CLD 23 PE |
| ELOFIT 12DICRT36 PE4710 SDR17 FLANGE ADAPTER 36" IPS | 36" | CLD 23 PE |
| ELOFIT 12DICRTC26 PE4710 SDR17 SHORT SPIGOT FLANGE ADAPTER 26" IPS | 26" | CLD 23 PE |
| ELOFIT 12DIG02 PE100 SDR17 BUTT FUSION 90° ELBOW 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12DIG03 PE100 SDR17 BUTT FUSION 90° ELBOW 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12DIG04 PE100 SDR17 BUTT FUSION 90° ELBOW 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12DIG06 PE100 SDR17 BUTT FUSION 90° ELBOW 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12DIG08 PE100 SDR17 BUTT FUSION 90° ELBOW 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12DIME08 E/F COUPLER D.8" IPS 160PSI | 8" | CLD 23 PE |
| ELOFIT 12DIME10 E/F COUPLER D.10" 160PSI | 10" | CLD 23 PE |
| ELOFIT 12DIME12 E/F COUPLER D.12" 160PSI | 12" | CLD 23 PE |
| ELOFIT 12DIME16 E/F COUPLER D.16" 160PSI | 16" | CLD 23 PE |
| ELOFIT 12DIME22 E/F COUPLER D.22" 160PSI | 22" | CLD 23 PE |
| ELOFIT 12DIME28 E/F COUPLER D.28" 160PSI | 28" | CLD 23 PE |
| ELOFIT 12DIME32 E/F COUPLER D.32" IPS 160PSI | 32" | CLD 23 PE |
| ELOFIT 12DIME36 E/F COUPLER D.36" IPS 160PSI | 36" | CLD 23 PE |
| ELOFIT 12DIMED16 E/F COUPLER D.16" DIPS 160PSI | 16" | CLD 23 PE |
| ELOFIT 12DIMED24 E/F COUPLER D.24" DIPS 160PSI | 24" | CLD 23 PE |
| ELOFIT 12DIR0302 BUT FUSION REDUCER D. 3"IPS x 2"IPS PE100 SDR17 | 3" x 2" | CLD 23 PE |
| ELOFIT 12DIR0302 BUTT FUSION REDUCER D. 3" IPS x 2" IPS PE100 SDR17 | 3" x 2" | CLD 23 PE |
| ELOFIT 12DIR0402 BUT FUSION REDUCER D. 4"IPS x 2"IPS PE100 SDR17 | 4" x 2" | CLD 23 PE |
| ELOFIT 12DIR0402 BUTT FUSION REDUCER D. 4" IPS x 2" IPS PE100 SDR17 | 4" x 2" | CLD 23 PE |
| ELOFIT 12DIR0403 BUT FUSION REDUCER D. 4"IPS x 3"IPS PE100 SDR17 | 4" x 3" | CLD 23 PE |
| ELOFIT 12DIR0403 BUTT FUSION REDUCER D. 4" IPS x 3" IPS PE100 SDR17 | 4" x 3" | CLD 23 PE |
| ELOFIT 12DIR0603 BUT FUSION REDUCER D. 6"IPS x 3"IPS PE100 SDR17 | 6" x 3" | CLD 23 PE |
| ELOFIT 12DIR0603 PE100 SDR17 BUTT FUSION REDUCER 6" IPS - 3" IPS | 6" - 3" | CLD 23 PE |
| ELOFIT 12DIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR17 | 6" x 4" | CLD 23 PE |
| ELOFIT 12DIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR17 | 8" x 4" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|----------------|-----------|
| ELOFIT 12DIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR17 | 8" x 6" | CLD 23 PE |
| ELOFIT 12DIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR17 | 10" x 6" | CLD 23 PE |
| ELOFIT 12DIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR17 | 10" x 8" | CLD 23 PE |
| ELOFIT 12DIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR17 | 12" x 6" | CLD 23 PE |
| ELOFIT 12DIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR17 | 12" x 8" | CLD 23 PE |
| ELOFIT 12DIR1210 BUT FUSION REDUCER D. 12"IPS x 10"IPS PE100 SDR17 | 12" x 10" | CLD 23 PE |
| ELOFIT 12DIT02 PE100 SDR17 BUTT FUSION TEE 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12DIT03 PE100 SDR17 BUTT FUSION TEE 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12DIT04 PE100 SDR17 BUTT FUSION TEE 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12DIT06 PE100 SDR17 BUTT FUSION TEE 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12DIT08 PE100 SDR17 BUTT FUSION TEE 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12DME090 ELECTROFUSION COUPLER 90mm (PE100) | 90 mm | CLD 23 PE |
| ELOFIT 12DME1000 ELECTROFUSION COUPLER 1000mm (PE100) | 1000 mm | CLD 23 PE |
| ELOFIT 12DME110 ELECTROFUSION COUPLER 110mm (PE100) | 110 mm | CLD 23 PE |
| ELOFIT 12DME125 ELECTROFUSION COUPLER 125mm (PE100) | 125 mm | CLD 23 PE |
| ELOFIT 12DME140 ELECTROFUSION COUPLER 140mm (PE100) | 140 mm | CLD 23 PE |
| ELOFIT 12DME160 ELECTROFUSION COUPLER 160mm (PE100) | 160 mm | CLD 23 PE |
| ELOFIT 12DME180 ELECTROFUSION COUPLER 180mm (PE100) | 180 mm | CLD 23 PE |
| ELOFIT 12DME200 ELECTROFUSION COUPLER 200mm (PE100) | 200 mm | CLD 23 PE |
| ELOFIT 12DME225 ELECTROFUSION COUPLER 225mm (PE100) | 225 mm | CLD 23 PE |
| ELOFIT 12DME250 ELECTROFUSION COUPLER 250mm (PE100) | 250 mm | CLD 23 PE |
| ELOFIT 12DME280 ELECTROFUSION COUPLER 280mm (PE100) | 280 mm | CLD 23 PE |
| ELOFIT 12DME315 ELECTROFUSION COUPLER 315mm (PE100) | 315 mm | CLD 23 PE |
| ELOFIT 12DME355 ELECTROFUSION COUPLER 355mm (PE100) | 355 mm | CLD 23 PE |
| ELOFIT 12DME400 ELECTROFUSION COUPLER 400mm (PE100) | 400 mm | CLD 23 PE |
| ELOFIT 12DME450 ELECTROFUSION COUPLER 450mm (PE100) | 450 mm | CLD 23 PE |
| ELOFIT 12DME500 ELECTROFUSION COUPLER 500mm (PE100) | 500 mm | CLD 23 PE |
| ELOFIT 12DME560 ELECTROFUSION COUPLER 560mm (PE100) | 560 mm | CLD 23 PE |
| ELOFIT 12DME630 ELECTROFUSION COUPLER 630mm (PE100) | 630 mm | CLD 23 PE |
| ELOFIT 12DME710 ELECTROFUSION COUPLER 710mm (PE100) | 710 mm | CLD 23 PE |
| ELOFIT 12DME800 ELECTROFUSION COUPLER 800mm (PE100) | 800 mm | CLD 23 PE |
| ELOFIT 12DME900 ELECTROFUSION COUPLER 900mm (PE100) | 900 mm | CLD 23 PE |
| ELOFIT 12DRD1163 LONG SPIGOT REDUCER 110 x 63mm (PE100 SDR17) | 110 mm x 63 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12DRD1175 LONG SPIGOT REDUCER 110 x 75mm (PE100 SDR17) | 110 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DRD1190 LONG SPIGOT REDUCER 110 x 90mm (PE100 SDR17) | 110 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DRD1211 LONG SPIGOT REDUCER 125 x 110mm (PE100 SDR17) | 125 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DRD1263 LONG SPIGOT REDUCER 125 x 63mm (PE100 SDR17) | 125 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DRD1275 LONG SPIGOT REDUCER 125 x 75mm (PE100 SDR17) | 125 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DRD1290 LONG SPIGOT REDUCER 125 x 90mm (PE100 SDR17) | 125 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DRD1411 LONG SPIGOT REDUCER 140 x 110mm (PE100 SDR17) | 140 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DRD1412 LONG SPIGOT REDUCER 140 x 125mm (PE100 SDR17) | 140 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DRD1490 LONG SPIGOT REDUCER 140 x 90mm (PE100 SDR17) | 140 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DRD1611 LONG SPIGOT REDUCER 160 x 110mm (PE100 SDR17) | 160 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DRD1612 LONG SPIGOT REDUCER 160 x 125mm (PE100 SDR17) | 160 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DRD1614 LONG SPIGOT REDUCER 160 x 140mm (PE100 SDR17) | 160 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DRD1690 LONG SPIGOT REDUCER 160 x 90mm (PE100 SDR17) | 160 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DRD1812 LONG SPIGOT REDUCER 180 x 125mm (PE100 SDR17) | 180 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DRD1814 LONG SPIGOT REDUCER 180 x 140mm (PE100 SDR17) | 180 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DRD1816 LONG SPIGOT REDUCER 180 x 160mm (PE100 SDR17) | 180 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DRD2014 LONG SPIGOT REDUCER 200 x 140mm (PE100 SDR17) | 200 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DRD2016 LONG SPIGOT REDUCER 200 x 160mm (PE100 SDR17) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DRD2018 LONG SPIGOT REDUCER 200 x 180mm (PE100 SDR17) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DRD2216 LONG SPIGOT REDUCER 225 x 160mm (PE100 SDR17) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DRD2218 LONG SPIGOT REDUCER 225 x 180mm (PE100 SDR17) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DRD2220 LONG SPIGOT REDUCER 225 x 200mm (PE100 SDR17) | 225 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DRD2518 LONG SPIGOT REDUCER 250 x 180mm (PE100 SDR17) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DRD2520 LONG SPIGOT REDUCER 250 x 200mm (PE100 SDR17) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DRD2522 LONG SPIGOT REDUCER 250 x 225mm (PE100 SDR17) | 250 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DRD2820 LONG SPIGOT REDUCER 280 x 200mm (PE100 SDR17) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DRD2822 LONG SPIGOT REDUCER 280 x 225mm (PE100 SDR17) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DRD2825 LONG SPIGOT REDUCER 280 x 250mm (PE100 SDR17) | 280 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DRD3122 LONG SPIGOT REDUCER 315 x 225mm (PE100 SDR17) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DRD3125 LONG SPIGOT REDUCER 315 x 250mm (PE100 SDR17) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DRD3128 LONG SPIGOT REDUCER 315 x 280mm (PE100 SDR17) | 315 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DRD3525 LONG SPIGOT REDUCER 355 x 250mm (PE100 SDR17) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DRD3528 LONG SPIGOT REDUCER 355 x 280mm (PE100 SDR17) | 355 mm x 280 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12DRD3531 LONG SPIGOT REDUCER 355 x 315mm (PE100 SDR17) | 355 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DRD4028 LONG SPIGOT REDUCER 400 x 280mm (PE100 SDR17) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DRD4031 LONG SPIGOT REDUCER 400 x 315mm (PE100 SDR17) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DRD4035 LONG SPIGOT REDUCER 400 x 355mm (PE100 SDR17) | 400 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DRD4540 LONG SPIGOT REDUCER 450 x 400mm (PE100 SDR17) | 450 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DRD7563 LONG SPIGOT REDUCER 75 x 63mm (PE100 SDR17) | 75 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DRD9050 LONG SPIGOT REDUCER 90 x 50mm (PE100 SDR17) | 90 mm x 50 mm | CLD 23 PE |
| ELOFIT 12DRD9063 LONG SPIGOT REDUCER 90 x 63mm (PE100 SDR17) | 90 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DRD9075 LONG SPIGOT REDUCER 90 x 75mm (PE100 SDR17) | 90 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DRDC2018 SHORT SPIGOT REDUCER 200 x 180mm (PE100 SDR17) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DRDC2216 SHORT SPIGOT REDUCER 225 x 160mm (PE100 SDR17) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DRDC2218 SHORT SPIGOT REDUCER 225 x 180mm (PE100 SDR17) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DRDC2220 SHORT SPIGOT REDUCER 225 x 200mm (PE100 SDR17) | 225 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DRDC2518 SHORT SPIGOT REDUCER 250 x 180mm (PE100 SDR17) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DRDC2520 SHORT SPIGOT REDUCER 250 x 200mm (PE100 SDR17) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DRDC2522 SHORT SPIGOT REDUCER 250 x 225mm (PE100 SDR17) | 250 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DRDC2820 SHORT SPIGOT REDUCER 280 x 200mm (PE100 SDR17) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DRDC2822 SHORT SPIGOT REDUCER 280 x 225mm (PE100 SDR17) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DRDC2825 SHORT SPIGOT REDUCER 280 x 250mm (PE100 SDR17) | 280 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DRDC3120 SHORT SPIGOT REDUCER 315 x 200mm (PE100 SDR17) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DRDC3122 SHORT SPIGOT REDUCER 315 x 225mm (PE100 SDR17) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DRDC3125 SHORT SPIGOT REDUCER 315 x 250mm (PE100 SDR17) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DRDC3128 SHORT SPIGOT REDUCER 315 x 280mm (PE100 SDR17) | 315 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DRDC3525 SHORT SPIGOT REDUCER 355 x 250mm (PE100 SDR17) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DRDC3528 SHORT SPIGOT REDUCER 355 x 280mm (PE100 SDR17) | 355 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DRDC3531 SHORT SPIGOT REDUCER 355 x 315mm (PE100 SDR17) | 355 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DRDC4028 SHORT SPIGOT REDUCER 400 x 280mm (PE100 SDR17) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DRDC4031 SHORT SPIGOT REDUCER 400 x 315mm (PE100 SDR17) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DRDC4035 SHORT SPIGOT REDUCER 400 x 355mm (PE100 SDR17) | 400 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DRDC4531 SHORT SPIGOT REDUCER 450 x 315mm (PE100 SDR17) | 450 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DRDC4535 SHORT SPIGOT REDUCER 450 x 355mm (PE100 SDR17) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DRDC4540 SHORT SPIGOT REDUCER 450 x 400mm (PE100 SDR17) | 450 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DRDC5035 SHORT SPIGOT REDUCER 500 x 355mm (PE100 SDR17) | 500 mm x 355 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|------------------|-----------|
| ELOFIT 12DRDC5040 SHORT SPIGOT REDUCER 500 x 400mm (PE100 SDR17) | 500 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DRDC5045 SHORT SPIGOT REDUCER 500 x 450mm (PE100 SDR17) | 500 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DRDC5640 SHORT SPIGOT REDUCER 560 x 400mm (PE100 SDR17) | 560 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DRDC5645 SHORT SPIGOT REDUCER 560 x 450mm (PE100 SDR17) | 560 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DRDC5650 SHORT SPIGOT REDUCER 560 x 500mm (PE100 SDR17) | 560 mm x 500 mm | CLD 23 PE |
| ELOFIT 12DRDC6345 SHORT SPIGOT REDUCER 630 x 450mm (PE100 SDR17) | 630 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DRDC6350 SHORT SPIGOT REDUCER 630 x 500mm (PE100 SDR17) | 630 mm x 500 mm | CLD 23 PE |
| ELOFIT 12DRDC6356 SHORT SPIGOT REDUCER 630 x 560mm (PE100 SDR17) | 630 mm x 560 mm | CLD 23 PE |
| ELOFIT 12DRDC7163 SHORT SPIGOT REDUCER 710 x 630mm (PE100 SDR17) | 710 mm x 630 mm | CLD 23 PE |
| ELOFIT 12DT063 LONG SPIGOT 90° TEE 63mm (PE100 SDR17) | 63 mm | CLD 23 PE |
| ELOFIT 12DT075 LONG SPIGOT 90° TEE 75mm (PE100 SDR17) | 75 mm | CLD 23 PE |
| ELOFIT 12DT090 LONG SPIGOT 90° TEE 90mm (PE100 SDR17) | 90 mm | CLD 23 PE |
| ELOFIT 12DT110 LONG SPIGOT 90° TEE 110mm (PE100 SDR17) | 110 mm | CLD 23 PE |
| ELOFIT 12DT125 LONG SPIGOT 90° TEE 125mm (PE100 SDR17) | 125 mm | CLD 23 PE |
| ELOFIT 12DT140 LONG SPIGOT 90° TEE 140mm (PE100 SDR17) | 140 mm | CLD 23 PE |
| ELOFIT 12DT160 LONG SPIGOT 90° TEE 160mm (PE100 SDR17) | 160 mm | CLD 23 PE |
| ELOFIT 12DT180 LONG SPIGOT 90° TEE 180mm (PE100 SDR17) | 180 mm | CLD 23 PE |
| ELOFIT 12DT200 LONG SPIGOT 90° TEE 200mm (PE100 SDR17) | 200 mm | CLD 23 PE |
| ELOFIT 12DT225 LONG SPIGOT 90° TEE 225mm (PE100 SDR17) | 225 mm | CLD 23 PE |
| ELOFIT 12DT250 LONG SPIGOT 90° TEE 250mm (PE100 SDR17) | 250 mm | CLD 23 PE |
| ELOFIT 12DT280 LONG SPIGOT 90° TEE 280mm (PE100 SDR17) | 280 mm | CLD 23 PE |
| ELOFIT 12DT315 LONG SPIGOT 90° TEE 315mm (PE100 SDR17) | 315 mm | CLD 23 PE |
| ELOFIT 12DT355 LONG SPIGOT 90° TEE 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DT400 LONG SPIGOT 90° TEE 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DTM355 LONG SPIGOT 90° TEE 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DTM400 LONG SPIGOT 90° TEE 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DTM450 LONG SPIGOT 90° TEE 450mm (PE100 SDR17) | 450 mm | CLD 23 PE |
| ELOFIT 12DTM500 LONG SPIGOT 90° TEE 500mm (PE100 SDR17) | 500 mm | CLD 23 PE |
| ELOFIT 12DTMC355 SHORT SPIGOT 90° TEE 355mm (PE100 SDR17) | 355 mm | CLD 23 PE |
| ELOFIT 12DTMC400 SHORT SPIGOT 90° TEE 400mm (PE100 SDR17) | 400 mm | CLD 23 PE |
| ELOFIT 12DTMC450 SHORT SPIGOT 90° TEE 450mm (PE100 SDR17) | 450 mm | CLD 23 PE |
| ELOFIT 12DTMC500 SHORT SPIGOT 90° TEE 500mm (PE100 SDR17) | 500 mm | CLD 23 PE |
| ELOFIT 12DTR1014 LONG SPIGOT 90° REDUCING TEE 1000 x 140mm (PE100 SDR17) | 1000 mm x 140 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|------------------|-----------|
| ELOFIT 12DTRA1016 LONG SPIGOT 90° REDUCING TEE 1000 x 160mm (PE100 SDR17) | 1000 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA1020 LONG SPIGOT 90° REDUCING TEE 1000 x 200mm (PE100 SDR17) | 1000 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA1025 LONG SPIGOT 90° REDUCING TEE 1000 x 250mm (PE100 SDR17) | 1000 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA1028 LONG SPIGOT 90° REDUCING TEE 1000 x 280mm (PE100 SDR17) | 1000 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA1031 LONG SPIGOT 90° REDUCING TEE 1000 x 315mm (PE100 SDR17) | 1000 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA1035 LONG SPIGOT 90° REDUCING TEE 1000 x 355mm (PE100 SDR17) | 1000 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRA1040 LONG SPIGOT 90° REDUCING TEE 1000 x 400mm (PE100 SDR17) | 1000 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRA1045 LONG SPIGOT 90° REDUCING TEE 1000 x 450mm (PE100 SDR17) | 1000 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DTRA1050 LONG SPIGOT 90° REDUCING TEE 1000 x 500mm (PE100 SDR17) | 1000 mm x 500 mm | CLD 23 PE |
| ELOFIT 12DTRA1056 LONG SPIGOT 90° REDUCING TEE 1000 x 560mm (PE100 SDR17) | 1000 mm x 560 mm | CLD 23 PE |
| ELOFIT 12DTRA1063 LONG SPIGOT 90° REDUCING TEE 1000 x 630mm (PE100 SDR17) | 1000 mm x 630 mm | CLD 23 PE |
| ELOFIT 12DTRA1071 LONG SPIGOT 90° REDUCING TEE 1000 x 710mm (PE100 SDR17) | 1000 mm x 710 mm | CLD 23 PE |
| ELOFIT 12DTRA1080 LONG SPIGOT 90° REDUCING TEE 1000 x 800mm (PE100 SDR17) | 1000 mm x 800 mm | CLD 23 PE |
| ELOFIT 12DTRA3111 LONG SPIGOT 90° REDUCING TEE 315 x 110mm (PE100 SDR17) | 315 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRA3112 LONG SPIGOT 90° REDUCING TEE 315 x 125mm (PE100 SDR17) | 315 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRA3114 LONG SPIGOT 90° REDUCING TEE 315 x 140mm (PE100 SDR17) | 315 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA3116 LONG SPIGOT 90° REDUCING TEE 315 x 160mm (PE100 SDR17) | 315 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA3120 LONG SPIGOT 90° REDUCING TEE 315 x 200mm (PE100 SDR17) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA3163 LONG SPIGOT 90° REDUCING TEE 315 x 63mm (PE100 SDR17) | 315 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRA3175 LONG SPIGOT 90° REDUCING TEE 315 x 75mm (PE100 SDR17) | 315 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRA3190 LONG SPIGOT 90° REDUCING TEE 315 x 90mm (PE100 SDR17) | 315 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRA3511 LONG SPIGOT 90° REDUCING TEE 355 x 110mm (PE100 SDR17) | 355 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRA3512 LONG SPIGOT 90° REDUCING TEE 355 x 125mm (PE100 SDR17) | 355 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRA3516 LONG SPIGOT 90° REDUCING TEE 355 x 160mm (PE100 SDR17) | 355 mm x 160 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRA3520 LONG SPIGOT 90° REDUCING TEE 355 x 200mm (PE100 SDR17) | 355 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA3525 LONG SPIGOT 90° REDUCING TEE 355 x 250mm (PE100 SDR17) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA3590 LONG SPIGOT 90° REDUCING TEE 355 x 90mm (PE100 SDR17) | 355 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRA4011 LONG SPIGOT 90° REDUCING TEE 400 x 110mm (PE100 SDR17) | 400 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRA4012 LONG SPIGOT 90° REDUCING TEE 400 x 125mm (PE100 SDR17) | 400 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRA4014 LONG SPIGOT 90° REDUCING TEE 400 x 140mm (PE100 SDR17) | 400 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA4016 LONG SPIGOT 90° REDUCING TEE 400 x 160mm (PE100 SDR17) | 400 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA4020 LONG SPIGOT 90° REDUCING TEE 400 x 200mm (PE100 SDR17) | 400 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA4025 LONG SPIGOT 90° REDUCING TEE 400 x 250mm (PE100 SDR17) | 400 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA4028 LONG SPIGOT 90° REDUCING TEE 400 x 280mm (PE100 SDR17) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA4031 LONG SPIGOT 90° REDUCING TEE 400 x 315mm (PE100 SDR17) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA4090 LONG SPIGOT 90° REDUCING TEE 400 x 90mm (PE100 SDR17) | 400 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRA4511 LONG SPIGOT 90° REDUCING TEE 450 x 110mm (PE100 SDR17) | 450 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRA4512 LONG SPIGOT 90° REDUCING TEE 450 x 125mm (PE100 SDR17) | 450 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRA4514 LONG SPIGOT 90° REDUCING TEE 450 x 140mm (PE100 SDR17) | 450 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA4516 LONG SPIGOT 90° REDUCING TEE 450 x 160mm (PE100 SDR17) | 450 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA4520 LONG SPIGOT 90° REDUCING TEE 450 x 200mm (PE100 SDR17) | 450 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA4525 LONG SPIGOT 90° REDUCING TEE 450 x 250mm (PE100 SDR17) | 450 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA4528 LONG SPIGOT 90° REDUCING TEE 450 x 280mm (PE100 SDR17) | 450 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA4531 LONG SPIGOT 90° REDUCING TEE 450 x 315mm (PE100 SDR17) | 450 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA4535 LONG SPIGOT 90° REDUCING TEE 450 x 355mm (PE100 SDR17) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRA4590 LONG SPIGOT 90° REDUCING TEE 450 x 90mm (PE100 SDR17) | 450 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRA5014 LONG SPIGOT 90° REDUCING TEE 500 x 140mm (PE100 SDR17) | 500 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA5016 LONG SPIGOT 90° REDUCING TEE 500 x 160mm (PE100 SDR17) | 500 mm x 160 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRA5020 LONG SPIGOT 90° REDUCING TEE 500 x 200mm (PE100 SDR17) | 500 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA5025 LONG SPIGOT 90° REDUCING TEE 500 x 250mm (PE100 SDR17) | 500 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA5028 LONG SPIGOT 90° REDUCING TEE 500 x 280mm (PE100 SDR17) | 500 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA5031 LONG SPIGOT 90° REDUCING TEE 500 x 315mm (PE100 SDR17) | 500 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA5035 LONG SPIGOT 90° REDUCING TEE 500 x 355mm (PE100 SDR17) | 500 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRA5040 LONG SPIGOT 90° REDUCING TEE 500 x 400mm (PE100 SDR17) | 500 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRA5614 LONG SPIGOT 90° REDUCING TEE 560 x 140mm (PE100 SDR17) | 560 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA5616 LONG SPIGOT 90° REDUCING TEE 560 x 160mm (PE100 SDR17) | 560 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA5620 LONG SPIGOT 90° REDUCING TEE 560 x 200mm (PE100 SDR17) | 560 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA5625 LONG SPIGOT 90° REDUCING TEE 560 x 250mm (PE100 SDR17) | 560 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA5628 LONG SPIGOT 90° REDUCING TEE 560 x 280mm (PE100 SDR17) | 560 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA5631 LONG SPIGOT 90° REDUCING TEE 560 x 315mm (PE100 SDR17) | 560 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA5635 LONG SPIGOT 90° REDUCING TEE 560 x 355mm (PE100 SDR17) | 560 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRA5640 LONG SPIGOT 90° REDUCING TEE 560 x 400mm (PE100 SDR17) | 560 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRA5645 LONG SPIGOT 90° REDUCING TEE 560 x 450mm (PE100 SDR17) | 560 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DTRA6314 LONG SPIGOT 90° REDUCING TEE 630 x 140mm (PE100 SDR17) | 630 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA6316 LONG SPIGOT 90° REDUCING TEE 630 x 160mm (PE100 SDR17) | 630 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA6320 LONG SPIGOT 90° REDUCING TEE 630 x 200mm (PE100 SDR17) | 630 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA6325 LONG SPIGOT 90° REDUCING TEE 630 x 250mm (PE100 SDR17) | 630 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA6328 LONG SPIGOT 90° REDUCING TEE 630 x 280mm (PE100 SDR17) | 630 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA6331 LONG SPIGOT 90° REDUCING TEE 630 x 315mm (PE100 SDR17) | 630 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA6335 LONG SPIGOT 90° REDUCING TEE 630 x 355mm (PE100 SDR17) | 630 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRA6340 LONG SPIGOT 90° REDUCING TEE 630 x 400mm (PE100 SDR17) | 630 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRA6345 LONG SPIGOT 90° REDUCING TEE 630 x 450mm (PE100 SDR17) | 630 mm x 450 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRA6350 LONG SPIGOT 90° REDUCING TEE 630 x 500mm (PE100 SDR17) | 630 mm x 500 mm | CLD 23 PE |
| ELOFIT 12DTRA7114 LONG SPIGOT 90° REDUCING TEE 710 x 140mm (PE100 SDR17) | 710 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA7116 LONG SPIGOT 90° REDUCING TEE 710 x 160mm (PE100 SDR17) | 710 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA7120 LONG SPIGOT 90° REDUCING TEE 710 x 200mm (PE100 SDR17) | 710 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA7125 LONG SPIGOT 90° REDUCING TEE 710 x 250mm (PE100 SDR17) | 710 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA7128 LONG SPIGOT 90° REDUCING TEE 710 x 280mm (PE100 SDR17) | 710 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA7131 LONG SPIGOT 90° REDUCING TEE 710 x 315mm (PE100 SDR17) | 710 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA7135 LONG SPIGOT 90° REDUCING TEE 710 x 355mm (PE100 SDR17) | 710 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRA7140 LONG SPIGOT 90° REDUCING TEE 710 x 400mm (PE100 SDR17) | 710 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRA7145 LONG SPIGOT 90° REDUCING TEE 710 x 450mm (PE100 SDR17) | 710 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DTRA7150 LONG SPIGOT 90° REDUCING TEE 710 x 500mm (PE100 SDR17) | 710 mm x 500 mm | CLD 23 PE |
| ELOFIT 12DTRA7156 LONG SPIGOT 90° REDUCING TEE 710 x 560mm (PE100 SDR17) | 710 mm x 560 mm | CLD 23 PE |
| ELOFIT 12DTRA8014 LONG SPIGOT 90° REDUCING TEE 800 x 140mm (PE100 SDR17) | 800 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA8016 LONG SPIGOT 90° REDUCING TEE 800 x 160mm (PE100 SDR17) | 800 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA8020 LONG SPIGOT 90° REDUCING TEE 800 x 200mm (PE100 SDR17) | 800 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA8025 LONG SPIGOT 90° REDUCING TEE 800 x 250mm (PE100 SDR17) | 800 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA8028 LONG SPIGOT 90° REDUCING TEE 800 x 280mm (PE100 SDR17) | 800 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA8031 LONG SPIGOT 90° REDUCING TEE 800 x 315mm (PE100 SDR17) | 800 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA8035 LONG SPIGOT 90° REDUCING TEE 800 x 355mm (PE100 SDR17) | 800 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRA8040 LONG SPIGOT 90° REDUCING TEE 800 x 400mm (PE100 SDR17) | 800 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRA8045 LONG SPIGOT 90° REDUCING TEE 800 x 450mm (PE100 SDR17) | 800 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DTRA8050 LONG SPIGOT 90° REDUCING TEE 800 x 500mm (PE100 SDR17) | 800 mm x 500 mm | CLD 23 PE |
| ELOFIT 12DTRA8056 LONG SPIGOT 90° REDUCING TEE 800 x 560mm (PE100 SDR17) | 800 mm x 560 mm | CLD 23 PE |
| ELOFIT 12DTRA8063 LONG SPIGOT 90° REDUCING TEE 800 x 630mm (PE100 SDR17) | 800 mm x 630 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRA9014 LONG SPIGOT 90° REDUCING TEE 900 x 140mm (PE100 SDR17) | 900 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRA9016 LONG SPIGOT 90° REDUCING TEE 900 x 160mm (PE100 SDR17) | 900 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRA9020 LONG SPIGOT 90° REDUCING TEE 900 x 200mm (PE100 SDR17) | 900 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRA9025 LONG SPIGOT 90° REDUCING TEE 900 x 250mm (PE100 SDR17) | 900 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRA9028 LONG SPIGOT 90° REDUCING TEE 900 x 280mm (PE100 SDR17) | 900 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRA9031 LONG SPIGOT 90° REDUCING TEE 900 x 315mm (PE100 SDR17) | 900 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRA9035 LONG SPIGOT 90° REDUCING TEE 900 x 355mm (PE100 SDR17) | 900 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRA9040 LONG SPIGOT 90° REDUCING TEE 900 x 400mm (PE100 SDR17) | 900 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRA9045 LONG SPIGOT 90° REDUCING TEE 900 x 450mm (PE100 SDR17) | 900 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DTRA9050 LONG SPIGOT 90° REDUCING TEE 900 x 500mm (PE100 SDR17) | 900 mm x 500 mm | CLD 23 PE |
| ELOFIT 12DTRA9056 LONG SPIGOT 90° REDUCING TEE 900 x 560mm (PE100 SDR17) | 900 mm x 560 mm | CLD 23 PE |
| ELOFIT 12DTRA9063 LONG SPIGOT 90° REDUCING TEE 900 x 630mm (PE100 SDR17) | 900 mm x 630 mm | CLD 23 PE |
| ELOFIT 12DTRA9071 LONG SPIGOT 90° REDUCING TEE 900 x 710mm (PE100 SDR17) | 900 mm x 710 mm | CLD 23 PE |
| ELOFIT 12DTRA9071 LONG SPIGOT 90° REDUCING TEE 900 x 710mm (PE100 SDR17) | 900 mm x 710 mm | CLD 23 PE |
| ELOFIT 12DTRMC2811 SHORT SPIGOT REDUCING TEE 280 x 110mm (PE100 SDR17) | 280 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRMC2812 SHORT SPIGOT REDUCING TEE 280 x 125mm (PE100 SDR17) | 280 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC2814 SHORT SPIGOT REDUCING TEE 280 x 140mm (PE100 SDR17) | 280 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC2816 SHORT SPIGOT REDUCING TEE 280 x 160mm (PE100 SDR17) | 280 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRMC2818 SHORT SPIGOT REDUCING TEE 280 x 180mm (PE100 SDR17) | 280 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DTRMC2820 SHORT SPIGOT REDUCING TEE 280 x 200mm (PE100 SDR17) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRMC2863 SHORT SPIGOT REDUCING TEE 280 x 63 mm (PE100 SDR17) | 280 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRMC2875 SHORT SPIGOT REDUCING TEE 280 x 75mm (PE100 SDR17) | 280 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRMC2890 SHORT SPIGOT REDUCING TEE 280 x 90mm (PE100 SDR17) | 280 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRMC3111 SHORT SPIGOT REDUCING TEE 315 x 110mm (PE100 SDR17) | 315 mm x 110 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRMC3112 SHORT SPIGOT REDUCING TEE 315 x 125mm (PE100 SDR17) | 315 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC3114 SHORT SPIGOT REDUCING TEE 315 x 140mm (PE100 SDR17) | 315 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC3116 SHORT SPIGOT REDUCING TEE 315 x 160mm (PE100 SDR17) | 315 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRMC3118 SHORT SPIGOT REDUCING TEE 315 x 180mm (PE100 SDR17) | 315 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DTRMC3120 SHORT SPIGOT REDUCING TEE 315 x 200mm (PE100 SDR17) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRMC3122 SHORT SPIGOT REDUCING TEE 315 x 225mm (PE100 SDR17) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DTRMC3125 SHORT SPIGOT REDUCING TEE 315 x 250mm (PE100 SDR17) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRMC3163 SHORT SPIGOT REDUCING TEE 315 x 63mm (PE100 SDR17) | 315 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRMC3175 SHORT SPIGOT REDUCING TEE 315 x 75mm (PE100 SDR17) | 315 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRMC3190 SHORT SPIGOT REDUCING TEE 315 x 90mm (PE100 SDR17) | 315 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRMC3511 SHORT SPIGOT REDUCING TEE 355 x 110mm (PE100 SDR17) | 355 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRMC3512 SHORT SPIGOT REDUCING TEE 355 x 125mm (PE100 SDR17) | 355 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC3514 SHORT SPIGOT REDUCING TEE 355 x 140mm (PE100 SDR17) | 355 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC3516 SHORT SPIGOT REDUCING TEE 355 x 160mm (PE100 SDR17) | 355 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRMC3518 SHORT SPIGOT REDUCING TEE 355 x 180mm (PE100 SDR17) | 355 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DTRMC3520 SHORT SPIGOT REDUCING TEE 355 x 200mm (PE100 SDR17) | 355 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRMC3522 SHORT SPIGOT REDUCING TEE 355 x 225mm (PE100 SDR17) | 355 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DTRMC3525 SHORT SPIGOT REDUCING TEE 355 x 250mm (PE100 SDR17) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRMC3590 SHORT SPIGOT REDUCING TEE 355 x 90mm (PE100 SDR17) | 355 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRMC4011 SHORT SPIGOT REDUCING TEE 400 x 110mm (PE100 SDR17) | 400 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRMC4012 SHORT SPIGOT REDUCING TEE 400 x 125mm (PE100 SDR17) | 400 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC4014 SHORT SPIGOT REDUCING TEE 400 x 140mm (PE100 SDR17) | 400 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC4016 SHORT SPIGOT REDUCING TEE 400 x 160mm (PE100 SDR17) | 400 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRMC4018 SHORT SPIGOT REDUCING TEE 400 x 180mm (PE100 SDR17) | 400 mm x 180 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRMC4020 SHORT SPIGOT REDUCING TEE 400 x 200mm (PE100 SDR17) | 400 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRMC4022 SHORT SPIGOT REDUCING TEE 400 x 225mm (PE100 SDR17) | 400 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DTRMC4025 SHORT SPIGOT REDUCING TEE 400 x 250mm (PE100 SDR17) | 400 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRMC4028 SHORT SPIGOT REDUCING TEE 400 x 280mm (PE100 SDR17) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRMC4031 SHORT SPIGOT REDUCING TEE 400 x 315mm (PE100 SDR17) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRMC4511 SHORT SPIGOT REDUCING TEE 450 x 110mm (PE100 SDR17) | 450 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRMC4512 SHORT SPIGOT REDUCING TEE 450 x 125mm (PE100 SDR17) | 450 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC4514 SHORT SPIGOT REDUCING TEE 450 x 140mm (PE100 SDR17) | 450 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC4516 SHORT SPIGOT REDUCING TEE 450 x 160mm (PE100 SDR17) | 450 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRMC4518 SHORT SPIGOT REDUCING TEE 450 x 180mm (PE100 SDR17) | 450 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DTRMC4520 SHORT SPIGOT REDUCING TEE 450 x 200mm (PE100 SDR17) | 450 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRMC4522 SHORT SPIGOT REDUCING TEE 450 x 225mm (PE100 SDR17) | 450 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DTRMC4525 SHORT SPIGOT REDUCING TEE 450 x 250mm (PE100 SDR17) | 450 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRMC4528 SHORT SPIGOT REDUCING TEE 450 x 280mm (PE100 SDR17) | 450 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRMC4531 SHORT SPIGOT REDUCING TEE 450 x 315mm (PE100 SDR17) | 450 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRMC4535 SHORT SPIGOT REDUCING TEE 450 x 355mm (PE100 SDR17) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRMC5011 SHORT SPIGOT REDUCING TEE 500 x 110mm (PE100 SDR17) | 500 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRMC5012 SHORT SPIGOT REDUCING TEE 500 x 125mm (PE100 SDR17) | 500 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC5014 SHORT SPIGOT REDUCING TEE 500 x 140mm (PE100 SDR17) | 500 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC5016 SHORT SPIGOT REDUCING TEE 500 x 160mm (PE100 SDR17) | 500 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRMC5018 SHORT SPIGOT REDUCING TEE 500 x 180mm (PE100 SDR17) | 500 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DTRMC5020 SHORT SPIGOT REDUCING TEE 500 x 200mm (PE100 SDR17) | 500 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRMC5022 SHORT SPIGOT REDUCING TEE 500 x 225mm (PE100 SDR17) | 500 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DTRMC5025 SHORT SPIGOT REDUCING TEE 500 x 250mm (PE100 SDR17) | 500 mm x 250 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRMC5028 SHORT SPIGOT REDUCING TEE 500 x 280mm (PE100 SDR17) | 500 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRMC5031 SHORT SPIGOT REDUCING TEE 500 x 315mm (PE100 SDR17) | 500 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRMC5035 SHORT SPIGOT REDUCING TEE 500 x 355mm (PE100 SDR17) | 500 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRMC5040 SHORT SPIGOT REDUCING TEE 500 x 400mm (PE100 SDR17) | 500 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRMC5611 SHORT SPIGOT REDUCING TEE 560 x 110mm (PE100 SDR17) | 560 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRMC5612 SHORT SPIGOT REDUCING TEE 560 x 125mm (PE100 SDR17) | 560 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC5614 SHORT SPIGOT REDUCING TEE 560 x 140mm (PE100 SDR17) | 560 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC5616 SHORT SPIGOT REDUCING TEE 560 x 160mm (PE100 SDR17) | 560 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRMC5618 SHORT SPIGOT REDUCING TEE 560 x 180mm (PE100 SDR17) | 560 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DTRMC5620 SHORT SPIGOT REDUCING TEE 560 x 200mm (PE100 SDR17) | 560 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRMC5622 SHORT SPIGOT REDUCING TEE 560 x 225mm (PE100 SDR17) | 560 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DTRMC5625 SHORT SPIGOT REDUCING TEE 560 x 250mm (PE100 SDR17) | 560 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRMC5628 SHORT SPIGOT REDUCING TEE 560 x 280mm (PE100 SDR17) | 560 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRMC5631 SHORT SPIGOT REDUCING TEE 560 x 315mm (PE100 SDR17) | 560 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRMC5635 SHORT SPIGOT REDUCING TEE 560 x 355mm (PE100 SDR17) | 560 mm x 355 mm | CLD 23 PE |
| ELOFIT 12DTRMC5640 SHORT SPIGOT REDUCING TEE 560 x 400mm (PE100 SDR17) | 560 mm x 400 mm | CLD 23 PE |
| ELOFIT 12DTRMC5645 SHORT SPIGOT REDUCING TEE 560 x 450mm (PE100 SDR17) | 560 mm x 450 mm | CLD 23 PE |
| ELOFIT 12DTRMC6311 SHORT SPIGOT REDUCING TEE 630 x 110mm (PE100 SDR17) | 630 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRMC6312 SHORT SPIGOT REDUCING TEE 630 x 125mm (PE100 SDR17) | 630 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC6314 SHORT SPIGOT REDUCING TEE 630 x 140mm (PE100 SDR17) | 630 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC6316 SHORT SPIGOT REDUCING TEE 630 x 160mm (PE100 SDR17) | 630 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRMC6318 SHORT SPIGOT REDUCING TEE 630 x 180mm (PE100 SDR17) | 630 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DTRMC6320 SHORT SPIGOT REDUCING TEE 630 x 200mm (PE100 SDR17) | 630 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRMC6322 SHORT SPIGOT REDUCING TEE 630 x 225mm (PE100 SDR17) | 630 mm x 225 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRMC6325 SHORT SPIGOT REDUCING TEE 630 x 250mm (PE100 SDR17) | 630 mm x 250 mm | CLD 23 PE |
| ELOFIT 12DTRMC6328 SHORT SPIGOT REDUCING TEE 630 x 280mm (PE100 SDR17) | 630 mm x 280 mm | CLD 23 PE |
| ELOFIT 12DTRMC6331 SHORT SPIGOT REDUCING TEE 630 x 315mm (PE100 SDR17) | 630 mm x 315 mm | CLD 23 PE |
| ELOFIT 12DTRMC7111 SHORT SPIGOT REDUCING TEE 710 x 110mm (PE100 SDR17) | 710 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRMC7112 SHORT SPIGOT REDUCING TEE 710 x 125mm (PE100 SDR17) | 710 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRMC7114 SHORT SPIGOT REDUCING TEE 710 x 140mm (PE100 SDR17) | 710 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRMC7116 SHORT SPIGOT REDUCING TEE 710 x 160mm (PE100 SDR17) | 710 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRS1150 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 50 mm (PE100 SDR17) | 110 mm x 50 mm | CLD 23 PE |
| ELOFIT 12DTRS1163 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 63 mm (PE100 SDR17) | 110 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRS1175 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 75 mm (PE100 SDR17) | 110 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRS1190 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 90 mm (PE100 SDR17) | 110 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRS1211 LONG SPIGOT 90° REDUCING TEE MOLDED 125 x 110 mm (PE100 SDR17) | 125 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRS1263 LONG SPIGOT 90° REDUCING TEE MOLDED 125 x 63 mm (PE100 SDR17) | 125 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRS1275 LONG SPIGOT 90° REDUCING TEE MOLDED 125 x 75 mm (PE100 SDR17) | 125 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRS1290 LONG SPIGOT 90° REDUCING TEE MOLDED 125 x 90 mm (PE100 SDR17) | 125 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRS1411 LONG SPIGOT 90° REDUCING TEE MOLDED 140 x 110 mm (PE100 SDR17) | 140 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRS1463 LONG SPIGOT 90° REDUCING TEE MOLDED 140 x 63 mm (PE100 SDR17) | 140 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRS1475 LONG SPIGOT 90° REDUCING TEE MOLDED 140 x 75 mm (PE100 SDR17) | 140 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRS1490 LONG SPIGOT 90° REDUCING TEE MOLDED 140 x 90 mm (PE100 SDR17) | 140 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRS1611 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 110 mm (PE100 SDR17) | 160 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRS1612 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 125 mm (PE100 SDR17) | 160 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRS1663 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 63 mm (PE100 SDR17) | 160 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRS1675 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 75 mm (PE100 SDR17) | 160 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRS1690 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 90 mm (PE100 SDR17) | 160 mm x 90 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRS1811 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 110 mm (PE100 SDR17) | 180 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRS1812 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 125 mm (PE100 SDR17) | 180 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRS1814 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 140 mm (PE100 SDR17) | 180 mm x 140 mm | CLD 23 PE |
| ELOFIT 12DTRS1816 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 160 mm (PE100 SDR17) | 180 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRS1875 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 75 mm (PE100 SDR17) | 180 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRS1890 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 90 mm (PE100 SDR17) | 180 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRS2011 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 110 mm (PE100 SDR17) | 200 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRS2012 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 120 mm (PE100 SDR17) | 200 mm x 120 mm | CLD 23 PE |
| ELOFIT 12DTRS2016 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 160 mm (PE100 SDR17) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRS2063 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 63 mm (PE100 SDR17) | 200 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRS2075 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 75 mm (PE100 SDR17) | 200 mm x 75 mm | CLD 23 PE |
| ELOFIT 12DTRS2090 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 90 mm (PE100 SDR17) | 200 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRS2211 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 110 mm (PE100 SDR17) | 225 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRS2212 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 125 mm (PE100 SDR17) | 225 mm x 125 mm | CLD 23 PE |
| ELOFIT 12DTRS2216 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 160 mm (PE100 SDR17) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRS2218 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 180 mm (PE100 SDR17) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12DTRS2263 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 63 mm (PE100 SDR17) | 225 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRS2290 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 90 mm (PE100 SDR17) | 225 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRS2511 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 110 mm (PE100 SDR17) | 250 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRS2512 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 120 mm (PE100 SDR17) | 250 mm x 120 mm | CLD 23 PE |
| ELOFIT 12DTRS2516 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 160 mm (PE100 SDR17) | 250 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRS2520 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 200 mm (PE100 SDR17) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRS2590 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 90 mm (PE100 SDR17) | 250 mm x 90 mm | CLD 23 PE |
| ELOFIT 12DTRS2811 LONG SPIGOT 90° REDUCING TEE MOLDED 280 x 110 mm (PE100 SDR17) | 280 mm x 110 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12DTRS2822 LONG SPIGOT 90° REDUCING TEE MOLDED 280 x 225 mm (PE100 SDR17) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DTRS3111 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 110 mm (PE100 SDR17) | 315 mm x 110 mm | CLD 23 PE |
| ELOFIT 12DTRS3116 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 160 mm (PE100 SDR17) | 315 mm x 160 mm | CLD 23 PE |
| ELOFIT 12DTRS3120 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 200 mm (PE100 SDR17) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12DTRS3122 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 225 mm (PE100 SDR17) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12DTRS9050 LONG SPIGOT 90° REDUCING TEE MOLDED 90 x 50 mm (PE100 SDR17) | 90 mm x 50 mm | CLD 23 PE |
| ELOFIT 12DTRS9063 LONG SPIGOT 90° REDUCING TEE MOLDED 90 x 63 mm (PE100 SDR17) | 90 mm x 63 mm | CLD 23 PE |
| ELOFIT 12DTRS9075 LONG SPIGOT 90° REDUCING TEE MOLDED 90 x 75 mm (PE100 SDR17) | 90 mm x 75 mm | CLD 23 PE |
| ELOFIT 12EC032 45° ELBOW LONG SPIGOT 32 mm (PE100 SDR11) | 32 mm | CLD 23 PE |
| ELOFIT 12EC040 45° ELBOW LONG SPIGOT 40 mm (PE100 SDR11) | 40 mm | CLD 23 PE |
| ELOFIT 12EC050 45° ELBOW LONG SPIGOT 50 mm (PE100 SDR11) | 50 mm | CLD 23 PE |
| ELOFIT 12EC063 45° ELBOW LONG SPIGOT 63 mm (PE100 SDR11) | 63 mm | CLD 23 PE |
| ELOFIT 12EC075 45° ELBOW LONG SPIGOT 75 mm (PE100 SDR11) | 75 mm | CLD 23 PE |
| ELOFIT 12EC090 45° ELBOW LONG SPIGOT 90 mm (PE100 SDR11) | 90 mm | CLD 23 PE |
| ELOFIT 12EC110 45° ELBOW LONG SPIGOT 110 mm (PE100 SDR11) | 110 mm | CLD 23 PE |
| ELOFIT 12EC125 45° ELBOW LONG SPIGOT 125 mm (PE100 SDR11) | 125 mm | CLD 23 PE |
| ELOFIT 12EC140 45° ELBOW LONG SPIGOT 140 mm (PE100 SDR11) | 140 mm | CLD 23 PE |
| ELOFIT 12EC160 45° ELBOW LONG SPIGOT 160 mm (PE100 SDR11) | 160 mm | CLD 23 PE |
| ELOFIT 12EC180 45° ELBOW LONG SPIGOT 180 mm (PE100 SDR11) | 180 mm | CLD 23 PE |
| ELOFIT 12EC200 45° ELBOW LONG SPIGOT 200 mm (PE100 SDR11) | 200 mm | CLD 23 PE |
| ELOFIT 12EC225 45° ELBOW LONG SPIGOT 225 mm (PE100 SDR11) | 225 mm | CLD 23 PE |
| ELOFIT 12EC250 45° ELBOW LONG SPIGOT 250 mm (PE100 SDR11) | 250 mm | CLD 23 PE |
| ELOFIT 12EC280 45° ELBOW LONG SPIGOT 280 mm (PE100 SDR11) | 280 mm | CLD 23 PE |
| ELOFIT 12EC315 45° ELBOW LONG SPIGOT 315 mm (PE100 SDR11) | 315 mm | CLD 23 PE |
| ELOFIT 12EC355 45° ELBOW LONG SPIGOT 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |
| ELOFIT 12EC400 45° ELBOW LONG SPIGOT 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12EC450 45° ELBOW LONG SPIGOT 450 mm (PE100 SDR11) | 450 mm | CLD 23 PE |
| ELOFIT 12EC500 45° ELBOW LONG SPIGOT 500 mm (PE100 SDR11) | 500 mm | CLD 23 PE |
| ELOFIT 12ECAL020 LONG SPIGOT CAP 20 mm (PE100 SDR11) | 20 mm | CLD 23 PE |
| ELOFIT 12ECAL025 LONG SPIGOT CAP 25 mm (PE100 SDR11) | 25 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------|-----------|
| ELOFIT 12ECAL032 LONG SPIGOT CAP 32 mm (PE100 SDR11) | 32 mm | CLD 23 PE |
| ELOFIT 12ECAL040 LONG SPIGOT CAP 40 mm (PE100 SDR11) | 40 mm | CLD 23 PE |
| ELOFIT 12ECAL050 LONG SPIGOT CAP 50 mm (PE100 SDR11) | 50 mm | CLD 23 PE |
| ELOFIT 12ECAL063 LONG SPIGOT CAP 63 mm (PE100 SDR11) | 63 mm | CLD 23 PE |
| ELOFIT 12ECAL075 LONG SPIGOT CAP 75 mm (PE100 SDR11) | 75 mm | CLD 23 PE |
| ELOFIT 12ECAL090 LONG SPIGOT CAP 90 mm (PE100 SDR11) | 90 mm | CLD 23 PE |
| ELOFIT 12ECAL110 LONG SPIGOT CAP 110 mm (PE100 SDR11) | 110 mm | CLD 23 PE |
| ELOFIT 12ECAL125 LONG SPIGOT CAP 125 mm (PE100 SDR11) | 125 mm | CLD 23 PE |
| ELOFIT 12ECAL140 LONG SPIGOT CAP 140 mm (PE100 SDR11) | 140 mm | CLD 23 PE |
| ELOFIT 12ECAL160 LONG SPIGOT CAP 160 mm (PE100 SDR11) | 160 mm | CLD 23 PE |
| ELOFIT 12ECAL180 LONG SPIGOT CAP 180 mm (PE100 SDR11) | 180 mm | CLD 23 PE |
| ELOFIT 12ECAL200 LONG SPIGOT CAP 200 mm (PE100 SDR11) | 200 mm | CLD 23 PE |
| ELOFIT 12ECAL225 LONG SPIGOT CAP 225 mm (PE100 SDR11) | 225 mm | CLD 23 PE |
| ELOFIT 12ECAL250 LONG SPIGOT CAP 250 mm (PE100 SDR11) | 250 mm | CLD 23 PE |
| ELOFIT 12ECAL280 LONG SPIGOT CAP 280 mm (PE100 SDR11) | 280 mm | CLD 23 PE |
| ELOFIT 12ECAL315 LONG SPIGOT CAP 315 mm (PE100 SDR11) | 315 mm | CLD 23 PE |
| ELOFIT 12ECAL355 LONG SPIGOT CAP 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |
| ELOFIT 12ECAL400 LONG SPIGOT CAP 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12ECAL450 LONG SPIGOT CAP 450 mm (PE100 SDR11) | 450 mm | CLD 23 PE |
| ELOFIT 12ECAL500 LONG SPIGOT CAP 500 mm (PE100 SDR11) | 500 mm | CLD 23 PE |
| ELOFIT 12ECAL560 LONG SPIGOT CAP 560 mm (PE100 SDR11) | 560 mm | CLD 23 PE |
| ELOFIT 12ECAL630 LONG SPIGOT CAP 630 mm (PE100 SDR11) | 630 mm | CLD 23 PE |
| ELOFIT 12ECALE020 ELECTROFUSION END CAP 20 mm (PE100) | 20 mm | CLD 23 PE |
| ELOFIT 12ECALE025 MONOLITHIC ELECTROFUSION END CAP 25 mm (PE100) | 25 mm | CLD 23 PE |
| ELOFIT 12ECALE032 MONOLITHIC ELECTROFUSION END CAP 32 mm (PE100) | 32 mm | CLD 23 PE |
| ELOFIT 12ECALE040 MONOLITHIC ELECTROFUSION END CAP 40 mm (PE100) | 40 mm | CLD 23 PE |
| ELOFIT 12ECALE050 MONOLITHIC ELECTROFUSION END CAP 50 mm (PE100) | 50 mm | CLD 23 PE |
| ELOFIT 12ECALE063 MONOLITHIC ELECTROFUSION END CAP 63 mm (PE100) | 63 mm | CLD 23 PE |
| ELOFIT 12ECALE075 ELECTROFUSION END CAP 75 mm (PE100) | 75 mm | CLD 23 PE |
| ELOFIT 12ECALE090 ELECTROFUSION END CAP 90 mm (PE100) | 90 mm | CLD 23 PE |
| ELOFIT 12ECALE110 ELECTROFUSION END CAP 110 mm (PE100) | 110 mm | CLD 23 PE |
| ELOFIT 12ECALE125 ELECTROFUSION END CAP 125 mm (PE100) | 125 mm | CLD 23 PE |
| ELOFIT 12ECALE140 ELECTROFUSION END CAP 140 mm (PE100) | 140 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------|-----------|
| ELOFIT 12ECALE160 ELECTROFUSION END CAP 160 mm (PE100) | 160 mm | CLD 23 PE |
| ELOFIT 12ECALE180 ELECTROFUSION END CAP 180 mm (PE100) | 180 mm | CLD 23 PE |
| ELOFIT 12ECALE200 ELECTROFUSION END CAP 200 mm (PE100) | 200 mm | CLD 23 PE |
| ELOFIT 12ECALE225 ELECTROFUSION END CAP 225 mm (PE100) | 225 mm | CLD 23 PE |
| ELOFIT 12ECALE250 ELECTROFUSION END CAP 250 mm (PE100) | 250 mm | CLD 23 PE |
| ELOFIT 12ECALE280 ELECTROFUSION END CAP 280 mm (PE100) | 280 mm | CLD 23 PE |
| ELOFIT 12ECALE315 ELECTROFUSION END CAP 315 mm (PE100) | 315 mm | CLD 23 PE |
| ELOFIT 12ECE225 TWO-WIRE ELECTROFUSION 45° ELBOW 45° 225 mm (PE100) | 225 mm | CLD 23 PE |
| ELOFIT 12ECE250 TWO-WIRE ELECTROFUSION 45° ELBOW 250 mm (PE100) | 250 mm | CLD 23 PE |
| ELOFIT 12ECE315 TWO-WIRE ELECTROFUSION 45° ELBOW 315 mm (PE100) | 315 mm | CLD 23 PE |
| ELOFIT 12ECEM032 SINGLE-WIRE ELECTROFUSION 45° ELBOW 32 mm (PE100) | 32 mm | CLD 23 PE |
| ELOFIT 12ECEM040 SINGLE-WIRE ELECTROFUSION 45° ELBOW 40 mm (PE100) | 40 mm | CLD 23 PE |
| ELOFIT 12ECEM050 SINGLE-WIRE ELECTROFUSION 45° ELBOW 50 mm (PE100) | 50 mm | CLD 23 PE |
| ELOFIT 12ECEM063 SINGLE-WIRE ELECTROFUSION 45° ELBOW 63 mm (PE100) | 63 mm | CLD 23 PE |
| ELOFIT 12ECEM075 SINGLE-WIRE ELECTROFUSION 45° ELBOW 75 mm (PE100) | 75 mm | CLD 23 PE |
| ELOFIT 12ECEM090 SINGLE-WIRE ELECTROFUSION 45° ELBOW 90 mm (PE100) | 90 mm | CLD 23 PE |
| ELOFIT 12ECEM110 SINGLE-WIRE ELECTROFUSION 45° ELBOW 110 mm (PE100) | 110 mm | CLD 23 PE |
| ELOFIT 12ECEM125 SINGLE-WIRE ELECTROFUSION 45° ELBOW 125 mm (PE100) | 125 mm | CLD 23 PE |
| ELOFIT 12ECEM160 SINGLE-WIRE ELECTROFUSION 45° ELBOW 160 mm (PE100) | 160 mm | CLD 23 PE |
| ELOFIT 12ECEM180 SINGLE-WIRE ELECTROFUSION 45° ELBOW 180 mm (PE100) | 180 mm | CLD 23 PE |
| ELOFIT 12ECEM200 SINGLE-WIRE ELECTROFUSION 45° ELBOW 200 mm (PE100) | 200 mm | CLD 23 PE |
| ELOFIT 12ECEM30090 SINGLE-WIRE ELECTROFUSION 30° ELBOW 90 mm (PE100) | 90 mm | CLD 23 PE |
| ELOFIT 12ECEM30110 SINGLE-WIRE ELECTROFUSION 30° ELBOW 110 mm (PE100) | 110 mm | CLD 23 PE |
| ELOFIT 12ECEM30125 SINGLE-WIRE ELECTROFUSION 30° ELBOW 125 mm (PE100) | 125 mm | CLD 23 PE |
| ELOFIT 12ECEM30160 SINGLE-WIRE ELECTROFUSION 30° ELBOW 165 mm (PE100) | 165 mm | CLD 23 PE |
| ELOFIT 12ECRT025 LONG SPIGOT STUB END 25 mm (PE100 SDR11) | 25 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------|-----------|
| ELOFIT 12ECRT032 LONG SPIGOT STUB END 32 mm (PE100 SDR11) | 32 mm | CLD 23 PE |
| ELOFIT 12ECRT040 LONG SPIGOT STUB END 40 mm (PE100 SDR11) | 40 mm | CLD 23 PE |
| ELOFIT 12ECRT050 LONG SPIGOT STUB END 50 mm (PE100 SDR11) | 50 mm | CLD 23 PE |
| ELOFIT 12ECRT063 LONG SPIGOT STUB END 63 mm (PE100 SDR11) | 63 mm | CLD 23 PE |
| ELOFIT 12ECRT075 LONG SPIGOT STUB END 75 mm (PE100 SDR11) | 75 mm | CLD 23 PE |
| ELOFIT 12ECRT090 LONG SPIGOT STUB END 90 mm (PE100 SDR11) | 90 mm | CLD 23 PE |
| ELOFIT 12ECRT110 LONG SPIGOT STUB END 110 mm (PE100 SDR11) | 110 mm | CLD 23 PE |
| ELOFIT 12ECRT125 LONG SPIGOT STUB END 125 mm (PE100 SDR11) | 125 mm | CLD 23 PE |
| ELOFIT 12ECRT140 LONG SPIGOT STUB END 140 mm (PE100 SDR11) | 140 mm | CLD 23 PE |
| ELOFIT 12ECRT160 LONG SPIGOT STUB END 160 mm (PE100 SDR11) | 160 mm | CLD 23 PE |
| ELOFIT 12ECRT180 LONG SPIGOT STUB END 180 mm (PE100 SDR11) | 180 mm | CLD 23 PE |
| ELOFIT 12ECRT200 LONG SPIGOT STUB END 200 mm (PE100 SDR11) | 200 mm | CLD 23 PE |
| ELOFIT 12ECRT225 LONG SPIGOT STUB END 225 mm (PE100 SDR11) | 225 mm | CLD 23 PE |
| ELOFIT 12ECRT250 LONG SPIGOT STUB END 250 mm (PE100 SDR11) | 250 mm | CLD 23 PE |
| ELOFIT 12ECRT280 LONG SPIGOT STUB END 280 mm (PE100 SDR11) | 280 mm | CLD 23 PE |
| ELOFIT 12ECRT315 LONG SPIGOT STUB END 315 mm (PE100 SDR11) | 315 mm | CLD 23 PE |
| ELOFIT 12ECRT355 LONG SPIGOT STUB END 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |
| ELOFIT 12ECRT400 LONG SPIGOT STUB END 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12ECRT450 LONG SPIGOT STUB END 450 mm (PE100 SDR11) | 450 mm | CLD 23 PE |
| ELOFIT 12ECRT500 LONG SPIGOT STUB END 500 mm (PE100 SDR11) | 500 mm | CLD 23 PE |
| ELOFIT 12ECRT560 LONG SPIGOT STUB END 560 mm (PE100 SDR11) | 560 mm | CLD 23 PE |
| ELOFIT 12ECRT630 LONG SPIGOT STUB END 630 mm (PE100 SDR11) | 630 mm | CLD 23 PE |
| ELOFIT 12ECRTC110 SHORT SPIGOT STUB END 110 mm (PE100 SDR11) | 110 mm | CLD 23 PE |
| ELOFIT 12ECRTC125 SHORT SPIGOT STUB END 125 mm (PE100 SDR11) | 125 mm | CLD 23 PE |
| ELOFIT 12ECRTC140 SHORT SPIGOT STUB END 140 mm (PE100 SDR11) | 140 mm | CLD 23 PE |
| ELOFIT 12ECRTC160 SHORT SPIGOT STUB END 160 mm (PE100 SDR11) | 160 mm | CLD 23 PE |
| ELOFIT 12ECRTC180 SHORT SPIGOT STUB END 180 mm (PE100 SDR11) | 180 mm | CLD 23 PE |
| ELOFIT 12ECRTC200 SHORT SPIGOT STUB END 200 mm (PE100 SDR11) | 200 mm | CLD 23 PE |
| ELOFIT 12ECRTC225 SHORT SPIGOT STUB END 225 mm (PE100 SDR11) | 225 mm | CLD 23 PE |
| ELOFIT 12ECRTC250 SHORT SPIGOT STUB END 250 mm (PE100 SDR11) | 250 mm | CLD 23 PE |
| ELOFIT 12ECRTC280 SHORT SPIGOT STUB END 280 mm (PE100 SDR11) | 280 mm | CLD 23 PE |
| ELOFIT 12ECRTC315 SHORT SPIGOT STUB END 315 mm (PE100 SDR11) | 315 mm | CLD 23 PE |
| ELOFIT 12ECRTC355 SHORT SPIGOT STUB END 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------|-----------|
| ELOFIT 12ECRTC400 SHORT SPIGOT STUB END 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12ECRTC450 SHORT SPIGOT STUB END 450 mm (PE100 SDR11) | 450 mm | CLD 23 PE |
| ELOFIT 12ECRTC500 SHORT SPIGOT STUB END 500 mm (PE100 SDR11) | 500 mm | CLD 23 PE |
| ELOFIT 12ECRTC560 SHORT SPIGOT STUB END 560 mm (PE100 SDR11) | 560 mm | CLD 23 PE |
| ELOFIT 12ECRTC630 SHORT SPIGOT STUB END 630 mm (PE100 SDR11) | 630 mm | CLD 23 PE |
| ELOFIT 12ECRTC710 SHORT SPIGOT STUB END 710 mm (PE100 SDR11) | 710 mm | CLD 23 PE |
| ELOFIT 12ECRTC800 SHORT SPIGOT STUB END 800 mm (PE100 SDR11) | 800 mm | CLD 23 PE |
| ELOFIT 12EG025 LONG SPIGOT 90° ELBOW 25 mm (PE100 SDR11) | 25 mm | CLD 23 PE |
| ELOFIT 12EG032 LONG SPIGOT 90° ELBOW 32 mm (PE100 SDR11) | 32 mm | CLD 23 PE |
| ELOFIT 12EG040 LONG SPIGOT 90° ELBOW 40 mm (PE100 SDR11) | 40 mm | CLD 23 PE |
| ELOFIT 12EG050 LONG SPIGOT 90° ELBOW 50 mm (PE100 SDR11) | 50 mm | CLD 23 PE |
| ELOFIT 12EG063 LONG SPIGOT 90° ELBOW 63 mm (PE100 SDR11) | 63 mm | CLD 23 PE |
| ELOFIT 12EG075 LONG SPIGOT 90° ELBOW 75 mm (PE100 SDR11) | 75 mm | CLD 23 PE |
| ELOFIT 12EG090 LONG SPIGOT 90° ELBOW 90 mm (PE100 SDR11) | 90 mm | CLD 23 PE |
| ELOFIT 12EG110 LONG SPIGOT 90° ELBOW 110 mm (PE100 SDR11) | 110 mm | CLD 23 PE |
| ELOFIT 12EG125 LONG SPIGOT 90° ELBOW 125 mm (PE100 SDR11) | 125 mm | CLD 23 PE |
| ELOFIT 12EG140 LONG SPIGOT 90° ELBOW 140 mm (PE100 SDR11) | 140 mm | CLD 23 PE |
| ELOFIT 12EG160 LONG SPIGOT 90° ELBOW 160 mm (PE100 SDR11) | 160 mm | CLD 23 PE |
| ELOFIT 12EG180 LONG SPIGOT 90° ELBOW 180 mm (PE100 SDR11) | 180 mm | CLD 23 PE |
| ELOFIT 12EG200 LONG SPIGOT 90° ELBOW 200 mm (PE100 SDR11) | 200 mm | CLD 23 PE |
| ELOFIT 12EG225 LONG SPIGOT 90° ELBOW 225 mm (PE100 SDR11) | 225 mm | CLD 23 PE |
| ELOFIT 12EG250 LONG SPIGOT 90° ELBOW 250 mm (PE100 SDR11) | 250 mm | CLD 23 PE |
| ELOFIT 12EG280 LONG SPIGOT 90° ELBOW 280 mm (PE100 SDR11) | 280 mm | CLD 23 PE |
| ELOFIT 12EG315 LONG SPIGOT 90° ELBOW 315 mm (PE100 SDR11) | 315 mm | CLD 23 PE |
| ELOFIT 12EG355 LONG SPIGOT 90° ELBOW 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |
| ELOFIT 12EG400 LONG SPIGOT 90° ELBOW 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12EG450 LONG SPIGOT 90° ELBOW 450 mm (PE100 SDR11) | 450 mm | CLD 23 PE |
| ELOFIT 12EG500 LONG SPIGOT 90° ELBOW 500 mm (PE100 SDR11) | 500 mm | CLD 23 PE |
| ELOFIT 12EGC355 SHORT SPIGOT 90° ELBOW 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |
| ELOFIT 12EGC400 SHORT SPIGOT 90° ELBOW 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12EGC450 SHORT SPIGOT 90° ELBOW 450 mm (PE100 SDR11) | 450 mm | CLD 23 PE |
| ELOFIT 12EGC500 SHORT SPIGOT 90° ELBOW 500 mm (PE100 SDR11) | 500 mm | CLD 23 PE |
| ELOFIT 12EGE225 TWO-WIRE ELECTROFUSION 90° ELBOW 225 mm (PE100) | 225 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------|-----------|
| ELOFIT 12EGE250 TWO-WIRE ELECTROFUSION 90° ELBOW 250 mm (PE100) | 250 mm | CLD 23 PE |
| ELOFIT 12EGE315 TWO-WIRE ELECTROFUSION 90° ELBOW 315 mm (PE100) | 315 mm | CLD 23 PE |
| ELOFIT 12EGEM020 SINGLE-WIRE ELECTROFUSION 90° ELBOW 20 mm (PE100) | 20 mm | CLD 23 PE |
| ELOFIT 12EGEM025 SINGLE-WIRE ELECTROFUSION 90° ELBOW 25 mm (PE100) | 25 mm | CLD 23 PE |
| ELOFIT 12EGEM032 SINGLE-WIRE ELECTROFUSION 90° ELBOW 32 mm (PE100) | 32 mm | CLD 23 PE |
| ELOFIT 12EGEM040 SINGLE-WIRE ELECTROFUSION 90° ELBOW 40 mm (PE100) | 40 mm | CLD 23 PE |
| ELOFIT 12EGEM050 SINGLE-WIRE ELECTROFUSION 90° ELBOW 50 mm (PE100) | 50 mm | CLD 23 PE |
| ELOFIT 12EGEM063 SINGLE-WIRE ELECTROFUSION 90° ELBOW 63 mm (PE100) | 63 mm | CLD 23 PE |
| ELOFIT 12EGEM075 SINGLE-WIRE ELECTROFUSION 90° ELBOW 75 mm (PE100) | 75 mm | CLD 23 PE |
| ELOFIT 12EGEM090 SINGLE-WIRE ELECTROFUSION 90° ELBOW 90 mm (PE100) | 90 mm | CLD 23 PE |
| ELOFIT 12EGEM110 SINGLE-WIRE ELECTROFUSION 90° ELBOW 110 mm (PE100) | 110 mm | CLD 23 PE |
| ELOFIT 12EGEM125 SINGLE-WIRE ELECTROFUSION 90° ELBOW 125 mm (PE100) | 125 mm | CLD 23 PE |
| ELOFIT 12EGEM160 SINGLE-WIRE ELECTROFUSION 90° ELBOW 160 mm (PE100) | 160 mm | CLD 23 PE |
| ELOFIT 12EGEM180 SINGLE-WIRE ELECTROFUSION 90° ELBOW 180 mm (PE100) | 180 mm | CLD 23 PE |
| ELOFIT 12EGEM200 SINGLE-WIRE ELECTROFUSION 90° ELBOW 200 mm (PE100) | 200 mm | CLD 23 PE |
| ELOFIT 12EIBFRS04 BUTT FUSION REPAIR SLEEVE 4" | 4" | CLD 23 PE |
| ELOFIT 12EIBFRS06 BUTT FUSION REPAIR SLEEVE 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12EIBFRS08 BUTT FUSION REPAIR SLEEVE 8" | 8" | CLD 23 PE |
| ELOFIT 12EIBFRS12 BUTT FUSION REPAIR SLEEVE 12" | 12" | CLD 23 PE |
| ELOFIT 12EIC02 CURVA 45° 2" IPS CODOLO LUNGO | 2" | CLD 23 PE |
| ELOFIT 12EIC03 CURVA 45° 3" IPS CODOLO LUNGO | 3" | CLD 23 PE |
| ELOFIT 12EIC04 CURVA 45° 4" IPS CODOLO LUNGO | 4" | CLD 23 PE |
| ELOFIT 12EIC06 CURVA 45° 6" IPS CODOLO LUNGO | 6" | CLD 23 PE |
| ELOFIT 12EIC08 45° ELBOW 8" IPS LONG SPIGOT | 8" | CLD 23 PE |
| ELOFIT 12EICAL03 CALOTTA DI CHIUSURA 3" IPS CODOLO LUNGO | 3" | CLD 23 PE |
| ELOFIT 12EICAL04 E/F 4" END CAP | 4" | CLD 23 PE |
| ELOFIT 12EICAL06 E/F 6" END CAP | 6" | CLD 23 PE |
| ELOFIT 12EICAL08 E/F 8" END CAP | 8" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------------------|-----------|
| ELOFIT 12EICEM02 PE100 SDR11 E/F SINGLE WIRE 45° ELBOW D.2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EICEM03 E/F SINGLE WIRE 45° ELBOW 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12EICOLF0201LF Pe/brass ef trans.saddle ø 2 IPS x 1 NPT- Lead Free Brass | 1/2"x1/2" - 12"x2" | CLD 23 PE |
| ELOFIT 12EICOLF0202LF Pe/brass ef trans.saddle ø 2" IPS x2" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF02112LF Pe/brass ef trans.saddle ø2" IPSx1" ½ NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0234LF Pe/brass ef trans.saddle ø 2 IPS x ¾ NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0301LF Pe/brass ef trans. saddle ø 3 IPS x 1 NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0302LF Pe/brass ef trans.saddle ø 3" IPSx2" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF03112LF Pe/brass ef trans.saddle ø 3" IPSx ½" NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF03114LF Pe/brass ef trans.saddle ø3" IPSx1"¼ NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0334LF Pe/brass ef trans.saddle ø3" IPS x ¾" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0401LF Pe/brass ef trans. saddle ø 4 IPS x 1 NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0402LF Pe/brass ef trans.saddle ø 4" IPSx 2" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF04112LF Pe/brass ef trans.saddle ø4" IPSx ½" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF04114LF Pe/brass ef trans.saddle ø4" IPSx1"¼ NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0434LF Pe/brass ef trans.saddle ø 4 IPS x ¾" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0601LF Pe/brass ef trans. saddle ø 6 IPS x 1 NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0602LF Pe/brass ef trans.saddle ø 6" IPSx 2" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF06112LF Pe/brass ef trans. saddle ø6" IPSx½" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0634LF Pe/brass ef trans.saddle ø6" IPS x ¾ NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0801LF Pe/brass ef trans.saddle ø 8 IPS x 1" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF0802LF Pe/brass ef trans.saddle ø 8" IPSx 2" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF08112LF Pe/brass ef trans.saddle ø8" IPSx ½" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF08114LF Pe/brass ef trans.saddle ø8" IPSx1" ¼ NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-------------------|-----------|
| ELOFIT 12EICOLF0834LF Pe/brass ef trans.saddle ø8" IPS x ¾" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF1001LF Pe/brass ef trans.saddle ø 10 IPSx 1" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF1002LF Pe/brass ef trans.saddle ø 10" IPSx2" NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF10112LF Pe/brass ef trans.saddle ø10" IPSx ½" NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF10114LF Pe/brass ef trans.saddle ø10" IPSx1"¼ NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF1034LF Pe/brass ef trans.saddle ø 10 IPS x ¾ NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF11401LF Pe/brass ef trans.saddle ø 1"¼ IPSx1" NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF11434LF Pe/brass ef trans.saddle ø 1"¼ IPSx ¾ NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF1201LF Pe/brass ef trans.saddle ø 12 IPS x 1 NPT- Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF1202LF Pe/brass ef trans.saddle ø 12" IPSx 2" NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF12112LF Pe/brass ef trans.saddle ø ½" IPSx ½" NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF12114LF Pe/brass ef trans.saddle ø12" IPSx1"¼ NPT-Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICOLF1234LF Pe/brass ef trans.saddle ø 12 IPSx ¾ NPT - Lead Free Brass | 1/2x1/2 - 12x2 in | CLD 23 PE |
| ELOFIT 12EICRT02 PE4710 SDR11 FLANGE ADAPTER 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EICRT03 PE4710 SDR11 FLANGE ADAPTER 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12EICRT04 PE4710 SDR11 FLANGE ADAPTER 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12EICRT04D PE4710 SDR11 FLANGE ADAPTER 4" DIPS | 4" | CLD 23 PE |
| ELOFIT 12EICRT06 PE4710 SDR11 FLANGE ADAPTER 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12EICRT06D PE4710 SDR11 FLANGE ADAPTER 6" DIPS | 6" | CLD 23 PE |
| ELOFIT 12EICRT08 PE4710 SDR11 FLANGE ADAPTER 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12EICRT08D PE4710 SDR11 FLANGE ADAPTER 8" DIPS | 8" | CLD 23 PE |
| ELOFIT 12EICRT10 PE4710 SDR11 FLANGE ADAPTER 10" IPS | 10" | CLD 23 PE |
| ELOFIT 12EICRT10D PE4710 SDR11 FLANGE ADAPTER 10" DIPS | 10" | CLD 23 PE |
| ELOFIT 12EICRT12 PE4710 SDR11 FLANGE ADAPTER 12" IPS | 12" | CLD 23 PE |
| ELOFIT 12EICRT12D PE4710 SDR11 FLANGE ADAPTER 12" DIPS | 12" | CLD 23 PE |
| ELOFIT 12EICRT14 PE4710 SDR11 FLANGE ADAPTER 14" IPS | 14" | CLD 23 PE |
| ELOFIT 12EICRT14D PE4710 SDR11 FLANGE ADAPTER 14" DIPS | 14" | CLD 23 PE |
| ELOFIT 12EICRT16 PE4710 SDR11 FLANGE ADAPTER 16" IPS | 16" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------|-----------|
| ELOFIT 12EICRT16D PE4710 SDR11 FLANGE ADAPTER 16" DIPS | 16" | CLD 23 PE |
| ELOFIT 12EICRT18 PE4710 SDR11 FLANGE ADAPTER 18" IPS | 18" | CLD 23 PE |
| ELOFIT 12EICRT20 PE4710 SDR11 FLANGE ADAPTER 20" IPS | 20" | CLD 23 PE |
| ELOFIT 12EICRT22 PE4710 SDR11 FLANGE ADAPTER 22" IPS | 22" | CLD 23 PE |
| ELOFIT 12EICRT24 PE4710 SDR11 FLANGE ADAPTER 24" IPS | 24" | CLD 23 PE |
| ELOFIT 12EICRT30 PE4710 SDR11 FLANGE ADAPTER 30" IPS | 30" | CLD 23 PE |
| ELOFIT 12EICRT36 PE4710 SDR11 FLANGE ADAPTER 36" IPS | 36" | CLD 23 PE |
| ELOFIT 12EICRTB02 PE4710 SDR11 FLANGE ADAPTER 2" IPS BEVELED | 2" | CLD 23 PE |
| ELOFIT 12EICRTB03 PE4710 SDR11 FLANGE ADAPTER 3" IPS BEVELED | 3" | CLD 23 PE |
| ELOFIT 12EICRTB04 PE4710 SDR11 FLANGE ADAPTER 4" IPS BEVELED | 4" | CLD 23 PE |
| ELOFIT 12EICRTB06 PE4710 SDR11 FLANGE ADAPTER 6" IPS BEVELED | 6" | CLD 23 PE |
| ELOFIT 12EICRTB08 PE4710 SDR11 FLANGE ADAPTER 8" IPS BEVELED | 8" | CLD 23 PE |
| ELOFIT 12EICRTB10 PE4710 SDR11 FLANGE ADAPTER 10" IPS BEVELED | 10" | CLD 23 PE |
| ELOFIT 12EICRTB12 PE4710 SDR11 FLANGE ADAPTER 12" IPS BEVELED | 12" | CLD 23 PE |
| ELOFIT 12EICRTB20 PE4710 SDR11 FLANGE ADAPTER 20" IPS BEVELED | 20" | CLD 23 PE |
| ELOFIT 12EIG02 PE100 SDR11 BUTT FUSION 90° ELBOW 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EIG03 PE100 SDR11 BUTT FUSION 90° ELBOW 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12EIG04 PE100 SDR11 BUTT FUSION 90° ELBOW 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12EIG06 PE100 SDR11 BUTT FUSION 90° ELBOW 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12EIG08 PE100 SDR11 BUTT FUSION 90° ELBOW 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12EIGEM02 PE100 SDR11 E/F SINGLE WIRE 90° ELBOW D.2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EIGEM03 PE100 SDR11 E/F SINGLE WIRE 90° ELBOW D.3" IPS | 3" | CLD 23 PE |
| ELOFIT 12EIME01 PE100 SDR11 E/F COUPLER D.1" IPS | 1" | CLD 23 PE |
| ELOFIT 12EIME012C PE100 SDR11 E/F COUPLER D.1/2" CTS | 1/2" | CLD 23 PE |
| ELOFIT 12EIME01C PE100 SDR11 E/F COUPLER D.1" CTS | 1" | CLD 23 PE |
| ELOFIT 12EIME02 PE100 SDR11 E/F COUPLER D.2" | 2" | CLD 23 PE |
| ELOFIT 12EIME03 PE100 SDR11 E/F COUPLER D.3" | 3" | CLD 23 PE |
| ELOFIT 12EIME034 PE100 SDR11 E/F COUPLER D.3/4" | 3/4" | CLD 23 PE |
| ELOFIT 12EIME04 PE100 SDR11 E/F COUPLER D.4" | 4" | CLD 23 PE |
| ELOFIT 12EIME06 PE100 SDR11 E/F COUPLER D.6" | 6" | CLD 23 PE |
| ELOFIT 12EIME08 PE100 SDR11 E/F COUPLER D.8" | 8" | CLD 23 PE |
| ELOFIT 12EIME10 PE100 SDR11 E/F COUPLER D.10" | 10" | CLD 23 PE |
| ELOFIT 12EIME112 PE100 SDR11 E/F COUPLER D.1 1/2" | 1 1/2" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------|-----------|
| ELOFIT 12EIME114 PE100 SDR11 E/F COUPLER D.1 1/4" | 1 1/4" | CLD 23 PE |
| ELOFIT 12EIME12 PE100 SDR11 E/F COUPLER D.12" | 12" | CLD 23 PE |
| ELOFIT 12EIME14 PE100 SDR11 E/F COUPLER D.14" | 14" | CLD 23 PE |
| ELOFIT 12EIME16 PE100 SDR11 E/F COUPLER D.16" | 16" | CLD 23 PE |
| ELOFIT 12EIME18 PE100 SDR11 E/F COUPLER D.18" | 18" | CLD 23 PE |
| ELOFIT 12EIME20 PE100 SDR11 E/F COUPLER D.20" | 20" | CLD 23 PE |
| ELOFIT 12EIME22 PE100 SDR11 E/F COUPLER D.22" | 22" | CLD 23 PE |
| ELOFIT 12EIME24 PE100 SDR11 E/F COUPLER D.24" | 24" | CLD 23 PE |
| ELOFIT 12EIME28 PE100 SDR11 E/F COUPLER D.28" | 28" | CLD 23 PE |
| ELOFIT 12EIME30 PE100 SDR11 E/F COUPLER D.30" IPS | 30" | CLD 23 PE |
| ELOFIT 12EIMED08 PE100 E/F COUPLER D.8" DIPS 230PSI | 8" | CLD 23 PE |
| ELOFIT 12EIMED10 PE100 E/F COUPLER D.10" DIPS 230PSI | 10" | CLD 23 PE |
| ELOFIT 12EIMED12 PE100 E/F COUPLER D.12" DIPS 230PSI | 12" | CLD 23 PE |
| ELOFIT 12EIMJ02 MALE JOINT ADAPTER D.2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EIMJ03 MALE JOINT ADAPTER 3"DIPS x 3" IPS | 3" x 3" | CLD 23 PE |
| ELOFIT 12EIMJ03D MALE JOINT ADAPTER 3"DIPS x 3" DIPS | 3" x 3" | CLD 23 PE |
| ELOFIT 12EIMJ03DSS MALE JOINT ADAPTER 3"DIPS x 3" DIPS | 3" x 3" | CLD 23 PE |
| ELOFIT 12EIMJ03SS MALE JOINT ADAPTER 3"DIPS x 3" IPS | 3" x 3" | CLD 23 PE |
| ELOFIT 12EIMJ04 MALE JOINT ADAPTER 4"DIPS x 4" IPS | 4" x 4" | CLD 23 PE |
| ELOFIT 12EIMJ04D MALE JOINT ADAPTER 4"DIPS x 4" DIPS | 4" x 4" | CLD 23 PE |
| ELOFIT 12EIMJ04DSS MALE JOINT ADAPTER 4"DIPS x 4" DIPS | 4" x 4" | CLD 23 PE |
| ELOFIT 12EIMJ04SS MALE JOINT ADAPTER 4"DIPS x 4" IPS | 4" x 4" | CLD 23 PE |
| ELOFIT 12EIMJ06 MALE JOINT ADAPTER 6"DIPS x 6" IPS | 6" x 6" | CLD 23 PE |
| ELOFIT 12EIMJ06D MALE JOINT ADAPTER 6"DIPS x 6" DIPS | 6" x 6" | CLD 23 PE |
| ELOFIT 12EIMJ06DSS MALE JOINT ADAPTER 6"DIPS x 6" DIPS | 6" x 6" | CLD 23 PE |
| ELOFIT 12EIMJ06SS MALE JOINT ADAPTER 6"DIPS x 6" IPS | 6" x 6" | CLD 23 PE |
| ELOFIT 12EIMJ08 MALE JOINT ADAPTER 8"DIPS x 8" IPS | 8" x 8" | CLD 23 PE |
| ELOFIT 12EIMJ08D MALE JOINT ADAPTER 8"DIPS x 8" DIPS | 8" x 8" | CLD 23 PE |
| ELOFIT 12EIMJ08DSS MALE JOINT ADAPTER 8"DIPS x 8" DIPS | 8" x 8" | CLD 23 PE |
| ELOFIT 12EIMJ08SS MALE JOINT ADAPTER 8"DIPS x 8" IPS | 8" x 8" | CLD 23 PE |
| ELOFIT 12EIMJ10 MALE JOINT ADAPTER 10"DIPS x 10" IPS | 10" x 10" | CLD 23 PE |
| ELOFIT 12EIMJ10D MALE JOINT ADAPTER 10"DIPS x 10" DIPS | 10" x 10" | CLD 23 PE |
| ELOFIT 12EIMJ10DSS MALE JOINT ADAPTER 10"DIPS x 10" DIPS | 10" x 10" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-------------|-----------|
| ELOFIT 12EIMJ10SS MALE JOINT ADAPTER 10"DIPS x 10" IPS | 10" x 10" | CLD 23 PE |
| ELOFIT 12EIMJ12 MALE JOINT ADAPTER 12"DIPS x 12" IPS | 12" x 12" | CLD 23 PE |
| ELOFIT 12EIMJ12D MALE JOINT ADAPTER 12"DIPS x 12" DIPS | 12" x 12" | CLD 23 PE |
| ELOFIT 12EIMJ12DSS MALE JOINT ADAPTER 12"DIPS x 12" DIPS | 12" x 12" | CLD 23 PE |
| ELOFIT 12EIMJ12SS MALE JOINT ADAPTER 12"DIPS x 12" IPS | 12" x 12" | CLD 23 PE |
| ELOFIT 12EIMJ14 MALE JOINT ADAPTER 14"DIPS x 14" IPS | 14" x 14" | CLD 23 PE |
| ELOFIT 12EIMJ14D MALE JOINT ADAPTER 14"DIPS x 14" DIPS | 14" x 14" | CLD 23 PE |
| ELOFIT 12EIMJ14DSS MALE JOINT ADAPTER 14"DIPS x 14" DIPS | 14" x 14" | CLD 23 PE |
| ELOFIT 12EIMJ14SS MALE JOINT ADAPTER 14"DIPS x 14" IPS | 14" x 14" | CLD 23 PE |
| ELOFIT 12EIMJ16 MALE JOINT ADAPTER 16"DIPS x 16" IPS | 16" x 16" | CLD 23 PE |
| ELOFIT 12EIMJ16D MALE JOINT ADAPTER 16"DIPS x 16" DIPS | 16" x 16" | CLD 23 PE |
| ELOFIT 12EIMJ16DSS MALE JOINT ADAPTER 16"DIPS x 16" DIPS | 16" x 16" | CLD 23 PE |
| ELOFIT 12EIMJ16SS MALE JOINT ADAPTER 16"DIPS x 16" IPS | 16" x 16" | CLD 23 PE |
| ELOFIT 12EIMJ18 MALE JOINT ADAPTER 18"DIPS x 18" IPS | 18" x 18" | CLD 23 PE |
| ELOFIT 12EIMJ18D MALE JOINT ADAPTER 18"DIPS x 18" DIPS | 18" x 18" | CLD 23 PE |
| ELOFIT 12EIMJ20 MALE JOINT ADAPTER 20"DIPS x 20" IPS | 20" x 20" | CLD 23 PE |
| ELOFIT 12EIMJ20D MALE JOINT ADAPTER 20"DIPS x 20" DIPS | 20" x 20" | CLD 23 PE |
| ELOFIT 12EIMJ24 MALE JOINT ADAPTER 24"DIPS x 24" IPS | 24" x 24" | CLD 23 PE |
| ELOFIT 12EIMJ24D MALE JOINT ADAPTER 24"DIPS x 24" DIPS | 24" x 24" | CLD 23 PE |
| ELOFIT 12EIPAL2010 SELLA PALLONE OTT.20° 10" INT.2" | 10" INT.2" | CLD 23 PE |
| ELOFIT 12EIPAL2012 SELLA PALLONE OTT.20° 12" INT.2" | 12" INT.2" | CLD 23 PE |
| ELOFIT 12EIR02112 BUT FUSION REDUCER D. 2" IPS x 1 1/2" IPS | 2" x 1 1/2" | CLD 23 PE |
| ELOFIT 12EIR02112 BUTT FUSION REDUCER D. 2" IPS x 1 1/2" IPS | 2" x 1 1/2" | CLD 23 PE |
| ELOFIT 12EIR0302 BUT FUSION REDUCER D. 3" IPS x 2" IPS | 3" x 2" | CLD 23 PE |
| ELOFIT 12EIR0302 BUTT FUSION REDUCER D. 3" IPS x 2" IPS | 3" x 2" | CLD 23 PE |
| ELOFIT 12EIR0402 BUT FUSION REDUCER D. 4" IPS x 2" IPS | 4" x 2" | CLD 23 PE |
| ELOFIT 12EIR0402 BUTT FUSION REDUCER D. 4" IPS x 2" IPS | 4" x 2" | CLD 23 PE |
| ELOFIT 12EIR0403 BUT FUSION REDUCER D. 4" IPS x 3" IPS | 4" x 3" | CLD 23 PE |
| ELOFIT 12EIR0403 BUTT FUSION REDUCER D. 4" IPS x 3" IPS | 4" x 3" | CLD 23 PE |
| ELOFIT 12EIR0603 BUT FUSION REDUCER D. 6"IPS x 3"IPS PE100 SDR11 | 6" x 3" | CLD 23 PE |
| ELOFIT 12EIR0603 PE100 SDR11 BUTT FUSION REDUCER 6" IPS - 3" IPS | 6" - 3" | CLD 23 PE |
| ELOFIT 12EIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR11 | 6" x 4" | CLD 23 PE |
| ELOFIT 12EIR0604 BUTT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR11 | 6" x 4" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12EIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR11 | 8" x 4" | CLD 23 PE |
| ELOFIT 12EIR0804 BUTT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR11 | 8" x 4" | CLD 23 PE |
| ELOFIT 12EIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR11 | 8" x 6" | CLD 23 PE |
| ELOFIT 12EIR0806 BUTT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR11 | 8" x 6" | CLD 23 PE |
| ELOFIT 12EIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR11 | 10" x 6" | CLD 23 PE |
| ELOFIT 12EIR1006 BUTT FUSION REDUCER D. 10"IPSx6"IPS PE100 SDR11 | 10" x 6" | CLD 23 PE |
| ELOFIT 12EIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR11 | 10" x 8" | CLD 23 PE |
| ELOFIT 12EIR1008 BUTT FUSION REDUCER D. 10"IPSx8"IPS PE100 SDR11 | 10" x 8" | CLD 23 PE |
| ELOFIT 12EIR112114 BUTT FUSION REDUCER D. 1 1/2" IPS x 1 1/4" IPS | 1 1/2" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR11 | 12" x 6" | CLD 23 PE |
| ELOFIT 12EIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR11 | 12" x 8" | CLD 23 PE |
| ELOFIT 12EIR1210 BUTT FUSION REDUCER D. 12"IPSx10"IPS PE100 SDR11 | 12" x 10" | CLD 23 PE |
| ELOFIT 12EIRDE01034 E/F REDUCER D.1"IPSx3/4"IPS | 1" x 3/4" | CLD 23 PE |
| ELOFIT 12EIRDE01C012C E/F REDUCER D.1"CTSx1/2"CTS | 1" x 1/2" | CLD 23 PE |
| ELOFIT 12EIRDE01C034 E/F REDUCER D.1"CTSx3/4"IPS | 1" x 3/4" | CLD 23 PE |
| ELOFIT 12EIRDE02112 E/F REDUCER D.2" IPS x 1 1/2" IPS | 2" x 1 1/2" | CLD 23 PE |
| ELOFIT 12EIRDE02114 E/F REDUCER D.2"IPSx1 1/4" IPS | 2" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EIRDE0302 E/F REDUCER D. 3"IPS x 2"IPS | 3" x 2" | CLD 23 PE |
| ELOFIT 12EIRDE034012 E/F REDUCER D.3/4"IPSx1/2"IPS | 3/4" x 1/2" | CLD 23 PE |
| ELOFIT 12EIRDE034012C E/F REDUCER D.3/4"IPSx1/2"CTS | 3/4" x 1/2" | CLD 23 PE |
| ELOFIT 12EIRDE034034C E/F REDUCER D.3/4" IPS x 3/4" CTS | 3/4" x 3/4" | CLD 23 PE |
| ELOFIT 12EIRDE0402 E/F REDUCER D.4"IPSx2"IPS | 4" x 2" | CLD 23 PE |
| ELOFIT 12EIRDE0403 E/F REDUCER D.4"IPSx3"IPS | 4" x 3" | CLD 23 PE |
| ELOFIT 12EIRDE0604 E/F REDUCER D.6"IPSx4"IPS | 6" x 4" | CLD 23 PE |
| ELOFIT 12EIRDE114114C E/F REDUCER D.1 1/4" IPS x 1 1/4" CTS | 1 1/4" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EIRDME0363 PE100 SDR11 E/F REDUCER D. 3" IPS x 63 mm | 3" x 63 mm | CLD 23 PE |
| ELOFIT 12EIRDME04110 PE100 SDR11 E/F REDUCER D. 110 mm x 4" IPS | 110 mm x 4" | CLD 23 PE |
| ELOFIT 12EIRDME0616 PE100 SDR11 E/F REDUCER D. 6" IPS x 160 mm | 6" x 160 mm | CLD 23 PE |
| ELOFIT 12EIRDME11003 PE100 SDR11 E/F REDUCER D. 110 mm x 3" IPS | 110 mm x 3" | CLD 23 PE |
| ELOFIT 12EIRDME11240 PE100 SDR11 E/F REDUCER D. 1 1/2" IPS x 40 mm | 1 1/2" x 40 mm | CLD 23 PE |
| ELOFIT 12EIRDME11440 PE100 SDR11 E/F REDUCER D. 1 1/4" IPS x 40 mm | 1 1/4" x 40 mm | CLD 23 PE |
| ELOFIT 12EIRDME12504 PE100 SDR11 E/F REDUCER D.125mm x 4" IPS | 125 mm x 4" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------------|-----------|
| ELOFIT 12EIRDME3420 PE100 SDR11 E/F REDUCER 20 mm x 3/4" IPS | 20 mm x 3/4" | CLD 23 PE |
| ELOFIT 12EIRDME4001 PE100 SDR11 E/F REDUCER D. 40mm x 1" IPS | 40 mm x 1" | CLD 23 PE |
| ELOFIT 12EIRDME4034 PE100 SDR11 E/F REDUCER 40 mm x 3/4" IPS | 40 mm x 3/4" | CLD 23 PE |
| ELOFIT 12EIRDME6302 PE100 SDR11 E/F REDUCER D. 63mm x 2" IPS | 63 mm x 2" | CLD 23 PE |
| ELOFIT 12EIRFFS01012LF PE/NPT brass female socket fusion ø 1" IPS x 1/2" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS01011LF PE/NPT brass female socket fusion ø 1" IPS x 1" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS01034LF PE/NPT brass female socket fusion ø 1" IPS x 3/4" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS0202LF PE/NPT brass female socket fusion ø 2" IPS x 2" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS02112LF PE/NPT brass female socket fusion ø 2" IPS x 1 1/2" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS034034LF PE/NPT brass female socket fusion ø 3/4" IPS x 3/4" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS112112LF PE/NPT brass female socket fusion ø 1 1/2" IPS x 1 1/2" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS114011LF PE/NPT brass female socket fusion ø 1" 1/4 IPS x 1" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS114034LF PE/NPT brass female socket fusion ø 1 1/4" IPS x 3/4" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFFS114114LF PE/NPT brass female socket fusion ø 1 1/4" IPS x 1 1/4" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFMS0101LF PE/NPT brass male socket fusion ø 1" IPS x 1" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFMS01034LF PE/NPT brass male socket fusion ø 1" IPS x 3/4" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFMS0202LF PE/NPT brass male socket fusion ø 2" IPS x 2" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFMS034034LF PE/NPT brass male socket fusion ø 3/4" IPS x 3/4" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFMS112112LF PE/NPT brass male socket fusion ø 1 1/2" IPS x 1 1/2" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFMS114011LF PE/NPT brass male socket fusion ø 1 1/4 IPS x 1" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFMS114034LF PE/NPT brass male socket fusion ø 1 1/4 IPS x 3/4" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRFMS114114LF PE/NPT brass male socket fusion ø 1 1/4 IPS x 1 1/4" NPT | 3/4 - 2 in | CLD 23 PE |
| ELOFIT 12EIRIP12 PE100 SDR11 COLLARE DI RIPARAZIONE 12" IPS | 12" | CLD 23 PE |
| ELOFIT 12EIRIP14 PE100 SDR11 COLLARE DI RIPARAZIONE 14" IPS | 14" | CLD 23 PE |
| ELOFIT 12EIRIP16 PE100 SDR11 COLLARE DI RIPARAZIONE 16" IPS | 16" | CLD 23 PE |
| ELOFIT 12EIRIP18 PE100 SDR11 COLLARE DI RIPARAZIONE 18" IPS | 18" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12EIRIP20 PE100 SDR11 COLLARE DI RIPARAZIONE 20" IPS | 20" | CLD 23 PE |
| ELOFIT 12EIRIP22 PE100 SDR11 COLLARE DI RIPARAZIONE 22" IPS | 22" | CLD 23 PE |
| ELOFIT 12EIRIP24 PE100 SDR11 COLLARE DI RIPARAZIONE 24" IPS | 24" | CLD 23 PE |
| ELOFIT 12EIRIP28 PE100 SDR11 COLLARE DI RIPARAZIONE 28" IPS | 28" | CLD 23 PE |
| ELOFIT 12EIRIP30 PE100 SDR11 COLLARE DI RIPARAZIONE 30" IPS | 30" | CLD 23 PE |
| ELOFIT 12EIRIP32 PE100 SDR11 COLLARE DI RIPARAZIONE 32" IPS | 32" | CLD 23 PE |
| ELOFIT 12EIRIP36 PE100 SDR11 COLLARE DI RIPARAZIONE 36" IPS | 36" | CLD 23 PE |
| ELOFIT 12EIRIP40 PE100 SDR11 COLLARE DI RIPARAZIONE 40" IPS | 40" | CLD 23 PE |
| ELOFIT 12EIRS0201 SOCKET FUSION REDUCING DN 2" - 1" IPS | 2" - 1" | CLD 23 PE |
| ELOFIT 12EIRS02034 SOCKET FUSION REDUCING DN 2" - 3/4" IPS | 2" - 3/4" | CLD 23 PE |
| ELOFIT 12EIRS02112 SOCKET FUSION REDUCING DN 2" - 1 1/2" IPS | 2" - 1 1/2" | CLD 23 PE |
| ELOFIT 12EIRS02114 SOCKET FUSION REDUCING DN 2" - 1 1/4" IPS | 2" - 1 1/4" | CLD 23 PE |
| ELOFIT 12EIRS11201 SOCKET FUSION REDUCING DN 1 1/2" - 1" IPS | 1 1/2" - 1" | CLD 23 PE |
| ELOFIT 12EIRS112034 SOCKET FUSION REDUCING DN 1 1/2" - 3/4" IPS | 1 1/2" - 3/4" | CLD 23 PE |
| ELOFIT 12EIRS112114 SOCKET FUSION REDUCING DN 1 1/2" - 1 1/4" IPS | 1 1/2" - 1 1/4" | CLD 23 PE |
| ELOFIT 12EIRS11401 SOCKET FUSION REDUCING DN 1 1/4" - 1" IPS | 1 1/4" - 1" | CLD 23 PE |
| ELOFIT 12EIRS114034 SOCKET FUSION REDUCING DN 1 1/4" - 3/4" IPS | 1 1/4" - 3/4" | CLD 23 PE |
| ELOFIT 12EIRSC02114 SOCKET FUSION FEM. RED. COUPLING D. 2" - 1 1/4" IPS | 2" - 1 1/4" | CLD 23 PE |
| ELOFIT 12EIRSC11401 SOCKET FUSION FEM. RED. COUPLING D. 1 1/4" - 1" IPS | 1 1/4" - 1" | CLD 23 PE |
| ELOFIT 12EISC01 SOCKET FUSION COUPLING DN 1" IPS | 1" | CLD 23 PE |
| ELOFIT 12EISC02 SOCKET FUSION COUPLING DN 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EISC034 SOCKET FUSION COUPLING DN 3/4" IPS | 3/4" | CLD 23 PE |
| ELOFIT 12EISC112 SOCKET FUSION COUPLING DN 1 1/2" IPS | 1 1/2" | CLD 23 PE |
| ELOFIT 12EISC114 SOCKET FUSION COUPLING DN 1 1/4" IPS | 1 1/4" | CLD 23 PE |
| ELOFIT 12EISC4501 SOCKET FUSION 45° ELBOW DN 1" IPS | 1" | CLD 23 PE |
| ELOFIT 12EISC4502 SOCKET FUSION 45° ELBOW DN 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EISC45114 SOCKET FUSION 45° ELBOW DN 1 1/4" IPS | 1 1/4" | CLD 23 PE |
| ELOFIT 12EISCAP01 SOCKET FUSION END CAP D.1" IPS | 1" | CLD 23 PE |
| ELOFIT 12EISCAP02 SOCKET FUSION END CAP D.2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EISCAP034 SOCKET FUSION END CAP D.3/4" IPS | 3/4" | CLD 23 PE |
| ELOFIT 12EISCAP114 SOCKET FUSION END CAP D.1 1/4" IPS | 1 1/4" | CLD 23 PE |
| ELOFIT 12EISCG114 SOCKET FUSION GEOTHERMAL COUPLING DN 1 1/4" IPS | 1 1/4" | CLD 23 PE |
| ELOFIT 12EISG01 SOCKET FUSION 90° ELBOW D. 1" IPS | 1" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|----------------------|-----------|
| ELOFIT 12EISG02 SOCKET FUSION 90° ELBOW DN 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EISG034 SOCKET FUSION 90° ELBOW DN 3/4" IPS | 3/4" | CLD 23 PE |
| ELOFIT 12EISG112 SOCKET FUSION 90° ELBOW DN 1 1/2" IPS | 1 1/2" | CLD 23 PE |
| ELOFIT 12EISG114 SOCKET FUSION 90° ELBOW DN 1 1/4" IPS | 1 1/4" | CLD 23 PE |
| ELOFIT 12EISGG114 SOCKET FUSION GEOTHERMAL 90° ELBOW DN 1 1/4" IPS | 1 1/4" | CLD 23 PE |
| ELOFIT 12EIST01 SOCKET FUSION TEE D.1" IPS | 1" | CLD 23 PE |
| ELOFIT 12EIST02 SOCKET FUSION TEE D.2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EIST034 SOCKET FUSION TEE D.3/4" IPS | 3/4" | CLD 23 PE |
| ELOFIT 12EIST112 SOCKET FUSION TEE D.1 1/2" IPS | 1 1/2" | CLD 23 PE |
| ELOFIT 12EIST114 SOCKET FUSION TEE D.1 1/4" IPS | 1 1/4" | CLD 23 PE |
| ELOFIT 12EISTR0101034 SOCKET FUSION RED. TEE D.1"x 1" x 3/4" IPS | 1" x 1" x 3/4" | CLD 23 PE |
| ELOFIT 12EISTR020201 SOCKET FUSION RED. TEE D.2" x 2" x 1" IPS | 2" x 2" x 1" | CLD 23 PE |
| ELOFIT 12EISTR0202034 SOCKET FUSION RED. TEE D.2" x 2" x 3/4" IPS | 2" x 2" x 3/4" | CLD 23 PE |
| ELOFIT 12EISTR0202114 SOCKET FUSION RED. TEE D.2" x 2" x 1 1/4" IPS | 2" x 2" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EISTR0211201 SOCKET FUSION RED. TEE D.2"x 1 1/2" x 1" IPS | 2" x 1 1/2" x 1" | CLD 23 PE |
| ELOFIT 12EISTR02112034 SOCKET FUSION RED. TEE D.2"x 1 1/2" x 3/4" IPS | 2" x 1 1/2" x 3/4" | CLD 23 PE |
| ELOFIT 12EISTR02112114 SOCKET FUSION RED. TEE D.2" x 1 1/2" x 1 1/4" IPS | 2" x 1 1/2" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EISTR0211401 SOCKET FUSION RED. TEE D.2"x 1 1/4" x 1" IPS | 2" x 1 1/4" x 1" | CLD 23 PE |
| ELOFIT 12EISTR02114034 SOCKET FUSION RED. TEE D.2" x 1 1/4" x 3/4" IPS | 2" x 1 1/4" x 3/4" | CLD 23 PE |
| ELOFIT 12EISTR02114114 SOCKET FUSION RED. TEE D.2" x 1 1/4" x 1 1/4" IPS | 2" x 1 1/4" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EISTR11211201 SOCKET FUSION RED. TEE DN 1 1/2" x 1 1/2" x 1" IPS | 1 1/2" x 1 1/2" x 1" | CLD 23 PE |
| ELOFIT 12EISTR112112034 SOCKET FUSION RED. TEE DN 1 1/2" x 1 1/2" x 3/4" IPS | 1 ½" x 1 ½" x 3/4" | CLD 23 PE |
| ELOFIT 12EISTR112112114 SOCKET FUSION RED. TEE D.1 1/2" x 1 1/2" x 1 1/4" IPS | 1 ½" x 1 ½" x 1 ¼" | CLD 23 PE |
| ELOFIT 12EISTR11211401 SOCKET FUSION RED. TEE D.1 1/2" x 1 1/4" x 1" IPS | 1 1/2" x 1 1/4" x 1" | CLD 23 PE |
| ELOFIT 12EISTR112114034 SOCKET FUSION RED. TEE D.1 1/2" x 1 1/4" x 3/4" IPS | 1 ½" x 1 ¼" x 3/4" | CLD 23 PE |
| ELOFIT 12EISTR112114114 SOCKET FUSION RED. TEE D.1 1/2" x 1 1/4" x 1 1/4" IPS | 1 ½" x 1 ¼" x 1 ¼" | CLD 23 PE |
| ELOFIT 12EISTR1140101 SOCKET FUSION RED. TEE DN 1 1/4" x 1" x 1" IPS | 1 1/4" x 1" x 1" | CLD 23 PE |
| ELOFIT 12EISTR114034034 SOCKET FUSION RED. TEE DN 1 1/4" x 3/4" x 3/4" IPS | 1 1/4" x 3/4" x 3/4" | CLD 23 PE |
| ELOFIT 12EISTR11411401 SOCKET FUSION RED. TEE DN 1 1/4" x 1 1/4" x 1" IPS | 1 1/4" x 1 1/4" x 1" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|------------------------|-----------|
| ELOFIT 12EISTR114114034 SOCKET FUSION RED. TEE DN 1 1/4" x 1 1/4" x 3/4" IPS | 1 3/4" x 1 3/4" x 3/4" | CLD 23 PE |
| ELOFIT 12EIT02 PE100 SDR11 BUTT FUSION TEE 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EIT03 PE100 SDR11 BUTT FUSION TEE 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12EIT04 PE100 SDR11 BUTT FUSION TEE 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12EIT06 PE100 SDR11 BUTT FUSION TEE 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12EIT08 PE100 SDR11 BUTT FUSION TEE 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12EITCE012C S. WIRE E/F TEE W/SPIGOT END D.1/2" CTS | 1/2" | CLD 23 PE |
| ELOFIT 12EITCE01C S. WIRE E/F TEE W/SPIGOT END D.1" CTS | 1" | CLD 23 PE |
| ELOFIT 12EITCE02 S. WIRE E/F TEE W/SPIGOT END D.2" IPS | 2" | CLD 23 PE |
| ELOFIT 12EITCE114 S. WIRE E/F TEE W/SPIGOT END D.1 1/4" IPS | 1 1/4" | CLD 23 PE |
| ELOFIT 12EITRMC1612 PE4710 SDR11 REDUCING TEE 16" IPS x 12" IPS | 16" x 12" | CLD 23 PE |
| ELOFIT 12EITRS0201 BUTT FUS. RED. TEE 2" IPS x 1" IPS PE4710 230PSI | 2" x 1" | CLD 23 PE |
| ELOFIT 12EITRS02034 BUTT FUS. RED. TEE 2" IPS x 3/4" IPS PE4710 230PSI | 2" x 3/4" | CLD 23 PE |
| ELOFIT 12EITRS02114 BUTT FUS. RED. TEE 2" IPS x 1 1/4" IPS PE4710 230PSI | 2" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EITRS0301 BUTT FUS. RED. TEE 3" IPS x 1" IPS PE4710 230PSI | 3" x 1" | CLD 23 PE |
| ELOFIT 12EITRS0302 BUTT FUS. RED. TEE 3" IPS x 2" IPS PE4710 230PSI | 3" x 2" | CLD 23 PE |
| ELOFIT 12EITRS03114 BUTT FUS. RED. TEE 3" IPS x 1 1/4" IPS PE4710 230PSI | 3" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EITRS0402 BUTT FUS. RED. TEE 4" IPS x 2" IPS PE4710 230PSI | 4" x 2" | CLD 23 PE |
| ELOFIT 12EITRS0403 BUTT FUS. RED. TEE 4"IPS x3" IPS | 4" x 3" | CLD 23 PE |
| ELOFIT 12EITRS04114 BUTT FUS. RED. TEE 4" IPS x 1 1/4" IPS PE4710 230PSI | 4" x 1 1/4" | CLD 23 PE |
| ELOFIT 12EITRS0602 BUTT FUS. RED. TEE 6" IPS x 2" IPS PE4710 230PSI | 6" x 2" | CLD 23 PE |
| ELOFIT 12EITRS0603 BUTT FUS. RED. TEE 6" IPS x 3" IPS PE4710 230PSI | 6" x 3" | CLD 23 PE |
| ELOFIT 12EITRS0604 BUTT FUS. RED. TEE 6" IPS x 4" IPS PE4710 230PSI | 6" x 4" | CLD 23 PE |
| ELOFIT 12EITRS0804 BUTT FUS. RED. TEE 8"IPSx4" IPS PE4710 230PSI | 8" x 4" | CLD 23 PE |
| ELOFIT 12EITRS0806 BUTT FUS. RED. TEE 8"IPSx6" IPS PE4710 230PSI | 8" x 6" | CLD 23 PE |
| ELOFIT 12EIVLRS02180 VARIABLE LENGTH REPAIR SLEEVE 2" IPS 180° | 2" | CLD 23 PE |
| ELOFIT 12EIVLRS02180M MODULAR VARIABLE LENGTH REPAIR SLEEVE 2" IPS 180° | 2" | CLD 23 PE |
| ELOFIT 12EIVLRS04 VARIABLE LENGTH REPAIR SLEEVE 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12EIVLRS04180 VARIABLE LENGTH REPAIR SLEEVE 4" IPS 180° | 4" | CLD 23 PE |
| ELOFIT 12EIVLRS04180M MODULAR VARIABLE LENGTH REPAIR SLEEVE 4" IPS 180° | 4" | CLD 23 PE |
| ELOFIT 12EIVLRS04M VARIABLE LENGTH REPAIR SLEEVE 4" IPS MODULAR | 4" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|---------|-----------|
| ELOFIT 12EIVLRS06180 VARIABLE LENGTH REPAIR SLEEVE 6" IPS 180° | 6" | CLD 23 PE |
| ELOFIT 12EIVLRS06180M MODULAR VARIABLE LENGTH REPAIR SLEEVE 6" IPS 180° | 6" | CLD 23 PE |
| ELOFIT 12EIWYE02 BUTT FUSION 45° WYE 2" IPS PE4710 SDR11 | 2" | CLD 23 PE |
| ELOFIT 12EME020 ELECTROFUSION COUPLER 20 mm (PE100) | 20 mm | CLD 23 PE |
| ELOFIT 12EME025 ELECTROFUSION COUPLER 25 mm (PE100) | 25 mm | CLD 23 PE |
| ELOFIT 12EME032 ELECTROFUSION COUPLER 32 mm (PE100) | 32 mm | CLD 23 PE |
| ELOFIT 12EME040 ELECTROFUSION COUPLER 40 mm (PE100) | 40 mm | CLD 23 PE |
| ELOFIT 12EME050 ELECTROFUSION COUPLER 50 mm (PE100) | 50 mm | CLD 23 PE |
| ELOFIT 12EME063 ELECTROFUSION COUPLER 63 mm (PE100) | 63 mm | CLD 23 PE |
| ELOFIT 12EME075 ELECTROFUSION COUPLER 75 mm (PE100) | 75 mm | CLD 23 PE |
| ELOFIT 12EME090 ELECTROFUSION COUPLER 90 mm (PE100) | 90 mm | CLD 23 PE |
| ELOFIT 12EME1000 ELECTROFUSION COUPLER 1000 mm (PE100) | 1000 mm | CLD 23 PE |
| ELOFIT 12EME110 ELECTROFUSION COUPLER 110 mm (PE100) | 110 mm | CLD 23 PE |
| ELOFIT 12EME125 ELECTROFUSION COUPLER 125 mm (PE100) | 125 mm | CLD 23 PE |
| ELOFIT 12EME140 ELECTROFUSION COUPLER 140 mm (PE100) | 140 mm | CLD 23 PE |
| ELOFIT 12EME160 ELECTROFUSION COUPLER 160 mm (PE100) | 160 mm | CLD 23 PE |
| ELOFIT 12EME180 ELECTROFUSION COUPLER 180 mm (PE100) | 180 mm | CLD 23 PE |
| ELOFIT 12EME200 ELECTROFUSION COUPLER 200 mm (PE100) | 200 mm | CLD 23 PE |
| ELOFIT 12EME225 ELECTROFUSION COUPLER 225 mm (PE100) | 225 mm | CLD 23 PE |
| ELOFIT 12EME250 ELECTROFUSION COUPLER 250 mm (PE100) | 250 mm | CLD 23 PE |
| ELOFIT 12EME280 ELECTROFUSION COUPLER 280 mm (PE100) | 280 mm | CLD 23 PE |
| ELOFIT 12EME315 ELECTROFUSION COUPLER 315 mm (PE100) | 315 mm | CLD 23 PE |
| ELOFIT 12EME355 ELECTROFUSION COUPLER 355 mm (PE100) | 355 mm | CLD 23 PE |
| ELOFIT 12EME400 ELECTROFUSION COUPLER 400 mm (PE100) | 400 mm | CLD 23 PE |
| ELOFIT 12EME450 ELECTROFUSION COUPLER 450 mm (PE100) | 450 mm | CLD 23 PE |
| ELOFIT 12EME500 ELECTROFUSION COUPLER 500 mm (PE100) | 500 mm | CLD 23 PE |
| ELOFIT 12EME560 ELECTROFUSION COUPLER 560 mm (PE100) | 560 mm | CLD 23 PE |
| ELOFIT 12EME630 ELECTROFUSION COUPLER 630 mm (PE100) | 630 mm | CLD 23 PE |
| ELOFIT 12EME710 ELECTROFUSION COUPLER 710 mm (PE100) | 710 mm | CLD 23 PE |
| ELOFIT 12EME800 ELECTROFUSION COUPLER 800 mm (PE100) | 800 mm | CLD 23 PE |
| ELOFIT 12EME900 ELECTROFUSION COUPLER 900 mm (PE100) | 900 mm | CLD 23 PE |
| ELOFIT 12EMEL032 LONG ELECTROFUSION COUPLER 32 mm (PE100) | 32 mm | CLD 23 PE |
| ELOFIT 12EMEL040 LONG ELECTROFUSION COUPLER 40 mm (PE100) | 40 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12EMEL050 LONG ELECTROFUSION COUPLER 50 mm (PE100) | 50 mm | CLD 23 PE |
| ELOFIT 12EMEL063 LONG ELECTROFUSION COUPLER 63 mm (PE100) | 63 mm | CLD 23 PE |
| ELOFIT 12EMEL075 LONG ELECTROFUSION COUPLER 75mm (PE100) | 75 mm | CLD 23 PE |
| ELOFIT 12ERD1150 LONG SPIGOT REDUCER 110 x 50 mm (PE100 SDR11) | 110 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ERD1163 LONG SPIGOT REDUCER 110 x 63 mm (PE100 SDR11) | 110 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ERD1175 LONG SPIGOT REDUCER 110 x 75 mm (PE100 SDR11) | 110 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ERD1190 LONG SPIGOT REDUCER 110 x 90 mm (PE100 SDR11) | 110 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ERD1211 LONG SPIGOT REDUCER 125 x 110 mm (PE100 SDR11) | 125 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ERD1263 LONG SPIGOT REDUCER 125 x 63 mm (PE100 SDR11) | 125 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ERD1275 LONG SPIGOT REDUCER 125 x 75 mm (PE100 SDR11) | 125 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ERD1290 LONG SPIGOT REDUCER 125 x 90 mm (PE100 SDR11) | 125 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ERD1411 LONG SPIGOT REDUCER 140 x 110 mm (PE100 SDR11) | 140 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ERD1412 LONG SPIGOT REDUCER 140 x 125 mm (PE100 SDR11) | 140 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ERD1490 LONG SPIGOT REDUCER 140 x 90 mm (PE100 SDR11) | 140 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ERD1611 LONG SPIGOT REDUCER 160 x 110 mm (PE100 SDR11) | 160 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ERD1612 LONG SPIGOT REDUCER 160 x 125 mm (PE100 SDR11) | 160 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ERD1614 LONG SPIGOT REDUCER 160 x 140 mm (PE100 SDR11) | 160 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ERD1690 LONG SPIGOT REDUCER 160 x 90 mm (PE100 SDR11) | 160 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ERD1812 LONG SPIGOT REDUCER 180 x 125 mm (PE100 SDR11) | 180 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ERD1814 LONG SPIGOT REDUCER 180 x 140 mm (PE100 SDR11) | 180 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ERD1816 LONG SPIGOT REDUCER 180 x 160 mm (PE100 SDR11) | 180 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ERD2014 LONG SPIGOT REDUCER 200 x 140 mm (PE100 SDR11) | 200 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ERD2016 LONG SPIGOT REDUCER 200 x 160 mm (PE100 SDR11) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ERD2018 LONG SPIGOT REDUCER 200 x 180 mm (PE100 SDR11) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERD2216 LONG SPIGOT REDUCER 225 x 160 mm (PE100 SDR11) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ERD2218 LONG SPIGOT REDUCER 225 x 180 mm (PE100 SDR11) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERD2220 LONG SPIGOT REDUCER 225 x 200 mm (PE100 SDR11) | 225 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERD2518 LONG SPIGOT REDUCER 250 x 180 mm (PE100 SDR11) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERD2520 LONG SPIGOT REDUCER 250 x 200 mm (PE100 SDR11) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERD2522 LONG SPIGOT REDUCER 250 x 225 mm (PE100 SDR11) | 250 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ERD2820 LONG SPIGOT REDUCER 280 x 200 mm (PE100 SDR11) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERD2822 LONG SPIGOT REDUCER 280 x 225 mm (PE100 SDR11) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ERD2825 LONG SPIGOT REDUCER 280 x 250 mm (PE100 SDR11) | 280 mm x 250 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12ERD3122 LONG SPIGOT REDUCER 315 x 225 mm (PE100 SDR11) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ERD3125 LONG SPIGOT REDUCER 315 x 250 mm (PE100 SDR11) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ERD3128 LONG SPIGOT REDUCER 315 x 280 mm (PE100 SDR11) | 315 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ERD3225 LONG SPIGOT REDUCER 32 x 25 mm (PE100 SDR11) | 32 mm x 25 mm | CLD 23 PE |
| ELOFIT 12ERD3525 LONG SPIGOT REDUCER 355 x 250 mm (PE100 SDR11) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ERD3528 LONG SPIGOT REDUCER 355 x 280 mm (PE100 SDR11) | 355 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ERD3531 LONG SPIGOT REDUCER 355 x 315 mm (PE100 SDR11) | 355 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ERD4025 LONG SPIGOT REDUCER 40 x 25 mm (PE100 SDR11) | 40 mm x 25 mm | CLD 23 PE |
| ELOFIT 12ERD4028 LONG SPIGOT REDUCER 400 x 280 mm (PE100 SDR11) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ERD4031 LONG SPIGOT REDUCER 400 x 315 mm (PE100 SDR11) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ERD4032 LONG SPIGOT REDUCER 40 x 32 mm (PE100 SDR11) | 40 mm x 32 mm | CLD 23 PE |
| ELOFIT 12ERD4035 LONG SPIGOT REDUCER 400 x 355 mm (PE100 SDR11) | 400 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ERD5025 LONG SPIGOT REDUCER 50 x 25 mm (PE100 SDR11) | 50 mm x 25 mm | CLD 23 PE |
| ELOFIT 12ERD5032 LONG SPIGOT REDUCER 50 x 32 mm (PE100 SDR11) | 50 mm x 32 mm | CLD 23 PE |
| ELOFIT 12ERD5040 LONG SPIGOT REDUCER 50 x 40 mm (PE100 SDR11) | 50 mm x 40 mm | CLD 23 PE |
| ELOFIT 12ERD6325 LONG SPIGOT REDUCER 63 x 25 mm (PE100 SDR11) | 63 mm x 25 mm | CLD 23 PE |
| ELOFIT 12ERD6332 LONG SPIGOT REDUCER 63 x 32 mm (PE100 SDR11) | 63 mm x 32 mm | CLD 23 PE |
| ELOFIT 12ERD6340 LONG SPIGOT REDUCER 63 x 40 mm (PE100 SDR11) | 63 mm x 40 mm | CLD 23 PE |
| ELOFIT 12ERD6350 LONG SPIGOT REDUCER 63 x 50 mm (PE100 SDR11) | 63 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ERD7540 LONG SPIGOT REDUCER 75 x 40 mm (PE100 SDR11) | 75 mm x 40 mm | CLD 23 PE |
| ELOFIT 12ERD7550 LONG SPIGOT REDUCER 75 x 50 mm (PE100 SDR11) | 75 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ERD7563 LONG SPIGOT REDUCER 75 x 63 mm (PE100 SDR11) | 75 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ERD9050 LONG SPIGOT REDUCER 90 x 50 mm (PE100 SDR11) | 90 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ERD9063 LONG SPIGOT REDUCER 90 x 63 mm (PE100 SDR11) | 90 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ERD9075 LONG SPIGOT REDUCER 90 x 75 mm (PE100 SDR11) | 90 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ERDC2016 SHORT SPIGOT REDUCER 200 x 160 mm (PE100 SDR11) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ERDC2018 SHORT SPIGOT REDUCER 200 x 180 mm (PE100 SDR11) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERDC2216 SHORT SPIGOT REDUCER 225 x 160 mm (PE100 SDR11) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ERDC2218 SHORT SPIGOT REDUCER 225 x 180 mm (PE100 SDR11) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERDC2220 SHORT SPIGOT REDUCER 225 x 200 mm (PE100 SDR11) | 225 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERDC2518 SHORT SPIGOT REDUCER 250 x 180 mm (PE100 SDR11) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERDC2520 SHORT SPIGOT REDUCER 250 x 200 mm (PE100 SDR11) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERDC2522 SHORT SPIGOT REDUCER 250 x 225 mm (PE100 SDR11) | 250 mm x 225 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12ERDC2820 SHORT SPIGOT REDUCER 280 x 200 mm (PE100 SDR11) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERDC2822 SHORT SPIGOT REDUCER 280 x 225 mm (PE100 SDR11) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ERDC2825 SHORT SPIGOT REDUCER 280 x 250 mm (PE100 SDR11) | 280 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ERDC3120 SHORT SPIGOT REDUCER 315 x 200 mm (PE100 SDR11) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERDC3122 SHORT SPIGOT REDUCER 315 x 225 mm (PE100 SDR11) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ERDC3125 SHORT SPIGOT REDUCER 315 x 250 mm (PE100 SDR11) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ERDC3128 SHORT SPIGOT REDUCER 315 x 280 mm (PE100 SDR11) | 315 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ERDC3525 SHORT SPIGOT REDUCER 355 x 250 mm (PE100 SDR11) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ERDC3528 SHORT SPIGOT REDUCER 355 x 280 mm (PE100 SDR11) | 355 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ERDC3531 SHORT SPIGOT REDUCER 355 x 315 mm (PE100 SDR11) | 355 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ERDC4028 SHORT SPIGOT REDUCER 400 x 280 mm (PE100 SDR11) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ERDC4031 SHORT SPIGOT REDUCER 400 x 315 mm (PE100 SDR11) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ERDC4035 SHORT SPIGOT REDUCER 400 x 355 mm (PE100 SDR11) | 400 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ERDC4531 SHORT SPIGOT REDUCER 450 x 315 mm (PE100 SDR11) | 450 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ERDC4535 SHORT SPIGOT REDUCER 450 x 355 mm (PE100 SDR11) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ERDC4540 SHORT SPIGOT REDUCER 450 x 400 mm (PE100 SDR11) | 450 mm x 400 mm | CLD 23 PE |
| ELOFIT 12ERDC5035 SHORT SPIGOT REDUCER 500 x 355 mm (PE100 SDR11) | 500 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ERDC5040 SHORT SPIGOT REDUCER 500 x 400 mm (PE100 SDR11) | 500 mm x 400 mm | CLD 23 PE |
| ELOFIT 12ERDC5045 SHORT SPIGOT REDUCER 500 x 450 mm (PE100 SDR11) | 500 mm x 450 mm | CLD 23 PE |
| ELOFIT 12ERDC5640 SHORT SPIGOT REDUCER 560 x 400 mm (PE100 SDR11) | 560 mm x 400 mm | CLD 23 PE |
| ELOFIT 12ERDC5645 SHORT SPIGOT REDUCER 560 x 450 mm (PE100 SDR11) | 560 mm x 450 mm | CLD 23 PE |
| ELOFIT 12ERDC5650 SHORT SPIGOT REDUCER 560 x 500 mm (PE100 SDR11) | 560 mm x 500 mm | CLD 23 PE |
| ELOFIT 12ERDC6345 SHORT SPIGOT REDUCER 630 x 450 mm (PE100 SDR11) | 630 mm x 450 mm | CLD 23 PE |
| ELOFIT 12ERDC6350 SHORT SPIGOT REDUCER 630 x 500 mm (PE100 SDR11) | 630 mm x 500 mm | CLD 23 PE |
| ELOFIT 12ERDC6356 SHORT SPIGOT REDUCER 630 x 560 mm (PE100 SDR11) | 630 mm x 560 mm | CLD 23 PE |
| ELOFIT 12ERDE1163 ELECTROFUSION REDUCER 110 x 63 mm (PE100) | 110 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ERDE1190 ELECTROFUSION REDUCER 110 x 90 mm (PE100) | 110 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ERDE1211 ELECTROFUSION REDUCER 125 x 110 mm (PE100) | 125 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ERDE1263 ELECTROFUSION REDUCER 125 x 63 mm (PE100) | 125 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ERDE1290 ELECTROFUSION REDUCER 125 x 90 mm (PE100) | 125 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ERDE1611 ELECTROFUSION REDUCER 160 x 110 mm (PE100) | 160 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ERDE1612 ELECTROFUSION REDUCER 160 x 125 mm (PE100) | 160 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ERDE1690 ELECTROFUSION REDUCER 160 x 90 mm (PE100) | 160 mm x 90 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12ERDE2016 ELECTROFUSION REDUCER 200 x 160 mm (PE100) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ERDE2018 ELECTROFUSION REDUCER 200 x 180 mm (PE100) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERDE2216 ELECTROFUSION REDUCER 225 x 160 mm (PE100) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ERDE2218 ELECTROFUSION REDUCER 225 x 180 mm (PE100) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERDE2220 ELECTROFUSION REDUCER 225 x 200 mm (PE100) | 225 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERDE250200 ELECTROFUSION REDUCER 250 x 200 mm (PE100) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ERDE2518 ELECTROFUSION REDUCER 250 x 180 mm (PE100) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ERDE2520 ELECTROFUSION REDUCER 25 x 20 mm (PE100) | 25 mm x 20 mm | CLD 23 PE |
| ELOFIT 12ERDE2522 ELECTROFUSION REDUCER 250 x 225 mm (PE100) | 250 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ERDE3125 ELECTROFUSION REDUCER 315 x 250 mm (PE100) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ERDE3128 ELECTROFUSION REDUCER 315 x 280 mm (PE100) | 315 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ERDE3220 ELECTROFUSION REDUCER 32 x 20 mm (PE100) | 32 mm x 20 mm | CLD 23 PE |
| ELOFIT 12ERDE3225 ELECTROFUSION REDUCER 32 x 25 mm (PE100) | 32 mm x 25 mm | CLD 23 PE |
| ELOFIT 12ERDE4020 ELECTROFUSION REDUCER 40 x 20 mm (PE100) | 40 mm x 20 mm | CLD 23 PE |
| ELOFIT 12ERDE4032 ELECTROFUSION REDUCER 40 x 32 mm (PE100) | 40 mm x 32 mm | CLD 23 PE |
| ELOFIT 12ERDE5032 ELECTROFUSION REDUCER 50 x 32 mm (PE100) | 50 mm x 32 mm | CLD 23 PE |
| ELOFIT 12ERDE5040 ELECTROFUSION REDUCER 50 x 40 mm (PE100) | 50 mm x 40 mm | CLD 23 PE |
| ELOFIT 12ERDE6332 ELECTROFUSION REDUCER 63 x 32 mm (PE100) | 63 mm x 32 mm | CLD 23 PE |
| ELOFIT 12ERDE6340 ELECTROFUSION REDUCER 63 x 40 mm (PE100) | 63 mm x 40 mm | CLD 23 PE |
| ELOFIT 12ERDE6350 ELECTROFUSION REDUCER 63 x 50 mm (PE100) | 63 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ERDE7563 ELECTROFUSION REDUCER 75 x 63mm (PE100) | 75 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ERDE9050 ELECTROFUSION REDUCER 90 x 50 mm (PE100) | 90 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ERDE9063 ELECTROFUSION REDUCER 90 x 63 mm (PE100) | 90 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ERDE9075 ELECTROFUSION REDUCER 90 x 75 mm (PE100) | 90 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ET025 LONG SPIGOT 90° TEE 25 mm (PE100 SDR11) | 25 mm | CLD 23 PE |
| ELOFIT 12ET032 LONG SPIGOT 90° TEE 32 mm (PE100 SDR11) | 32 mm | CLD 23 PE |
| ELOFIT 12ET040 LONG SPIGOT 90° TEE 40 mm (PE100 SDR11) | 40 mm | CLD 23 PE |
| ELOFIT 12ET050 LONG SPIGOT 90° TEE 50 mm (PE100 SDR11) | 50 mm | CLD 23 PE |
| ELOFIT 12ET063 LONG SPIGOT 90° TEE 63 mm (PE100 SDR11) | 63 mm | CLD 23 PE |
| ELOFIT 12ET075 LONG SPIGOT 90° TEE 75 mm (PE100 SDR11) | 75 mm | CLD 23 PE |
| ELOFIT 12ET090 LONG SPIGOT 90° TEE 90 mm (PE100 SDR11) | 90 mm | CLD 23 PE |
| ELOFIT 12ET110 LONG SPIGOT 90° TEE 110 mm (PE100 SDR11) | 110 mm | CLD 23 PE |
| ELOFIT 12ET125 LONG SPIGOT 90° TEE 125 mm (PE100 SDR11) | 125 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------|-----------|
| ELOFIT 12ET140 LONG SPIGOT 90° TEE 140 mm (PE100 SDR11) | 140 mm | CLD 23 PE |
| ELOFIT 12ET160 LONG SPIGOT 90° TEE 160 mm (PE100 SDR11) | 160 mm | CLD 23 PE |
| ELOFIT 12ET180 LONG SPIGOT 90° TEE 180 mm (PE100 SDR11) | 180 mm | CLD 23 PE |
| ELOFIT 12ET200 LONG SPIGOT 90° TEE 200 mm (PE100 SDR11) | 200 mm | CLD 23 PE |
| ELOFIT 12ET225 LONG SPIGOT 90° TEE 225 mm (PE100 SDR11) | 225 mm | CLD 23 PE |
| ELOFIT 12ET250 LONG SPIGOT 90° TEE 250 mm (PE100 SDR11) | 250 mm | CLD 23 PE |
| ELOFIT 12ET280 LONG SPIGOT 90° TEE 280 mm (PE100 SDR11) | 280 mm | CLD 23 PE |
| ELOFIT 12ET315 LONG SPIGOT 90° TEE 315 mm (PE100 SDR11) | 315 mm | CLD 23 PE |
| ELOFIT 12ET355 LONG SPIGOT 90° TEE 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |
| ELOFIT 12ET400 LONG SPIGOT 90° TEE 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12ETCE020 ELECTROFUSION EQUAL TEE WITH SPIGOT END 20 mm (PE100) | 20 mm | CLD 23 PE |
| ELOFIT 12ETCE025 ELECTROFUSION EQUAL TEE WITH SPIGOT END 25 mm (PE100) | 25 mm | CLD 23 PE |
| ELOFIT 12ETCE032 ELECTROFUSION EQUAL TEE WITH SPIGOT END 32 mm (PE100) | 32 mm | CLD 23 PE |
| ELOFIT 12ETCE040 ELECTROFUSION EQUAL TEE WITH SPIGOT END 40 mm (PE100) | 40 mm | CLD 23 PE |
| ELOFIT 12ETCE050 ELECTROFUSION EQUAL TEE WITH SPIGOT END 50 mm (PE100) | 50 mm | CLD 23 PE |
| ELOFIT 12ETCE063 ELECTROFUSION EQUAL TEE WITH SPIGOT END 63 mm (PE100) | 63 mm | CLD 23 PE |
| ELOFIT 12ETCE075 ELECTROFUSION EQUAL TEE WITH SPIGOT END 75 mm (PE100) | 75 mm | CLD 23 PE |
| ELOFIT 12ETCE090 ELECTROFUSION EQUAL TEE WITH SPIGOT END 90 mm (PE100) | 90 mm | CLD 23 PE |
| ELOFIT 12ETCE110 ELECTROFUSION EQUAL TEE WITH SPIGOT END 110 mm (PE100) | 110 mm | CLD 23 PE |
| ELOFIT 12ETCE125 ELECTROFUSION EQUAL TEE WITH SPIGOT END 125 mm (PE100) | 125 mm | CLD 23 PE |
| ELOFIT 12ETCE160 ELECTROFUSION EQUAL TEE WITH SPIGOT END 160 mm (PE100) | 160 mm | CLD 23 PE |
| ELOFIT 12ETCE180 ELECTROFUSION EQUAL TEE WITH SPIGOT END 180 mm (PE100) | 180 mm | CLD 23 PE |
| ELOFIT 12ETCE200 ELECTROFUSION EQUAL TEE WITH SPIGOT END 200 mm (PE100) | 200 mm | CLD 23 PE |
| ELOFIT 12ETCE225 ELECTROFUSION EQUAL TEE WITH SPIGOT END 225 mm (PE100) | 225 mm | CLD 23 PE |
| ELOFIT 12ETCE250 ELECTROFUSION EQUAL TEE WITH SPIGOT END 250 mm (PE100) | 250 mm | CLD 23 PE |
| ELOFIT 12ETCE315 ELECTROFUSION EQUAL TEE WITH SPIGOT END 315 mm (PE100) | 315 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12ETER1163 ELECTROFUSION REDUCING TEE W x SPIGOT END 110 x 63 mm (PE100) | 110 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETER1190 ELECTROFUSION REDUCING TEE W x SPIGOT END 110 x 90 mm (PE100) | 110 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETER1211 ELECTROFUSION REDUCING TEE W x SPIGOT END 125 x 110 mm (PE100) | 125 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETER1263 ELECTROFUSION REDUCING TEE W x SPIGOT END 125 x 63 mm (PE100) | 125 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETER1290 ELECTROFUSION REDUCING TEE W x SPIGOT END 125 x 90 mm (PE100) | 125 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETER1611 ELECTROFUSION REDUCING TEE W x SPIGOT END 160 x 110 mm (PE100) | 160 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETER1612 ELECTROFUSION REDUCING TEE W x SPIGOT END 160 x 125 mm (PE100) | 160 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETER1663 ELECTROFUSION REDUCING TEE W x SPIGOT END 160 x 63 mm (PE100) | 160 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETER1690 ELECTROFUSION REDUCING TEE W x SPIGOT END 160 x 90 mm (PE100) | 160 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETER1811 ELECTROFUSION REDUCING TEE W x SPIGOT END 18 x 11 mm (PE100) | 18 mm x 11 mm | CLD 23 PE |
| ELOFIT 12ETER1812 ELECTROFUSION REDUCING TEE W x SPIGOT END 18 x 12 mm (PE100) | 18 mm x 12 mm | CLD 23 PE |
| ELOFIT 12ETER1816 ELECTROFUSION REDUCING TEE W x SPIGOT END 18 x 16 mm (PE100) | 18 mm x 16 mm | CLD 23 PE |
| ELOFIT 12ETER1890 ELECTROFUSION REDUCING TEE W x SPIGOT END 18 x 90 mm (PE100) | 18 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETER2011 ELECTROFUSION REDUCING TEE W x SPIGOT END 20 x 11 mm (PE100) | 20 mm x 11 mm | CLD 23 PE |
| ELOFIT 12ETER2012 ELECTROFUSION REDUCING TEE W x SPIGOT END 20 x 12 mm (PE100) | 20 mm x 12 mm | CLD 23 PE |
| ELOFIT 12ETER2016 ELECTROFUSION REDUCING TEE W x SPIGOT END 20 x 16 mm (PE100) | 20 mm x 16 mm | CLD 23 PE |
| ELOFIT 12ETER2063 ELECTROFUSION REDUCING TEE W x SPIGOT END 20 x 63 mm (PE100) | 20 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETER2090 ELECTROFUSION REDUCING TEE W x SPIGOT END 20 x 90 mm (PE100) | 20 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETER2211 ELECTROFUSION REDUCING TEE W x SPIGOT END 22 x 11 mm (PE100) | 22 mm x 11 mm | CLD 23 PE |
| ELOFIT 12ETER2212 ELECTROFUSION REDUCING TEE W x SPIGOT END 22 x 12 mm (PE100) | 22 mm x 12 mm | CLD 23 PE |
| ELOFIT 12ETER2216 ELECTROFUSION REDUCING TEE W x SPIGOT END 22 x 16 mm (PE100) | 22 mm x 16 mm | CLD 23 PE |
| ELOFIT 12ETER2218 ELECTROFUSION REDUCING TEE W x SPIGOT END 22 x 18 mm (PE100) | 22 mm x 18 mm | CLD 23 PE |
| ELOFIT 12ETER2263 ELECTROFUSION REDUCING TEE W x SPIGOT END 22 x 63 mm (PE100) | 22 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETER2290 ELECTROFUSION REDUCING TEE W x SPIGOT END 22 x 90 mm (PE100) | 22 mm x 90 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12ETER2511 ELECTROFUSION REDUCING TEE W x SPIGOT END 25 x 11 mm (PE100) | 25 mm x 11 mm | CLD 23 PE |
| ELOFIT 12ETER2512 ELECTROFUSION REDUCING TEE W x SPIGOT END 25 x 12 mm (PE100) | 25 mm x 12 mm | CLD 23 PE |
| ELOFIT 12ETER2516 ELECTROFUSION REDUCING TEE W x SPIGOT END 25 x 16 mm (PE100) | 25 mm x 16 mm | CLD 23 PE |
| ELOFIT 12ETER2518 ELECTROFUSION REDUCING TEE W x SPIGOT END 25 x 18 mm (PE100) | 25 mm x 18 mm | CLD 23 PE |
| ELOFIT 12ETER2520 ELECTROFUSION REDUCING TEE W x SPIGOT END 25 x 20 mm (PE100) | 25 mm x 20 mm | CLD 23 PE |
| ELOFIT 12ETER2590 ELECTROFUSION REDUCING TEE W x SPIGOT END 25 x 90 mm (PE100) | 25 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETER3220 ELECTROFUSION REDUCING TEE W x SPIGOT END 32 x 20 mm (PE100) | 32 mm x 20 mm | CLD 23 PE |
| ELOFIT 12ETM355 LONG SPIGOT 90° TEE 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |
| ELOFIT 12ETM400 LONG SPIGOT 90° TEE 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12ETM450 LONG SPIGOT 90° TEE 450 mm (PE100 SDR11) | 450 mm | CLD 23 PE |
| ELOFIT 12ETM500 LONG SPIGOT 90° TEE 500 mm (PE100 SDR11) | 500 mm | CLD 23 PE |
| ELOFIT 12ETMC355 SHORT SPIGOT 90° TEE 355 mm (PE100 SDR11) | 355 mm | CLD 23 PE |
| ELOFIT 12ETMC400 SHORT SPIGOT 90° TEE 400 mm (PE100 SDR11) | 400 mm | CLD 23 PE |
| ELOFIT 12ETMC450 SHORT SPIGOT 90° TEE 450 mm (PE100 SDR11) | 450 mm | CLD 23 PE |
| ELOFIT 12ETMC500 SHORT SPIGOT 90° TEE 500 mm (PE100 SDR11) | 500 mm | CLD 23 PE |
| ELOFIT 12ETRA3111 LONG SPIGOT 90° REDUCING TEE 315 x 110 mm (PE100 SDR11) | 315 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRA3112 LONG SPIGOT 90° REDUCING TEE 315 x 125 mm (PE100 SDR11) | 315 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRA3114 LONG SPIGOT 90° REDUCING TEE 315 x 140 mm (PE100 SDR11) | 315 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRA3116 LONG SPIGOT 90° REDUCING TEE 315 x 160 mm (PE100 SDR11) | 315 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRA3120 LONG SPIGOT 90° REDUCING TEE 315 x 200 mm (PE100 SDR11) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRA3163 LONG SPIGOT 90° REDUCING TEE 315 x 63 mm (PE100 SDR11) | 315 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRA3175 LONG SPIGOT 90° REDUCING TEE 315 x 75 mm (PE100 SDR11) | 315 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRA3190 LONG SPIGOT 90° REDUCING TEE 315 x 90 mm (PE100 SDR11) | 315 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRA3511 LONG SPIGOT 90° REDUCING TEE 355 x 110 mm (PE100 SDR11) | 355 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRA3512 LONG SPIGOT 90° REDUCING TEE 355 x 125 mm (PE100 SDR11) | 355 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRA3514 LONG SPIGOT 90° REDUCING TEE 355 x 140 mm (PE100 SDR11) | 355 mm x 140 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12ETRA3516 LONG SPIGOT 90° REDUCING TEE 355 x 160 mm (PE100 SDR11) | 355 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRA3520 LONG SPIGOT 90° REDUCING TEE 355 x 200 mm (PE100 SDR11) | 355 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRA3525 LONG SPIGOT 90° REDUCING TEE 355 x 250 mm (PE100 SDR11) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRA3590 LONG SPIGOT 90° REDUCING TEE 355 x 90 mm (PE100 SDR11) | 355 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRA4011 LONG SPIGOT 90° REDUCING TEE 400 x 110 mm (PE100 SDR11) | 400 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRA4012 LONG SPIGOT 90° REDUCING TEE 400 x 125 mm (PE100 SDR11) | 400 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRA4014 LONG SPIGOT 90° REDUCING TEE 400 x 140 mm (PE100 SDR11) | 400 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRA4016 LONG SPIGOT 90° REDUCING TEE 400 x 160 mm (PE100 SDR11) | 400 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRA4020 LONG SPIGOT 90° REDUCING TEE 400 x 200 mm (PE100 SDR11) | 400 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRA4025 LONG SPIGOT 90° REDUCING TEE 400 x 250 mm (PE100 SDR11) | 400 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRA4028 LONG SPIGOT 90° REDUCING TEE 400 x 280 mm (PE100 SDR11) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRA4031 LONG SPIGOT 90° REDUCING TEE 400 x 315 mm (PE100 SDR11) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRA4090 LONG SPIGOT 90° REDUCING TEE 400 x 90 mm (PE100 SDR11) | 400 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRA4511 LONG SPIGOT 90° REDUCING TEE 450 x 110 mm (PE100 SDR11) | 450 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRA4512 LONG SPIGOT 90° REDUCING TEE 450 x 125 mm (PE100 SDR11) | 450 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRA4514 LONG SPIGOT 90° REDUCING TEE 450 x 140 mm (PE100 SDR11) | 450 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRA4516 LONG SPIGOT 90° REDUCING TEE 450 x 160 mm (PE100 SDR11) | 450 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRA4520 LONG SPIGOT 90° REDUCING TEE 450 x 200 mm (PE100 SDR11) | 450 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRA4525 LONG SPIGOT 90° REDUCING TEE 450 x 250 mm (PE100 SDR11) | 450 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRA4528 LONG SPIGOT 90° REDUCING TEE 450 x 280 mm (PE100 SDR11) | 450 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRA4531 LONG SPIGOT 90° REDUCING TEE 450 x 315 mm (PE100 SDR11) | 450 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRA4535 LONG SPIGOT 90° REDUCING TEE 450 x 355 mm (PE100 SDR11) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ETRA4590 LONG SPIGOT 90° REDUCING TEE 450 x 90 mm (PE100 SDR11) | 450 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRA5014 LONG SPIGOT 90° REDUCING TEE 500 x 140 mm (PE100 SDR11) | 500 mm x 140 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12ETRA5016 LONG SPIGOT 90° REDUCING TEE 500 x 160 mm (PE100 SDR11) | 500 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRA5020 LONG SPIGOT 90° REDUCING TEE 500 x 200 mm (PE100 SDR11) | 500 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRA5025 LONG SPIGOT 90° REDUCING TEE 500 x 250 mm (PE100 SDR11) | 500 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRA5028 LONG SPIGOT 90° REDUCING TEE 500 x 280 mm (PE100 SDR11) | 500 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRA5031 LONG SPIGOT 90° REDUCING TEE 500 x 315 mm (PE100 SDR11) | 500 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRA5035 LONG SPIGOT 90° REDUCING TEE 500 x 355 mm (PE100 SDR11) | 500 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ETRA5040 LONG SPIGOT 90° REDUCING TEE 500 x 400 mm (PE100 SDR11) | 500 mm x 400 mm | CLD 23 PE |
| ELOFIT 12ETRA5614 LONG SPIGOT 90° REDUCING TEE 560 x 140 mm (PE100 SDR11) | 560 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRA5616 LONG SPIGOT 90° REDUCING TEE 560 x 160 mm (PE100 SDR11) | 560 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRA5620 LONG SPIGOT 90° REDUCING TEE 560 x 200 mm (PE100 SDR11) | 560 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRA5625 LONG SPIGOT 90° REDUCING TEE 560 x 250 mm (PE100 SDR11) | 560 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRA5628 LONG SPIGOT 90° REDUCING TEE 560 x 280 mm (PE100 SDR11) | 560 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRA5631 LONG SPIGOT 90° REDUCING TEE 560 x 315 mm (PE100 SDR11) | 560 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRA5635 LONG SPIGOT 90° REDUCING TEE 560 x 355 mm (PE100 SDR11) | 560 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ETRA5640 LONG SPIGOT 90° REDUCING TEE 560 x 400 mm (PE100 SDR11) | 560 mm x 400 mm | CLD 23 PE |
| ELOFIT 12ETRA5645 LONG SPIGOT 90° REDUCING TEE 560 x 450 mm (PE100 SDR11) | 560 mm x 450 mm | CLD 23 PE |
| ELOFIT 12ETRA6314 LONG SPIGOT 90° REDUCING TEE 630 x 140 mm (PE100 SDR11) | 630 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRA6316 LONG SPIGOT 90° REDUCING TEE 630 x 160 mm (PE100 SDR11) | 630 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRA6320 LONG SPIGOT 90° REDUCING TEE 630 x 200 mm (PE100 SDR11) | 630 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRA6325 LONG SPIGOT 90° REDUCING TEE 630 x 250 mm (PE100 SDR11) | 630 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRA6328 LONG SPIGOT 90° REDUCING TEE 630 x 280 mm (PE100 SDR11) | 630 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRA6331 LONG SPIGOT 90° REDUCING TEE 630 x 315 mm (PE100 SDR11) | 630 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRA6335 LONG SPIGOT 90° REDUCING TEE 630 x 355 mm (PE100 SDR11) | 630 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ETRA6340 LONG SPIGOT 90° REDUCING TEE 630 x 400 mm (PE100 SDR11) | 630 mm x 400 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12ETRA6345 LONG SPIGOT 90° REDUCING TEE 630 x 450 mm (PE100 SDR11) | 630 mm x 450 mm | CLD 23 PE |
| ELOFIT 12ETRA6350 LONG SPIGOT 90° REDUCING TEE 630 x 500 mm (PE100 SDR11) | 630 mm x 500 mm | CLD 23 PE |
| ELOFIT 12ETRMC2811 SHORT SPIGOT REDUCING TEE 280 x 110 mm (PE100 SDR11) | 280 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRMC2812 SHORT SPIGOT REDUCING TEE 280 x 125 mm (PE100 SDR11) | 280 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRMC2814 SHORT SPIGOT REDUCING TEE 280 x 140 mm (PE100 SDR11) | 280 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRMC2816 SHORT SPIGOT REDUCING TEE 280 x 160 mm (PE100 SDR11) | 280 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRMC2818 SHORT SPIGOT REDUCING TEE 280 x 180 mm (PE100 SDR11) | 280 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRMC2820 SHORT SPIGOT REDUCING TEE 280 x 200 mm (PE100 SDR11) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRMC2822 SHORT SPIGOT REDUCING TEE 280 x 225 mm (PE100 SDR11) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRMC2863 SHORT SPIGOT REDUCING TEE 280 x 63 mm (PE100 SDR11) | 280 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRMC2875 SHORT SPIGOT REDUCING TEE 280 x 75 mm (PE100 SDR11) | 280 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRMC2890 SHORT SPIGOT REDUCING TEE 280 x 90 mm (PE100 SDR11) | 280 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRMC3111 SHORT SPIGOT REDUCING TEE 315 x 110 mm (PE100 SDR11) | 315 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRMC3112 SHORT SPIGOT REDUCING TEE 315 x 125 mm (PE100 SDR11) | 315 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRMC3114 SHORT SPIGOT REDUCING TEE 315 x 140 mm (PE100 SDR11) | 315 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRMC3116 SHORT SPIGOT REDUCING TEE 315 x 160 mm (PE100 SDR11) | 315 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRMC3118 SHORT SPIGOT REDUCING TEE 315 x 180 mm (PE100 SDR11) | 315 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRMC3120 SHORT SPIGOT REDUCING TEE 315 x 200 mm (PE100 SDR11) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRMC3122 SHORT SPIGOT REDUCING TEE 315 x 225 mm (PE100 SDR11) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRMC3125 SHORT SPIGOT REDUCING TEE 315 x 250 mm (PE100 SDR11) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRMC3175 SHORT SPIGOT REDUCING TEE 315 x 75 mm (PE100 SDR11) | 315 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRMC3190 SHORT SPIGOT REDUCING TEE 315 x 90 mm (PE100 SDR11) | 315 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRMC3511 SHORT SPIGOT REDUCING TEE 355 x 110 mm (PE100 SDR11) | 355 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRMC3512 SHORT SPIGOT REDUCING TEE 355 x 125 mm (PE100 SDR11) | 355 mm x 125 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12ETRMC3514 SHORT SPIGOT REDUCING TEE 355 x 140 mm (PE100 SDR11) | 355 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRMC3516 SHORT SPIGOT REDUCING TEE 355 x 160 mm (PE100 SDR11) | 355 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRMC3518 SHORT SPIGOT REDUCING TEE 355 x 180 mm (PE100 SDR11) | 355 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRMC3520 SHORT SPIGOT REDUCING TEE 355 x 200 mm (PE100 SDR11) | 355 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRMC3522 SHORT SPIGOT REDUCING TEE 355 x 225 mm (PE100 SDR11) | 355 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRMC3525 SHORT SPIGOT REDUCING TEE 355 x 250 mm (PE100 SDR11) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRMC3590 SHORT SPIGOT REDUCING TEE 355 x 90 mm (PE100 SDR11) | 355 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRMC4011 SHORT SPIGOT REDUCING TEE 400 x 110 mm (PE100 SDR11) | 400 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRMC4012 SHORT SPIGOT REDUCING TEE 400 x 125 mm (PE100 SDR11) | 400 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRMC4014 SHORT SPIGOT REDUCING TEE 400 x 140 mm (PE100 SDR11) | 400 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRMC4016 SHORT SPIGOT REDUCING TEE 400 x 160 mm (PE100 SDR11) | 400 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRMC4018 SHORT SPIGOT REDUCING TEE 400 x 180 mm (PE100 SDR11) | 400 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRMC4020 SHORT SPIGOT REDUCING TEE 400 x 200 mm (PE100 SDR11) | 400 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRMC4022 SHORT SPIGOT REDUCING TEE 400 x 225 mm (PE100 SDR11) | 400 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRMC4025 SHORT SPIGOT REDUCING TEE 400 x 250 mm (PE100 SDR11) | 400 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRMC4028 SHORT SPIGOT REDUCING TEE 400 x 280 mm (PE100 SDR11) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRMC4031 SHORT SPIGOT REDUCING TEE 400 x 315 mm (PE100 SDR11) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRMC4511 SHORT SPIGOT REDUCING TEE 450 x 110 mm (PE100 SDR11) | 450 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRMC4512 SHORT SPIGOT REDUCING TEE 450 x 125 mm (PE100 SDR11) | 450 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRMC4514 SHORT SPIGOT REDUCING TEE 450 x 140 mm (PE100 SDR11) | 450 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRMC4516 SHORT SPIGOT REDUCING TEE 450 x 160 mm (PE100 SDR11) | 450 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRMC4518 SHORT SPIGOT REDUCING TEE 450 x 180 mm (PE100 SDR11) | 450 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRMC4520 SHORT SPIGOT REDUCING TEE 450 x 200 mm (PE100 SDR11) | 450 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRMC4522 SHORT SPIGOT REDUCING TEE 450 x 225 mm (PE100 SDR11) | 450 mm x 225 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12ETRMC4525 SHORT SPIGOT REDUCING TEE 450 x 250 mm (PE100 SDR11) | 450 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRMC4528 SHORT SPIGOT REDUCING TEE 450 x 280 mm (PE100 SDR11) | 450 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRMC4531 SHORT SPIGOT REDUCING TEE 450 x 315 mm (PE100 SDR11) | 450 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRMC4535 SHORT SPIGOT REDUCING TEE 450 x 355 mm (PE100 SDR11) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ETRMC5011 SHORT SPIGOT REDUCING TEE 500 x 110 mm (PE100 SDR11) | 500 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRMC5012 SHORT SPIGOT REDUCING TEE 500 x 125 mm (PE100 SDR11) | 500 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRMC5014 SHORT SPIGOT REDUCING TEE 500 x 140 mm (PE100 SDR11) | 500 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRMC5016 SHORT SPIGOT REDUCING TEE 500 x 160 mm (PE100 SDR11) | 500 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRMC5018 SHORT SPIGOT REDUCING TEE 500 x 180 mm (PE100 SDR11) | 500 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRMC5020 SHORT SPIGOT REDUCING TEE 500 x 200 mm (PE100 SDR11) | 500 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRMC5022 SHORT SPIGOT REDUCING TEE 500 x 225 mm (PE100 SDR11) | 500 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRMC5025 SHORT SPIGOT REDUCING TEE 500 x 250 mm (PE100 SDR11) | 500 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRMC5028 SHORT SPIGOT REDUCING TEE 500 x 280 mm (PE100 SDR11) | 500 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRMC5031 SHORT SPIGOT REDUCING TEE 500 x 315 mm (PE100 SDR11) | 500 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRMC5035 SHORT SPIGOT REDUCING TEE 500 x 355 mm (PE100 SDR11) | 500 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ETRMC5040 SHORT SPIGOT REDUCING TEE 500 x 400 mm (PE100 SDR11) | 500 mm x 400 mm | CLD 23 PE |
| ELOFIT 12ETRMC5611 SHORT SPIGOT REDUCING TEE 560 x 110 mm (PE100 SDR11) | 560 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRMC5612 SHORT SPIGOT REDUCING TEE 560 x 125 mm (PE100 SDR11) | 560 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRMC5614 SHORT SPIGOT REDUCING TEE 560 x 140 mm (PE100 SDR11) | 560 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRMC5616 SHORT SPIGOT REDUCING TEE 560 x 160 mm (PE100 SDR11) | 560 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRMC5618 SHORT SPIGOT REDUCING TEE 560 x 180 mm (PE100 SDR11) | 560 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRMC5620 SHORT SPIGOT REDUCING TEE 560 x 200 mm (PE100 SDR11) | 560 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRMC5622 SHORT SPIGOT REDUCING TEE 560 x 225 mm (PE100 SDR11) | 560 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRMC5625 SHORT SPIGOT REDUCING TEE 560 x 250 mm (PE100 SDR11) | 560 mm x 250 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12ETRC5628 SHORT SPIGOT REDUCING TEE 560 x 280 mm (PE100 SDR11) | 560 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRC5631 SHORT SPIGOT REDUCING TEE 560 x 315 mm (PE100 SDR11) | 560 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRC5635 SHORT SPIGOT REDUCING TEE 560 x 355 mm (PE100 SDR11) | 560 mm x 355 mm | CLD 23 PE |
| ELOFIT 12ETRC5640 SHORT SPIGOT REDUCING TEE 560 x 400 mm (PE100 SDR11) | 560 mm x 400 mm | CLD 23 PE |
| ELOFIT 12ETRC5645 SHORT SPIGOT REDUCING TEE 560 x 450 mm (PE100 SDR11) | 560 mm x 450 mm | CLD 23 PE |
| ELOFIT 12ETRC6311 SHORT SPIGOT REDUCING TEE 630 x 110 mm (PE100 SDR11) | 630 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRC6312 SHORT SPIGOT REDUCING TEE 630 x 125 mm (PE100 SDR11) | 630 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRC6314 SHORT SPIGOT REDUCING TEE 630 x 140 mm (PE100 SDR11) | 630 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRC6316 SHORT SPIGOT REDUCING TEE 630 x 160 mm (PE100 SDR11) | 630 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRC6318 SHORT SPIGOT REDUCING TEE 630 x 180 mm (PE100 SDR11) | 630 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRC6320 SHORT SPIGOT REDUCING TEE 630 x 200 mm (PE100 SDR11) | 630 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRC6322 SHORT SPIGOT REDUCING TEE 630 x 225 mm (PE100 SDR11) | 630 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRC6325 SHORT SPIGOT REDUCING TEE 630 x 250 mm (PE100 SDR11) | 630 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRC6328 SHORT SPIGOT REDUCING TEE 630 x 280 mm (PE100 SDR11) | 630 mm x 280 mm | CLD 23 PE |
| ELOFIT 12ETRC6331 SHORT SPIGOT REDUCING TEE 630 x 315 mm (PE100 SDR11) | 630 mm x 315 mm | CLD 23 PE |
| ELOFIT 12ETRS1140 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 40 mm (PE100 SDR11) | 110 mm x 40 mm | CLD 23 PE |
| ELOFIT 12ETRS1150 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 50 mm (PE100 SDR11) | 110 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ETRS1163 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 63 mm (PE100 SDR11) | 110 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRS1175 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 75 mm (PE100 SDR11) | 110 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRS1190 LONG SPIGOT 90° REDUCING TEE MOLDED 110 x 90 mm (PE100 SDR11) | 110 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRS1211 LONG SPIGOT 90° REDUCING TEE MOLDED 125 x 110 mm (PE100 SDR11) | 125 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRS1263 LONG SPIGOT 90° REDUCING TEE MOLDED 125 x 63 mm (PE100 SDR11) | 125 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRS1275 LONG SPIGOT 90° REDUCING TEE MOLDED 125 x 75 mm (PE100 SDR11) | 125 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRS1290 LONG SPIGOT 90° REDUCING TEE MOLDED 125 x 90 mm (PE100 SDR11) | 125 mm x 90 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|------------------|-----------|
| ELOFIT 12ETRS1411 LONG SPIGOT 90° REDUCING TEE MOLDED 140 x 110 mm (PE100 SDR11) | 140 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRS1463 LONG SPIGOT 90° REDUCING TEE MOLDED 140 x 63 mm (PE100 SDR11) | 140 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRS1475 LONG SPIGOT 90° REDUCING TEE MOLDED 140 x 75 mm (PE100 SDR11) | 140 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRS1490 LONG SPIGOT 90° REDUCING TEE MOLDED 140 x 90 mm (PE100 SDR11) | 140 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRS1611 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 110 mm (PE100 SDR11) | 160 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRS1612 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 125 mm (PE100 SDR11) | 160 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRS1663 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 63 mm (PE100 SDR11) | 160 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRS1675 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 75 mm (PE100 SDR11) | 160 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRS1690 LONG SPIGOT 90° REDUCING TEE MOLDED 160 x 90 mm (PE100 SDR11) | 160 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRS1811 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 140 mm (PE100 SDR11) | 180 mm x 140 mm | CLD 23 PE |
| ELOFIT 12ETRS1812 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 125 mm (PE100 SDR11) | 180 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRS1814 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 1410mm (PE100 SDR11) | 180 mm x 1410 mm | CLD 23 PE |
| ELOFIT 12ETRS1816 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 160 mm (PE100 SDR11) | 180 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRS1875 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 75 mm (PE100 SDR11) | 180 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRS1890 LONG SPIGOT 90° REDUCING TEE MOLDED 180 x 190 mm (PE100 SDR11) | 180 mm x 190 mm | CLD 23 PE |
| ELOFIT 12ETRS2011 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 110 mm (PE100 SDR11) | 200 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRS2012 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 125 mm (PE100 SDR11) | 200 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRS2016 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 160 mm (PE100 SDR11) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRS2063 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 63 mm (PE100 SDR11) | 200 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRS2075 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 75 mm (PE100 SDR11) | 200 mm x 75 mm | CLD 23 PE |
| ELOFIT 12ETRS2090 LONG SPIGOT 90° REDUCING TEE MOLDED 200 x 90 mm (PE100 SDR11) | 200 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRS2211 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 110 mm (PE100 SDR11) | 225 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRS2212 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 120 mm (PE100 SDR11) | 225 mm x 120 mm | CLD 23 PE |
| ELOFIT 12ETRS2216 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 160 mm (PE100 SDR11) | 225 mm x 160 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12ETRS2218 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 180 mm (PE100 SDR11) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRS2263 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 63 mm (PE100 SDR11) | 225 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRS2290 LONG SPIGOT 90° REDUCING TEE MOLDED 225 x 90 mm (PE100 SDR11) | 225 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRS2511 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 110 mm (PE100 SDR11) | 250 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRS2512 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 125 mm (PE100 SDR11) | 250 mm x 125 mm | CLD 23 PE |
| ELOFIT 12ETRS2516 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 160 mm (PE100 SDR11) | 250 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRS2520 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 200 mm (PE100 SDR11) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRS2590 LONG SPIGOT 90° REDUCING TEE MOLDED 250 x 90 mm (PE100 SDR11) | 250 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRS2811 LONG SPIGOT 90° REDUCING TEE MOLDED 280 x 110 mm (PE100 SDR11) | 280 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRS2820 LONG SPIGOT 90° REDUCING TEE MOLDED 280 x 200 mm (PE100 SDR11) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRS2822 LONG SPIGOT 90° REDUCING TEE MOLDED 280 x 225 mm (PE100 SDR11) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRS2825 LONG SPIGOT 90° REDUCING TEE MOLDED 280 x 250 mm (PE100 SDR11) | 280 mm x 250 mm | CLD 23 PE |
| ELOFIT 12ETRS3111 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 110 mm (PE100 SDR11) | 315 mm x 110 mm | CLD 23 PE |
| ELOFIT 12ETRS3116 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 160 mm (PE100 SDR11) | 315 mm x 160 mm | CLD 23 PE |
| ELOFIT 12ETRS3118 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 180 mm (PE100 SDR11) | 315 mm x 180 mm | CLD 23 PE |
| ELOFIT 12ETRS3120 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 200 mm (PE100 SDR11) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12ETRS3122 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 225 mm (PE100 SDR11) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12ETRS3190 LONG SPIGOT 90° REDUCING TEE MOLDED 315 x 90 mm (PE100 SDR11) | 315 mm x 90 mm | CLD 23 PE |
| ELOFIT 12ETRS6332 LONG SPIGOT 90° REDUCING TEE MOLDED 63 x 32 mm (PE100 SDR11) | 63 mm x 32 mm | CLD 23 PE |
| ELOFIT 12ETRS6350 LONG SPIGOT 90° REDUCING TEE MOLDED 63 x 50 mm (PE100 SDR11) | 63 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ETRS7550 LONG SPIGOT 90° REDUCING TEE MOLDED 75 x 50 mm (PE100 SDR11) | 75 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ETRS7563 LONG SPIGOT 90° REDUCING TEE MOLDED 75 x 63 mm (PE100 SDR11) | 75 mm x 63 mm | CLD 23 PE |
| ELOFIT 12ETRS9050 LONG SPIGOT 90° REDUCING TEE MOLDED 90 x 50 mm (PE100 SDR11) | 90 mm x 50 mm | CLD 23 PE |
| ELOFIT 12ETRS9063 LONG SPIGOT 90° REDUCING TEE MOLDED 90 x 63 mm (PE100 SDR11) | 90 mm x 63 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|---------------|-----------|
| ELOFIT 12ETRS9075 LONG SPIGOT 90° REDUCING TEE MOLDED 90 x 75 mm (PE100 SDR11) | 90 mm x 75 mm | CLD 23 PE |
| ELOFIT 12GC063 45° ELBOW LONG SPIGOT 63 mm (PE100 SDR7.4) | 63 mm | CLD 23 PE |
| ELOFIT 12GC075 45° ELBOW LONG SPIGOT 75 mm (PE100 SDR7.4) | 75 mm | CLD 23 PE |
| ELOFIT 12GC090 45° ELBOW LONG SPIGOT 90 mm (PE100 SDR7.4) | 90 mm | CLD 23 PE |
| ELOFIT 12GC110 45° ELBOW LONG SPIGOT 110 mm (PE100 SDR7.4) | 110 mm | CLD 23 PE |
| ELOFIT 12GC125 45° ELBOW LONG SPIGOT 125 mm (PE100 SDR7.4) | 125 mm | CLD 23 PE |
| ELOFIT 12GC140 45° ELBOW LONG SPIGOT 140 mm (PE100 SDR7.4) | 140 mm | CLD 23 PE |
| ELOFIT 12GC160 45° ELBOW LONG SPIGOT 160 mm (PE100 SDR7.4) | 160 mm | CLD 23 PE |
| ELOFIT 12GC180 45° ELBOW LONG SPIGOT 180 mm (PE100 SDR7.4) | 180 mm | CLD 23 PE |
| ELOFIT 12GC200 45° ELBOW LONG SPIGOT 200 mm (PE100 SDR7.4) | 200 mm | CLD 23 PE |
| ELOFIT 12GC225 45° ELBOW LONG SPIGOT 225 mm (PE100 SDR7.4) | 225 mm | CLD 23 PE |
| ELOFIT 12GC250 45° ELBOW LONG SPIGOT 250 mm (PE100 SDR7.4) | 250 mm | CLD 23 PE |
| ELOFIT 12GC280 45° ELBOW LONG SPIGOT 280 mm (PE100 SDR7.4) | 280 mm | CLD 23 PE |
| ELOFIT 12GC315 45° ELBOW LONG SPIGOT 315 mm (PE100 SDR7.4) | 315 mm | CLD 23 PE |
| ELOFIT 12GCAL063 LONG SPIGOT CAP 63 mm (PE100 SDR7.4) | 63 mm | CLD 23 PE |
| ELOFIT 12GCAL075 LONG SPIGOT CAP 75 mm (PE100 SDR7.4) | 75 mm | CLD 23 PE |
| ELOFIT 12GCAL090 LONG SPIGOT CAP 90 mm (PE100 SDR7.4) | 90 mm | CLD 23 PE |
| ELOFIT 12GCAL110 LONG SPIGOT CAP 110 mm (PE100 SDR7.4) | 110 mm | CLD 23 PE |
| ELOFIT 12GCAL125 LONG SPIGOT CAP 125 mm (PE100 SDR7.4) | 125 mm | CLD 23 PE |
| ELOFIT 12GCAL140 LONG SPIGOT CAP 140 mm (PE100 SDR7.4) | 140 mm | CLD 23 PE |
| ELOFIT 12GCAL160 LONG SPIGOT CAP 160 mm (PE100 SDR7.4) | 160 mm | CLD 23 PE |
| ELOFIT 12GCAL180 LONG SPIGOT CAP 180 mm (PE100 SDR7.4) | 180 mm | CLD 23 PE |
| ELOFIT 12GCAL200 LONG SPIGOT CAP 200 mm (PE100 SDR7.4) | 200 mm | CLD 23 PE |
| ELOFIT 12GCAL225 LONG SPIGOT CAP 225 mm (PE100 SDR7.4) | 225 mm | CLD 23 PE |
| ELOFIT 12GCAL250 LONG SPIGOT CAP 250 mm (PE100 SDR7.4) | 250 mm | CLD 23 PE |
| ELOFIT 12GCAL280 LONG SPIGOT CAP 280 mm (PE100 SDR7.4) | 280 mm | CLD 23 PE |
| ELOFIT 12GCAL315 LONG SPIGOT CAP 315 mm (PE100 SDR7.4) | 315 mm | CLD 23 PE |
| ELOFIT 12GCAL355 LONG SPIGOT CAP 355 mm (PE100 SDR7.4) | 355 mm | CLD 23 PE |
| ELOFIT 12GCAL400 LONG SPIGOT CAP 400 mm (PE100 SDR7.4) | 400 mm | CLD 23 PE |
| ELOFIT 12GCAL450 LONG SPIGOT CAP 450 mm (PE100 SDR7.4) | 450 mm | CLD 23 PE |
| ELOFIT 12GCRT063 LONG SPIGOT STUB END 63 mm (PE100 SDR7.4) | 63 mm | CLD 23 PE |
| ELOFIT 12GCRT075 LONG SPIGOT STUB END 75 mm (PE100 SDR7.4) | 75 mm | CLD 23 PE |
| ELOFIT 12GCRT090 LONG SPIGOT STUB END 90 mm (PE100 SDR7.4) | 90 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------|-----------|
| ELOFIT 12GCRT110 LONG SPIGOT STUB END 110 mm (PE100 SDR7.4) | 110 mm | CLD 23 PE |
| ELOFIT 12GCRT125 LONG SPIGOT STUB END 125 mm (PE100 SDR7.4) | 125 mm | CLD 23 PE |
| ELOFIT 12GCRT140 LONG SPIGOT STUB END 140 mm (PE100 SDR7.4) | 140 mm | CLD 23 PE |
| ELOFIT 12GCRT160 LONG SPIGOT STUB END 160 mm (PE100 SDR7.4) | 160 mm | CLD 23 PE |
| ELOFIT 12GCRT180 LONG SPIGOT STUB END 180 mm (PE100 SDR7.4) | 180 mm | CLD 23 PE |
| ELOFIT 12GCRT200 LONG SPIGOT STUB END 200 mm (PE100 SDR7.4) | 200 mm | CLD 23 PE |
| ELOFIT 12GCRT225 LONG SPIGOT STUB END 225 mm (PE100 SDR7.4) | 225 mm | CLD 23 PE |
| ELOFIT 12GCRT250 LONG SPIGOT STUB END 250 mm (PE100 SDR7.4) | 250 mm | CLD 23 PE |
| ELOFIT 12GCRT280 LONG SPIGOT STUB END 280 mm (PE100 SDR7.4) | 280 mm | CLD 23 PE |
| ELOFIT 12GCRT315 LONG SPIGOT STUB END 315 mm (PE100 SDR7.4) | 315 mm | CLD 23 PE |
| ELOFIT 12GCRT355 LONG SPIGOT STUB END 355 mm (PE100 SDR7.4) | 355 mm | CLD 23 PE |
| ELOFIT 12GCRT400 LONG SPIGOT STUB END 400 mm (PE100 SDR7.4) | 400 mm | CLD 23 PE |
| ELOFIT 12GCRT450 LONG SPIGOT STUB END 450 mm (PE100 SDR7.4) | 450 mm | CLD 23 PE |
| ELOFIT 12GCRTC110 SHORT SPIGOT STUB END 110 mm (PE100 SDR7.4) | 110 mm | CLD 23 PE |
| ELOFIT 12GCRTC125 SHORT SPIGOT STUB END 125 mm (PE100 SDR7.4) | 125 mm | CLD 23 PE |
| ELOFIT 12GCRTC140 SHORT SPIGOT STUB END 140 mm (PE100 SDR7.4) | 140 mm | CLD 23 PE |
| ELOFIT 12GCRTC160 SHORT SPIGOT STUB END 160 mm (PE100 SDR7.4) | 160 mm | CLD 23 PE |
| ELOFIT 12GCRTC180 SHORT SPIGOT STUB END 180 mm (PE100 SDR7.4) | 180 mm | CLD 23 PE |
| ELOFIT 12GCRTC200 SHORT SPIGOT STUB END 200 mm (PE100 SDR7.4) | 200 mm | CLD 23 PE |
| ELOFIT 12GCRTC225 SHORT SPIGOT STUB END 225 mm (PE100 SDR7.4) | 225 mm | CLD 23 PE |
| ELOFIT 12GCRTC250 SHORT SPIGOT STUB END 250 mm (PE100 SDR7.4) | 250 mm | CLD 23 PE |
| ELOFIT 12GCRTC280 SHORT SPIGOT STUB END 280 mm (PE100 SDR7.4) | 280 mm | CLD 23 PE |
| ELOFIT 12GCRTC315 SHORT SPIGOT STUB END 315 mm (PE100 SDR7.4) | 315 mm | CLD 23 PE |
| ELOFIT 12GCRTC355 SHORT SPIGOT STUB END 355 mm (PE100 SDR7.4) | 355 mm | CLD 23 PE |
| ELOFIT 12GCRTC400 SHORT SPIGOT STUB END 400 mm (PE100 SDR7.4) | 400 mm | CLD 23 PE |
| ELOFIT 12GCRTC450 SHORT SPIGOT STUB END 450 mm (PE100 SDR7.4) | 450 mm | CLD 23 PE |
| ELOFIT 12GG063 LONG SPIGOT 90° ELBOW 63 mm (PE100 SDR7.4) | 63 mm | CLD 23 PE |
| ELOFIT 12GG075 LONG SPIGOT 90° ELBOW 75 mm (PE100 SDR7.4) | 75 mm | CLD 23 PE |
| ELOFIT 12GG090 LONG SPIGOT 90° ELBOW 90 mm (PE100 SDR7.4) | 90 mm | CLD 23 PE |
| ELOFIT 12GG110 LONG SPIGOT 90° ELBOW 110 mm (PE100 SDR7.4) | 110 mm | CLD 23 PE |
| ELOFIT 12GG125 LONG SPIGOT 90° ELBOW 125 mm (PE100 SDR7.4) | 125 mm | CLD 23 PE |
| ELOFIT 12GG140 LONG SPIGOT 90° ELBOW 140 mm (PE100 SDR7.4) | 140 mm | CLD 23 PE |
| ELOFIT 12GG160 LONG SPIGOT 90° ELBOW 160 mm (PE100 SDR7.4) | 160 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|---------|-----------|
| ELOFIT 12GG180 LONG SPIGOT 90° ELBOW 180 mm (PE100 SDR7.4) | 180 mm | CLD 23 PE |
| ELOFIT 12GG200 LONG SPIGOT 90° ELBOW 200 mm (PE100 SDR7.4) | 200 mm | CLD 23 PE |
| ELOFIT 12GG225 LONG SPIGOT 90° ELBOW 225 mm (PE100 SDR7.4) | 225 mm | CLD 23 PE |
| ELOFIT 12GG250 LONG SPIGOT 90° ELBOW 250 mm (PE100 SDR7.4) | 250 mm | CLD 23 PE |
| ELOFIT 12GG280 LONG SPIGOT 90° ELBOW 280 mm (PE100 SDR7.4) | 280 mm | CLD 23 PE |
| ELOFIT 12GG315 LONG SPIGOT 90° ELBOW 315 mm (PE100 SDR7.4) | 315 mm | CLD 23 PE |
| ELOFIT 12GIC03 PE4710 SDR 7 45° ELBOW LONG SPIGOT 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12GIC04 PE4710 SDR7 45° ELBOW LONG SPIGOT 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12GIC06 PE4710 SDR7 45° ELBOW LONG SPIGOT 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12GICRT02 PE4710 SDR 7 FLANGE ADAPTER 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12GICRT03 PE4710 SDR 7 FLANGE ADAPTER 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12GICRT04 PE4710 SDR 7 FLANGE ADAPTER 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12GICRT06 PE4710 SDR 7 FLANGE ADAPTER 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12GICRT08 PE4710 SDR 7 FLANGE ADAPTER 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12GICRT10 PE4710 SDR 7 FLANGE ADAPTER 10" IPS | 10" | CLD 23 PE |
| ELOFIT 12GICRT12 PE4710 SDR 7 FLANGE ADAPTER 12" IPS | 12" | CLD 23 PE |
| ELOFIT 12GICRT14 PE4710 SDR 7 FLANGE ADAPTER 14" IPS | 14" | CLD 23 PE |
| ELOFIT 12GICRT16 PE4710 SDR 7 FLANGE ADAPTER 16" IPS | 16" | CLD 23 PE |
| ELOFIT 12GICRT18 PE4710 SDR 7 FLANGE ADAPTER 18" IPS | 18" | CLD 23 PE |
| ELOFIT 12GICRT20 PE4710 SDR 7 FLANGE ADAPTER 20" IPS | 20" | CLD 23 PE |
| ELOFIT 12GICRT24 PE4710 SDR 7 FLANGE ADAPTER 24" IPS | 24" | CLD 23 PE |
| ELOFIT 12GIG02 PE100 SDR7 BUTT FUSION 90° ELBOW 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12GIG03 PE100 SDR7 BUTT FUSION 90° ELBOW 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12GIG04 PE100 SDR7 BUTT FUSION 90° ELBOW 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12GIG06 PE100 SDR7 BUTT FUSION 90° ELBOW 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12GIME06 E/F COUPLER D.6" IPS 380PSI | 6" | CLD 23 PE |
| ELOFIT 12GIME08 E/F COUPLER D.8" IPS 380PSI | 8" | CLD 23 PE |
| ELOFIT 12GIME10 E/F COUPLER D.10" IPS 380PSI | 10" | CLD 23 PE |
| ELOFIT 12GIME12 E/F COUPLER D.12" IPS 380PSI | 12" | CLD 23 PE |
| ELOFIT 12GIR0302 BUT FUSION REDUCER D. 3"IPS x 2"IPS PE100 SDR7 | 3" x 2" | CLD 23 PE |
| ELOFIT 12GIR0302 BUTT FUSION REDUCER D. 3"IPS x 2"IPS PE100 SDR7 | 3" x 2" | CLD 23 PE |
| ELOFIT 12GIR0402 BUT FUSION REDUCER D. 4"IPS x 2"IPS PE100 SDR7 | 4" x 2" | CLD 23 PE |
| ELOFIT 12GIR0402 BUTT FUSION REDUCER D. 4"IPS x 2"IPS PE100 SDR7 | 4" x 2" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|----------|-----------|
| ELOFIT 12GIR0403 BUT FUSION REDUCER D. 4"IPS x 3"IPS PE100 SDR7 | 4" x 3" | CLD 23 PE |
| ELOFIT 12GIR0403 BUTT FUSION REDUCER D. 4"IPS x 3"IPS PE100 SDR7 | 4" x 3" | CLD 23 PE |
| ELOFIT 12GIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR7 | 6" x 4" | CLD 23 PE |
| ELOFIT 12GIR0604 BUTT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR7 | 6" x 4" | CLD 23 PE |
| ELOFIT 12GIR0806 BUTT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR7 | 8" x 6" | CLD 23 PE |
| ELOFIT 12GIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR7 | 10" x 6" | CLD 23 PE |
| ELOFIT 12GIR1006 BUTT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR7 | 10" x 6" | CLD 23 PE |
| ELOFIT 12GIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR7 | 10" x 8" | CLD 23 PE |
| ELOFIT 12GIR1008 BUTT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR7 | 10" x 8" | CLD 23 PE |
| ELOFIT 12GIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR7 | 12" x 8" | CLD 23 PE |
| ELOFIT 12GIR1208 BUTT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR7 | 12" x 8" | CLD 23 PE |
| ELOFIT 12GIT03 PE100 SDR7 BUTT FUSION TEE 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12GIT04 PE100 SDR7 BUTT FUSION TEE 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12GIT06 PE100 SDR7 BUTT FUSION TEE 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12GME020 ELECTROFUSION COUPLER 20 mm (PE100) | 20 mm | CLD 23 PE |
| ELOFIT 12GME025 ELECTROFUSION COUPLER 25 mm (PE100) | 25 mm | CLD 23 PE |
| ELOFIT 12GME032 ELECTROFUSION COUPLER 32 mm (PE100) | 32 mm | CLD 23 PE |
| ELOFIT 12GME040 ELECTROFUSION COUPLER 40 mm (PE100) | 40 mm | CLD 23 PE |
| ELOFIT 12GME050 ELECTROFUSION COUPLER 50 mm (PE100) | 50 mm | CLD 23 PE |
| ELOFIT 12GME063 ELECTROFUSION COUPLER 63 mm (PE100) | 63 mm | CLD 23 PE |
| ELOFIT 12GME075 ELECTROFUSION COUPLER 75 mm (PE100) | 75 mm | CLD 23 PE |
| ELOFIT 12GME090 ELECTROFUSION COUPLER 90 mm (PE100) | 90 mm | CLD 23 PE |
| ELOFIT 12GME110 ELECTROFUSION COUPLER 110 mm (PE100) | 110 mm | CLD 23 PE |
| ELOFIT 12GME125 ELECTROFUSION COUPLER 125 mm (PE100) | 125 mm | CLD 23 PE |
| ELOFIT 12GME140 ELECTROFUSION COUPLER 140 mm (PE100) | 140 mm | CLD 23 PE |
| ELOFIT 12GME160 ELECTROFUSION COUPLER 160 mm (PE100) | 160 mm | CLD 23 PE |
| ELOFIT 12GME180 ELECTROFUSION COUPLER 180 mm (PE100) | 180 mm | CLD 23 PE |
| ELOFIT 12GME200 ELECTROFUSION COUPLER 200 mm (PE100) | 200 mm | CLD 23 PE |
| ELOFIT 12GME225 ELECTROFUSION COUPLER 225 mm (PE100) | 225 mm | CLD 23 PE |
| ELOFIT 12GME250 ELECTROFUSION COUPLER 250 mm (PE100) | 250 mm | CLD 23 PE |
| ELOFIT 12GME280 ELECTROFUSION COUPLER 280 mm (PE100) | 280 mm | CLD 23 PE |
| ELOFIT 12GME315 ELECTROFUSION COUPLER 315 mm (PE100) | 315 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12GME355 ELECTROFUSION COUPLER 355 mm (PE100) | 355 mm | CLD 23 PE |
| ELOFIT 12GME400 ELECTROFUSION COUPLER 400 mm (PE100) | 400 mm | CLD 23 PE |
| ELOFIT 12GME450 ELECTROFUSION COUPLER 450 mm (PE100) | 450 mm | CLD 23 PE |
| ELOFIT 12GME500 ELECTROFUSION COUPLER 500 mm (PE100) | 500 mm | CLD 23 PE |
| ELOFIT 12GME560 ELECTROFUSION COUPLER 560 mm (PE100) | 560 mm | CLD 23 PE |
| ELOFIT 12GME630 ELECTROFUSION COUPLER 630 mm (PE100) | 630 mm | CLD 23 PE |
| ELOFIT 12GRD1163 LONG SPIGOT REDUCER 110 x 63 mm (PE100 SDR7.4) | 110 mm x 63 mm | CLD 23 PE |
| ELOFIT 12GRD1175 LONG SPIGOT REDUCER 110 x 75 mm (PE100 SDR7.4) | 110 mm x 75 mm | CLD 23 PE |
| ELOFIT 12GRD1190 LONG SPIGOT REDUCER 110 x 90 mm (PE100 SDR7.4) | 110 mm x 90 mm | CLD 23 PE |
| ELOFIT 12GRD1211 LONG SPIGOT REDUCER 125 x 110 mm (PE100 SDR7.4) | 125 mm x 110 mm | CLD 23 PE |
| ELOFIT 12GRD1250 LONG SPIGOT REDUCER 125 x 50 mm (PE100 SDR7.4) | 125 mm x 50 mm | CLD 23 PE |
| ELOFIT 12GRD1263 LONG SPIGOT REDUCER 125 x 63 mm (PE100 SDR7.4) | 125 mm x 63 mm | CLD 23 PE |
| ELOFIT 12GRD1275 LONG SPIGOT REDUCER 125 x 75 mm (PE100 SDR7.4) | 125 mm x 75 mm | CLD 23 PE |
| ELOFIT 12GRD1290 LONG SPIGOT REDUCER 125 x 90 mm (PE100 SDR7.4) | 125 mm x 90 mm | CLD 23 PE |
| ELOFIT 12GRD1411 LONG SPIGOT REDUCER 140 x 110 mm (PE100 SDR7.4) | 140 mm x 110 mm | CLD 23 PE |
| ELOFIT 12GRD1412 LONG SPIGOT REDUCER 140 x 125 mm (PE100 SDR7.4) | 140 mm x 125 mm | CLD 23 PE |
| ELOFIT 12GRD1490 LONG SPIGOT REDUCER 140 x 90 mm (PE100 SDR7.4) | 140 mm x 90 mm | CLD 23 PE |
| ELOFIT 12GRD1611 LONG SPIGOT REDUCER 160 x 110 mm (PE100 SDR7.4) | 160 mm x 110 mm | CLD 23 PE |
| ELOFIT 12GRD1612 LONG SPIGOT REDUCER 160 x 125 mm (PE100 SDR7.4) | 160 mm x 125 mm | CLD 23 PE |
| ELOFIT 12GRD1614 LONG SPIGOT REDUCER 160 x 140 mm (PE100 SDR7.4) | 160 mm x 140 mm | CLD 23 PE |
| ELOFIT 12GRD1690 LONG SPIGOT REDUCER 160 x 90 mm (PE100 SDR7.4) | 160 mm x 90 mm | CLD 23 PE |
| ELOFIT 12GRD1812 LONG SPIGOT REDUCER 180 x 125 mm (PE100 SDR7.4) | 180 mm x 125 mm | CLD 23 PE |
| ELOFIT 12GRD1814 LONG SPIGOT REDUCER 180 x 140 mm (PE100 SDR7.4) | 180 mm x 140 mm | CLD 23 PE |
| ELOFIT 12GRD1816 LONG SPIGOT REDUCER 180 x 160 mm (PE100 SDR7.4) | 180 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GRD1890 LONG SPIGOT REDUCER 180 x 90 mm (PE100 SDR7.4) | 180 mm x 90 mm | CLD 23 PE |
| ELOFIT 12GRD2014 LONG SPIGOT REDUCER 200 x 140 mm (PE100 SDR7.4) | 200 mm x 140 mm | CLD 23 PE |
| ELOFIT 12GRD2016 LONG SPIGOT REDUCER 200 x 160 mm (PE100 SDR7.4) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GRD2018 LONG SPIGOT REDUCER 200 x 180 mm (PE100 SDR7.4) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GRD2216 LONG SPIGOT REDUCER 225 x 160 mm (PE100 SDR7.4) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GRD2218 LONG SPIGOT REDUCER 225 x 180 mm (PE100 SDR7.4) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GRD2220 LONG SPIGOT REDUCER 225 x 200 mm (PE100 SDR7.4) | 225 mm x 200 mm | CLD 23 PE |
| ELOFIT 12GRD2518 LONG SPIGOT REDUCER 250 x 180 mm (PE100 SDR7.4) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GRD2520 LONG SPIGOT REDUCER 250 x 200 mm (PE100 SDR7.4) | 250 mm x 200 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12GRD2522 LONG SPIGOT REDUCER 250 x 225 mm (PE100 SDR7.4) | 250 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GRD2822 LONG SPIGOT REDUCER 280 x 225 mm (PE100 SDR7.4) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GRD2825 LONG SPIGOT REDUCER 280 x 250 mm (PE100 SDR7.4) | 280 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GRD3125 LONG SPIGOT REDUCER 315 x 250 mm (PE100 SDR7.4) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GRD3128 LONG SPIGOT REDUCER 315 x 280 mm (PE100 SDR7.4) | 315 mm x 280 mm | CLD 23 PE |
| ELOFIT 12GRD3525 LONG SPIGOT REDUCER 355 x 250 mm (PE100 SDR7.4) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GRD3528 LONG SPIGOT REDUCER 355 x 280 mm (PE100 SDR7.4) | 355 mm x 280 mm | CLD 23 PE |
| ELOFIT 12GRD3531 LONG SPIGOT REDUCER 355 x 315 mm (PE100 SDR7.4) | 355 mm x 315 mm | CLD 23 PE |
| ELOFIT 12GRD4035 LONG SPIGOT REDUCER 400 x 355 mm (PE100 SDR7.4) | 400 mm x 355 mm | CLD 23 PE |
| ELOFIT 12GRD6332 LONG SPIGOT REDUCER 63 x 32 mm (PE100 SDR7.4) | 63 mm x 32 mm | CLD 23 PE |
| ELOFIT 12GRD6350 LONG SPIGOT REDUCER 63 x 50 mm (PE100 SDR7.4) | 63 mm x 50 mm | CLD 23 PE |
| ELOFIT 12GRD7563 LONG SPIGOT REDUCER 75 x 63 mm (PE100 SDR7.4) | 75 mm x 63 mm | CLD 23 PE |
| ELOFIT 12GRD9050 LONG SPIGOT REDUCER 90 x 50 mm (PE100 SDR7.4) | 90 mm x 50 mm | CLD 23 PE |
| ELOFIT 12GRD9063 LONG SPIGOT REDUCER 90 x 63 mm (PE100 SDR7.4) | 90 mm x 63 mm | CLD 23 PE |
| ELOFIT 12GRD9075 LONG SPIGOT REDUCER 90 x 75 mm (PE100 SDR7.4) | 90 mm x 75 mm | CLD 23 PE |
| ELOFIT 12GRDC2016 SHORT SPIGOT REDUCER 200 x 160 mm (PE100 SDR7.4) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GRDC2018 SHORT SPIGOT REDUCER 200 x 180 mm (PE100 SDR7.4) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GRDC2216 SHORT SPIGOT REDUCER 225 x 160 mm (PE100 SDR7.4) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GRDC2218 SHORT SPIGOT REDUCER 225 x 180 mm (PE100 SDR7.4) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GRDC2220 SHORT SPIGOT REDUCER 225 x 200 mm (PE100 SDR7.4) | 225 mm x 200 mm | CLD 23 PE |
| ELOFIT 12GRDC2518 SHORT SPIGOT REDUCER 250 x 180 mm (PE100 SDR7.4) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GRDC2520 SHORT SPIGOT REDUCER 250 x 200 mm (PE100 SDR7.4) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12GRDC2522 SHORT SPIGOT REDUCER 250 x 225 mm (PE100 SDR7.4) | 250 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GRDC2822 SHORT SPIGOT REDUCER 280 x 225 mm (PE100 SDR7.4) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GRDC2825 SHORT SPIGOT REDUCER 280 x 250 mm (PE100 SDR7.4) | 280 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GRDC3122 SHORT SPIGOT REDUCER 315 x 225 mm (PE100 SDR7.4) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GRDC3125 SHORT SPIGOT REDUCER 315 x 250 mm (PE100 SDR7.4) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GRDC3128 SHORT SPIGOT REDUCER 315 x 280 mm (PE100 SDR7.4) | 315 mm x 280 mm | CLD 23 PE |
| ELOFIT 12GRDC3528 SHORT SPIGOT REDUCER 355 x 280 mm (PE100 SDR7.4) | 355 mm x 280 mm | CLD 23 PE |
| ELOFIT 12GRDC3531 SHORT SPIGOT REDUCER 355 x 315 mm (PE100 SDR7.4) | 355 mm x 315 mm | CLD 23 PE |
| ELOFIT 12GRDC4028 SHORT SPIGOT REDUCER 400 x 280 mm (PE100 SDR7.4) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12GRDC4031 SHORT SPIGOT REDUCER 400 x 315 mm (PE100 SDR7.4) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12GRDC4035 SHORT SPIGOT REDUCER 400 x 355 mm (PE100 SDR7.4) | 400 mm x 355 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12GRDC4535 SHORT SPIGOT REDUCER 450 x 355 mm (PE100 SDR7.4) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12GRDC4540 SHORT SPIGOT REDUCER 450 x 400 mm (PE100 SDR7.4) | 450 mm x 400 mm | CLD 23 PE |
| ELOFIT 12GT063 LONG SPIGOT 90° TEE 63 mm (PE100 SDR7.4) | 63 mm | CLD 23 PE |
| ELOFIT 12GT075 LONG SPIGOT 90° TEE 75 mm (PE100 SDR7.4) | 75 mm | CLD 23 PE |
| ELOFIT 12GT090 LONG SPIGOT 90° TEE 90 mm (PE100 SDR7.4) | 90 mm | CLD 23 PE |
| ELOFIT 12GT110 LONG SPIGOT 90° TEE 110 mm (PE100 SDR7.4) | 110 mm | CLD 23 PE |
| ELOFIT 12GT125 LONG SPIGOT 90° TEE 125 mm (PE100 SDR7.4) | 125 mm | CLD 23 PE |
| ELOFIT 12GT140 LONG SPIGOT 90° TEE 140 mm (PE100 SDR7.4) | 140 mm | CLD 23 PE |
| ELOFIT 12GT160 LONG SPIGOT 90° TEE 160 mm (PE100 SDR7.4) | 160 mm | CLD 23 PE |
| ELOFIT 12GT180 LONG SPIGOT 90° TEE 180 mm (PE100 SDR7.4) | 180 mm | CLD 23 PE |
| ELOFIT 12GT200 LONG SPIGOT 90° TEE 200 mm (PE100 SDR7.4) | 200 mm | CLD 23 PE |
| ELOFIT 12GT225 LONG SPIGOT 90° TEE 225 mm (PE100 SDR7.4) | 225 mm | CLD 23 PE |
| ELOFIT 12GT250 LONG SPIGOT 90° TEE 250 mm (PE100 SDR7.4) | 250 mm | CLD 23 PE |
| ELOFIT 12GT280 LONG SPIGOT 90° TEE 280 mm (PE100 SDR7.4) | 280 mm | CLD 23 PE |
| ELOFIT 12GT315 LONG SPIGOT 90° TEE 315 mm (PE100 SDR7.4) | 315 mm | CLD 23 PE |
| ELOFIT 12GTM355 LONG SPIGOT 90° TEE 355 mm (PE100 SDR7.4) | 355 mm | CLD 23 PE |
| ELOFIT 12GTM400 LONG SPIGOT 90° TEE 400 mm (PE100 SDR7.4) | 400 mm | CLD 23 PE |
| ELOFIT 12GTM450 LONG SPIGOT 90° TEE 450 mm (PE100 SDR7.4) | 450 mm | CLD 23 PE |
| ELOFIT 12GTMC355 SHORT SPIGOT 90° TEE 355 mm (PE100 SDR7.4) | 355 mm | CLD 23 PE |
| ELOFIT 12GTMC400 SHORT SPIGOT 90° TEE 400 mm (PE100 SDR7.4) | 400 mm | CLD 23 PE |
| ELOFIT 12GTMC450 SHORT SPIGOT 90° TEE 450 mm (PE100 SDR7.4) | 450 mm | CLD 23 PE |
| ELOFIT 12GTRMC2811 SHORT SPIGOT REDUCING TEE 280 x 110 mm (PE100 SDR7.4) | 280 mm x 110 mm | CLD 23 PE |
| ELOFIT 12GTRMC2812 SHORT SPIGOT REDUCING TEE 280 x 125 mm (PE100 SDR7.4) | 280 mm x 125 mm | CLD 23 PE |
| ELOFIT 12GTRMC2814 SHORT SPIGOT REDUCING TEE 280 x 140 mm (PE100 SDR7.4) | 280 mm x 140 mm | CLD 23 PE |
| ELOFIT 12GTRMC2816 SHORT SPIGOT REDUCING TEE 280 x 160 mm (PE100 SDR7.4) | 280 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GTRMC2818 SHORT SPIGOT REDUCING TEE 280 x 180 mm (PE100 SDR7.4) | 280 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GTRMC2820 SHORT SPIGOT REDUCING TEE 280 x 200 mm (PE100 SDR7.4) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12GTRMC2822 SHORT SPIGOT REDUCING TEE 280 x 225 mm (PE100 SDR7.4) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GTRMC2863 SHORT SPIGOT REDUCING TEE 280 x 63 mm (PE100 SDR7.4) | 280 mm x 63 mm | CLD 23 PE |
| ELOFIT 12GTRMC2875 SHORT SPIGOT REDUCING TEE 280 x 75 mm (PE100 SDR7.4) | 280 mm x 75 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12GTRMC2890 SHORT SPIGOT REDUCING TEE 280 x 90 mm (PE100 SDR7.4) | 280 mm x 90 mm | CLD 23 PE |
| ELOFIT 12GTRMC3111 SHORT SPIGOT REDUCING TEE 315 x 110 mm (PE100 SDR7.4) | 315 mm x 110 mm | CLD 23 PE |
| ELOFIT 12GTRMC3112 SHORT SPIGOT REDUCING TEE 315 x 125 mm (PE100 SDR7.4) | 315 mm x 125 mm | CLD 23 PE |
| ELOFIT 12GTRMC3114 SHORT SPIGOT REDUCING TEE 315 x 140 mm (PE100 SDR7.4) | 315 mm x 140 mm | CLD 23 PE |
| ELOFIT 12GTRMC3116 SHORT SPIGOT REDUCING TEE 315 x 160 mm (PE100 SDR7.4) | 315 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GTRMC3118 SHORT SPIGOT REDUCING TEE 315 x 180 mm (PE100 SDR7.4) | 315 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GTRMC3120 SHORT SPIGOT REDUCING TEE 315 x 200 mm (PE100 SDR7.4) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12GTRMC3122 SHORT SPIGOT REDUCING TEE 315 x 225 mm (PE100 SDR7.4) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GTRMC3125 SHORT SPIGOT REDUCING TEE 315 x 250 mm (PE100 SDR7.4) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GTRMC3163 SHORT SPIGOT REDUCING TEE 315 x 63 mm (PE100 SDR7.4) | 315 mm x 63 mm | CLD 23 PE |
| ELOFIT 12GTRMC3175 SHORT SPIGOT REDUCING TEE 315 x 75 mm (PE100 SDR7.4) | 315 mm x 75 mm | CLD 23 PE |
| ELOFIT 12GTRMC3190 SHORT SPIGOT REDUCING TEE 315 x 90 mm (PE100 SDR7.4) | 315 mm x 90 mm | CLD 23 PE |
| ELOFIT 12GTRMC3511 SHORT SPIGOT REDUCING TEE 355 x 110 mm (PE100 SDR7.4) | 355 mm x 110 mm | CLD 23 PE |
| ELOFIT 12GTRMC3512 SHORT SPIGOT REDUCING TEE 355 x 125 mm (PE100 SDR7.4) | 355 mm x 125 mm | CLD 23 PE |
| ELOFIT 12GTRMC3514 SHORT SPIGOT REDUCING TEE 355 x 140 mm (PE100 SDR7.4) | 355 mm x 140 mm | CLD 23 PE |
| ELOFIT 12GTRMC3516 SHORT SPIGOT REDUCING TEE 355 x 160 mm (PE100 SDR7.4) | 355 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GTRMC3518 SHORT SPIGOT REDUCING TEE 355 x 180 mm (PE100 SDR7.4) | 355 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GTRMC3520 SHORT SPIGOT REDUCING TEE 355 x 200 mm (PE100 SDR7.4) | 355 mm x 200 mm | CLD 23 PE |
| ELOFIT 12GTRMC3522 SHORT SPIGOT REDUCING TEE 355 x 225 mm (PE100 SDR7.4) | 355 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GTRMC3525 SHORT SPIGOT REDUCING TEE 355 x 250 mm (PE100 SDR7.4) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GTRMC3590 SHORT SPIGOT REDUCING TEE 355 x 90 mm (PE100 SDR7.4) | 355 mm x 90 mm | CLD 23 PE |
| ELOFIT 12GTRMC4011 SHORT SPIGOT REDUCING TEE 400 x 110 mm (PE100 SDR7.4) | 400 mm x 110 mm | CLD 23 PE |
| ELOFIT 12GTRMC4012 SHORT SPIGOT REDUCING TEE 400 x 125 mm (PE100 SDR7.4) | 400 mm x 125 mm | CLD 23 PE |
| ELOFIT 12GTRMC4014 SHORT SPIGOT REDUCING TEE 400 x 140 mm (PE100 SDR7.4) | 400 mm x 140 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12GTRMC4016 SHORT SPIGOT REDUCING TEE 400 x 160 mm (PE100 SDR7.4) | 400 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GTRMC4018 SHORT SPIGOT REDUCING TEE 400 x 180 mm (PE100 SDR7.4) | 400 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GTRMC4020 SHORT SPIGOT REDUCING TEE 400 x 200 mm (PE100 SDR7.4) | 400 mm x 200 mm | CLD 23 PE |
| ELOFIT 12GTRMC4022 SHORT SPIGOT REDUCING TEE 400 x 225 mm (PE100 SDR7.4) | 400 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GTRMC4025 SHORT SPIGOT REDUCING TEE 400 x 250 mm (PE100 SDR7.4) | 400 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GTRMC4028 SHORT SPIGOT REDUCING TEE 400 x 280 mm (PE100 SDR7.4) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12GTRMC4031 SHORT SPIGOT REDUCING TEE 400 x 315 mm (PE100 SDR7.4) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12GTRMC4511 SHORT SPIGOT REDUCING TEE 450 x 110 mm (PE100 SDR7.4) | 450 mm x 110 mm | CLD 23 PE |
| ELOFIT 12GTRMC4512 SHORT SPIGOT REDUCING TEE 450 x 125 mm (PE100 SDR7.4) | 450 mm x 125 mm | CLD 23 PE |
| ELOFIT 12GTRMC4514 SHORT SPIGOT REDUCING TEE 450 x 140 mm (PE100 SDR7.4) | 450 mm x 140 mm | CLD 23 PE |
| ELOFIT 12GTRMC4516 SHORT SPIGOT REDUCING TEE 450 x 160 mm (PE100 SDR7.4) | 450 mm x 160 mm | CLD 23 PE |
| ELOFIT 12GTRMC4518 SHORT SPIGOT REDUCING TEE 450 x 180 mm (PE100 SDR7.4) | 450 mm x 180 mm | CLD 23 PE |
| ELOFIT 12GTRMC4520 SHORT SPIGOT REDUCING TEE 450 x 200 mm (PE100 SDR7.4) | 450 mm x 200 mm | CLD 23 PE |
| ELOFIT 12GTRMC4522 SHORT SPIGOT REDUCING TEE 450 x 225 mm (PE100 SDR7.4) | 450 mm x 225 mm | CLD 23 PE |
| ELOFIT 12GTRMC4525 SHORT SPIGOT REDUCING TEE 450 x 250 mm (PE100 SDR7.4) | 450 mm x 250 mm | CLD 23 PE |
| ELOFIT 12GTRMC4528 SHORT SPIGOT REDUCING TEE 450 x 280 mm (PE100 SDR7.4) | 450 mm x 280 mm | CLD 23 PE |
| ELOFIT 12GTRMC4531 SHORT SPIGOT REDUCING TEE 450 x 315 mm (PE100 SDR7.4) | 450 mm x 315 mm | CLD 23 PE |
| ELOFIT 12GTRMC4535 SHORT SPIGOT REDUCING TEE 450 x 355 mm (PE100 SDR7.4) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12HC063 45° ELBOW LONG SPIGOT 63 mm (PE100 SDR9) | 63 mm | CLD 23 PE |
| ELOFIT 12HC075 45° ELBOW LONG SPIGOT 75 mm (PE100 SDR9) | 75 mm | CLD 23 PE |
| ELOFIT 12HC090 45° ELBOW LONG SPIGOT 90 mm (PE100 SDR9) | 90 mm | CLD 23 PE |
| ELOFIT 12HC110 45° ELBOW LONG SPIGOT 110 mm (PE100 SDR9) | 110 mm | CLD 23 PE |
| ELOFIT 12HC125 45° ELBOW LONG SPIGOT 125 mm (PE100 SDR9) | 125 mm | CLD 23 PE |
| ELOFIT 12HC140 45° ELBOW LONG SPIGOT 140 mm (PE100 SDR9) | 140 mm | CLD 23 PE |
| ELOFIT 12HC160 45° ELBOW LONG SPIGOT 160 mm (PE100 SDR9) | 160 mm | CLD 23 PE |
| ELOFIT 12HC180 45° ELBOW LONG SPIGOT 180 mm (PE100 SDR9) | 180 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------|-----------|
| ELOFIT 12HC200 45° ELBOW LONG SPIGOT 200 mm (PE100 SDR9) | 200 mm | CLD 23 PE |
| ELOFIT 12HC225 45° ELBOW LONG SPIGOT 225 mm (PE100 SDR9) | 225 mm | CLD 23 PE |
| ELOFIT 12HC250 45° ELBOW LONG SPIGOT 250 mm (PE100 SDR9) | 250 mm | CLD 23 PE |
| ELOFIT 12HC280 45° ELBOW LONG SPIGOT 280 mm (PE100 SDR9) | 280 mm | CLD 23 PE |
| ELOFIT 12HC315 45° ELBOW LONG SPIGOT 315 mm (PE100 SDR9) | 315 mm | CLD 23 PE |
| ELOFIT 12HCAL063 LONG SPIGOT CAP 63 mm (PE100 SDR9) | 63 mm | CLD 23 PE |
| ELOFIT 12HCAL075 LONG SPIGOT CAP 75 mm (PE100 SDR9) | 75 mm | CLD 23 PE |
| ELOFIT 12HCAL090 LONG SPIGOT CAP 90 mm (PE100 SDR9) | 90 mm | CLD 23 PE |
| ELOFIT 12HCAL110 LONG SPIGOT CAP 110 mm (PE100 SDR9) | 110 mm | CLD 23 PE |
| ELOFIT 12HCAL125 LONG SPIGOT CAP 125 mm (PE100 SDR9) | 125 mm | CLD 23 PE |
| ELOFIT 12HCAL140 LONG SPIGOT CAP 140 mm (PE100 SDR9) | 140 mm | CLD 23 PE |
| ELOFIT 12HCAL160 LONG SPIGOT CAP 160 mm (PE100 SDR9) | 160 mm | CLD 23 PE |
| ELOFIT 12HCAL180 LONG SPIGOT CAP 180 mm (PE100 SDR9) | 180 mm | CLD 23 PE |
| ELOFIT 12HCAL200 LONG SPIGOT CAP 200 mm (PE100 SDR9) | 200 mm | CLD 23 PE |
| ELOFIT 12HCAL225 LONG SPIGOT CAP 225 mm (PE100 SDR9) | 225 mm | CLD 23 PE |
| ELOFIT 12HCAL250 LONG SPIGOT CAP 250 mm (PE100 SDR9) | 250 mm | CLD 23 PE |
| ELOFIT 12HCAL280 LONG SPIGOT CAP 280 mm (PE100 SDR9) | 280 mm | CLD 23 PE |
| ELOFIT 12HCAL315 LONG SPIGOT CAP 315 mm (PE100 SDR9) | 315 mm | CLD 23 PE |
| ELOFIT 12HCAL355 LONG SPIGOT CAP 355 mm (PE100 SDR9) | 355 mm | CLD 23 PE |
| ELOFIT 12HCAL400 LONG SPIGOT CAP 400 mm (PE100 SDR9) | 400 mm | CLD 23 PE |
| ELOFIT 12HCAL450 LONG SPIGOT CAP 450 mm (PE100 SDR9) | 450 mm | CLD 23 PE |
| ELOFIT 12HCAL500 LONG SPIGOT CAP 500 mm (PE100 SDR9) | 500 mm | CLD 23 PE |
| ELOFIT 12HCRT063 LONG SPIGOT STUB END 63 mm (PE100 SDR9) | 63 mm | CLD 23 PE |
| ELOFIT 12HCRT075 LONG SPIGOT STUB END 75 mm (PE100 SDR9) | 75 mm | CLD 23 PE |
| ELOFIT 12HCRT090 LONG SPIGOT STUB END 90 mm (PE100 SDR9) | 90 mm | CLD 23 PE |
| ELOFIT 12HCRT110 LONG SPIGOT STUB END 110 mm (PE100 SDR9) | 110 mm | CLD 23 PE |
| ELOFIT 12HCRT125 LONG SPIGOT STUB END 125 mm (PE100 SDR9) | 125 mm | CLD 23 PE |
| ELOFIT 12HCRT140 LONG SPIGOT STUB END 140 mm (PE100 SDR9) | 140 mm | CLD 23 PE |
| ELOFIT 12HCRT160 LONG SPIGOT STUB END 160 mm (PE100 SDR9) | 160 mm | CLD 23 PE |
| ELOFIT 12HCRT180 LONG SPIGOT STUB END 180 mm (PE100 SDR9) | 180 mm | CLD 23 PE |
| ELOFIT 12HCRT200 LONG SPIGOT STUB END 200 mm (PE100 SDR9) | 200 mm | CLD 23 PE |
| ELOFIT 12HCRT225 LONG SPIGOT STUB END 225 mm (PE100 SDR9) | 225 mm | CLD 23 PE |
| ELOFIT 12HCRT250 LONG SPIGOT STUB END 250 mm (PE100 SDR9) | 250 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------|-----------|
| ELOFIT 12HCRT280 LONG SPIGOT STUB END 280 mm (PE100 SDR9) | 280 mm | CLD 23 PE |
| ELOFIT 12HCRT315 LONG SPIGOT STUB END 315 mm (PE100 SDR9) | 315 mm | CLD 23 PE |
| ELOFIT 12HCRT355 LONG SPIGOT STUB END 355 mm (PE100 SDR9) | 355 mm | CLD 23 PE |
| ELOFIT 12HCRT400 LONG SPIGOT STUB END 400 mm (PE100 SDR9) | 400 mm | CLD 23 PE |
| ELOFIT 12HCRT450 LONG SPIGOT STUB END 450 mm (PE100 SDR9) | 450 mm | CLD 23 PE |
| ELOFIT 12HCRT500 LONG SPIGOT STUB END 500 mm (PE100 SDR9) | 500 mm | CLD 23 PE |
| ELOFIT 12HCRTC110 SHORT SPIGOT STUB END 110 mm (PE100 SDR9) | 110 mm | CLD 23 PE |
| ELOFIT 12HCRTC125 SHORT SPIGOT STUB END 125 mm (PE100 SDR9) | 125 mm | CLD 23 PE |
| ELOFIT 12HCRTC140 SHORT SPIGOT STUB END 140 mm (PE100 SDR9) | 140 mm | CLD 23 PE |
| ELOFIT 12HCRTC160 SHORT SPIGOT STUB END 160 mm (PE100 SDR9) | 160 mm | CLD 23 PE |
| ELOFIT 12HCRTC180 SHORT SPIGOT STUB END 180 mm (PE100 SDR9) | 180 mm | CLD 23 PE |
| ELOFIT 12HCRTC200 SHORT SPIGOT STUB END 200 mm (PE100 SDR9) | 200 mm | CLD 23 PE |
| ELOFIT 12HCRTC225 SHORT SPIGOT STUB END 225 mm (PE100 SDR9) | 225 mm | CLD 23 PE |
| ELOFIT 12HCRTC250 SHORT SPIGOT STUB END 250 mm (PE100 SDR9) | 250 mm | CLD 23 PE |
| ELOFIT 12HCRTC280 SHORT SPIGOT STUB END 280 mm (PE100 SDR9) | 280 mm | CLD 23 PE |
| ELOFIT 12HCRTC315 SHORT SPIGOT STUB END 315 mm (PE100 SDR9) | 315 mm | CLD 23 PE |
| ELOFIT 12HCRTC355 SHORT SPIGOT STUB END 355 mm (PE100 SDR9) | 355 mm | CLD 23 PE |
| ELOFIT 12HCRTC400 SHORT SPIGOT STUB END 400 mm (PE100 SDR9) | 400 mm | CLD 23 PE |
| ELOFIT 12HCRTC450 SHORT SPIGOT STUB END 450 mm (PE100 SDR9) | 450 mm | CLD 23 PE |
| ELOFIT 12HCRTC500 SHORT SPIGOT STUB END 500 mm (PE100 SDR9) | 500 mm | CLD 23 PE |
| ELOFIT 12HG063 LONG SPIGOT 90° ELBOW 63 mm (PE100 SDR9) | 63 mm | CLD 23 PE |
| ELOFIT 12HG075 LONG SPIGOT 90° ELBOW 75 mm (PE100 SDR9) | 75 mm | CLD 23 PE |
| ELOFIT 12HG090 LONG SPIGOT 90° ELBOW 90 mm (PE100 SDR9) | 90 mm | CLD 23 PE |
| ELOFIT 12HG110 LONG SPIGOT 90° ELBOW 110 mm (PE100 SDR9) | 110 mm | CLD 23 PE |
| ELOFIT 12HG125 LONG SPIGOT 90° ELBOW 125 mm (PE100 SDR9) | 125 mm | CLD 23 PE |
| ELOFIT 12HG140 LONG SPIGOT 90° ELBOW 140 mm (PE100 SDR9) | 140 mm | CLD 23 PE |
| ELOFIT 12HG160 LONG SPIGOT 90° ELBOW 160 mm (PE100 SDR9) | 160 mm | CLD 23 PE |
| ELOFIT 12HG180 LONG SPIGOT 90° ELBOW 180 mm (PE100 SDR9) | 180 mm | CLD 23 PE |
| ELOFIT 12HG200 LONG SPIGOT 90° ELBOW 200 mm (PE100 SDR9) | 200 mm | CLD 23 PE |
| ELOFIT 12HG225 LONG SPIGOT 90° ELBOW 225 mm (PE100 SDR9) | 225 mm | CLD 23 PE |
| ELOFIT 12HG250 LONG SPIGOT 90° ELBOW 250 mm (PE100 SDR9) | 250 mm | CLD 23 PE |
| ELOFIT 12HG280 LONG SPIGOT 90° ELBOW 280 mm (PE100 SDR9) | 280 mm | CLD 23 PE |
| ELOFIT 12HG315 LONG SPIGOT 90° ELBOW 315 mm (PE100 SDR9) | 315 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|---------|-----------|
| ELOFIT 12HIC03 PE4710 SDR9 GOMITO 45° D.3" IPS | 3" | CLD 23 PE |
| ELOFIT 12HIC04 PE4710 SDR9 ELBOW 45° D.4" IPS | 4" | CLD 23 PE |
| ELOFIT 12HIC06 PE4710 SDR9 ELBOW 45° 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12HICRT02 PE4710 SDR 9 FLANGE ADAPTER 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12HICRT03 PE4710 SDR 9 FLANGE ADAPTER 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12HICRT04 PE4710 SDR 9 FLANGE ADAPTER 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12HICRT04D PE4710 SDR9 FLANGE ADAPTER 4" DIPS | 4" | CLD 23 PE |
| ELOFIT 12HICRT06 PE4710 SDR 9 FLANGE ADAPTER 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12HICRT06D PE4710 SDR9 FLANGE ADAPTER 6" DIPS | 6" | CLD 23 PE |
| ELOFIT 12HICRT08 PE4710 SDR 9 FLANGE ADAPTER 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12HICRT08D PE4710 SDR9 FLANGE ADAPTER 8" DIPS | 8" | CLD 23 PE |
| ELOFIT 12HICRT10 PE4710 SDR 9 FLANGE ADAPTER 10" IPS | 10" | CLD 23 PE |
| ELOFIT 12HICRT10D PE4710 SDR9 FLANGE ADAPTER 10" DIPS | 10" | CLD 23 PE |
| ELOFIT 12HICRT12 PE4710 SDR 9 FLANGE ADAPTER 12" IPS | 12" | CLD 23 PE |
| ELOFIT 12HICRT12D PE4710 SDR9 FLANGE ADAPTER 12" DIPS | 12" | CLD 23 PE |
| ELOFIT 12HICRT14 PE4710 SDR 9 FLANGE ADAPTER 14" IPS | 14" | CLD 23 PE |
| ELOFIT 12HICRT14D PE4710 SDR9 FLANGE ADAPTER 14" DIPS | 14" | CLD 23 PE |
| ELOFIT 12HICRT16 PE4710 SDR 9 FLANGE ADAPTER 16" IPS | 16" | CLD 23 PE |
| ELOFIT 12HICRT16D PE4710 SDR9 FLANGE ADAPTER 16" DIPS | 16" | CLD 23 PE |
| ELOFIT 12HICRT18 PE4710 SDR 9 FLANGE ADAPTER 18" IPS | 18" | CLD 23 PE |
| ELOFIT 12HICRT20 PE4710 SDR 9 FLANGE ADAPTER 20" IPS | 20" | CLD 23 PE |
| ELOFIT 12HICRT24 PE4710 SDR 9 FLANGE ADAPTER 24" IPS | 24" | CLD 23 PE |
| ELOFIT 12HIG02 PE4710 SDR9 ELBOW 90° 2" IPS | 2" | CLD 23 PE |
| ELOFIT 12HIG03 PE100 SDR9 BUTT FUSION 90° ELBOW 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12HIG04 PE100 SDR9 BUTT FUSION 90° ELBOW 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12HIG06 PE100 SDR9 BUTT FUSION 90° ELBOW 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12HIG08 PE100 SDR9 BUTT FUSION 90° ELBOW 8" IPS | 8" | CLD 23 PE |
| ELOFIT 12HIMJ03DSS MALE JOINT ADAPTER 3"DIPS x 3" DIPS SDR9 | 3" x 3" | CLD 23 PE |
| ELOFIT 12HIMJ03SS MALE JOINT ADAPTER 3"DIPS x 3" IPS SDR9 | 3" x 3" | CLD 23 PE |
| ELOFIT 12HIMJ04 MALE JOINT ADAPTER 4"DIPS x 4" IPS SDR9 | 4" x 4" | CLD 23 PE |
| ELOFIT 12HIMJ04D MALE JOINT ADAPTER 4"DIPS x 4" DIPS SDR9 | 4" x 4" | CLD 23 PE |
| ELOFIT 12HIMJ04DSS MALE JOINT ADAPTER 4"DIPS x 4" DIPS SDR9 | 4" x 4" | CLD 23 PE |
| ELOFIT 12HIMJ04SS MALE JOINT ADAPTER 4"DIPS x 4" IPS SDR9 | 4" x 4" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------|-----------|
| ELOFIT 12HIMJ06 MALE JOINT ADAPTER 6"DIPS x 6" IPS SDR9 | 6" x 6" | CLD 23 PE |
| ELOFIT 12HIMJ06D MALE JOINT ADAPTER 6"DIPS x 6" DIPS SDR9 | 6" x 6" | CLD 23 PE |
| ELOFIT 12HIMJ06DSS MALE JOINT ADAPTER 6"DIPS x 6" DIPS SDR9 | 6" x 6" | CLD 23 PE |
| ELOFIT 12HIMJ06SS MALE JOINT ADAPTER 6"DIPS x 6" IPS SDR9 | 6" x 6" | CLD 23 PE |
| ELOFIT 12HIMJ08 MALE JOINT ADAPTER 8"DIPS x 8" IPS SDR9 | 8" x 8" | CLD 23 PE |
| ELOFIT 12HIMJ08D MALE JOINT ADAPTER 8"DIPS x 8" DIPS SDR9 | 8" x 8" | CLD 23 PE |
| ELOFIT 12HIMJ08DSS MALE JOINT ADAPTER 8"DIPS x 8" DIPS SDR9 | 8" x 8" | CLD 23 PE |
| ELOFIT 12HIMJ08SS MALE JOINT ADAPTER 8"DIPS x 8" IPS SDR9 | 8" x 8" | CLD 23 PE |
| ELOFIT 12HIMJ10 MALE JOINT ADAPTER 10"DIPS x 10" DIPS SDR9 | 10" x 10" | CLD 23 PE |
| ELOFIT 12HIMJ10D MALE JOINT ADAPTER 10"DIPS x 10" DIPS SDR9 | 10" x 10" | CLD 23 PE |
| ELOFIT 12HIMJ10DSS MALE JOINT ADAPTER 10"DIPS x 10" DIPS SDR9 | 10" x 10" | CLD 23 PE |
| ELOFIT 12HIMJ10SS MALE JOINT ADAPTER 10"DIPS x 10" IPS SDR9 | 10" x 10" | CLD 23 PE |
| ELOFIT 12HIMJ12 MALE JOINT ADAPTER 12"DIPS x 12" IPS SDR9 | 12" x 12" | CLD 23 PE |
| ELOFIT 12HIMJ12D MALE JOINT ADAPTER 12"DIPS x 12" DIPS SDR9 | 12" x 12" | CLD 23 PE |
| ELOFIT 12HIMJ12DSS MALE JOINT ADAPTER 12"DIPS x 12" DIPS SDR9 | 12" x 12" | CLD 23 PE |
| ELOFIT 12HIMJ12SS MALE JOINT ADAPTER 12"DIPS x 12" IPS SDR9 | 12" x 12" | CLD 23 PE |
| ELOFIT 12HIMJ14 MALE JOINT ADAPTER 14"DIPS x 14" IPS SDR9 | 14" x 14" | CLD 23 PE |
| ELOFIT 12HIMJ14D MALE JOINT ADAPTER 14"DIPS x 14" DIPS SDR9 | 14" x 14" | CLD 23 PE |
| ELOFIT 12HIMJ14DSS MALE JOINT ADAPTER 14"DIPS x 14" DIPS SDR9 | 14" x 14" | CLD 23 PE |
| ELOFIT 12HIMJ14SS MALE JOINT ADAPTER 14"DIPS x 14" IPS SDR9 | 14" x 14" | CLD 23 PE |
| ELOFIT 12HIMJ16 MALE JOINT ADAPTER 16"DIPS x 16" IPS SDR9 | 16" x 16" | CLD 23 PE |
| ELOFIT 12HIMJ16D MALE JOINT ADAPTER 16"DIPS x 16" DIPS SDR9 | 16" x 16" | CLD 23 PE |
| ELOFIT 12HIMJ16DSS MALE JOINT ADAPTER 16"DIPS x 16" DIPS SDR9 | 16" x 16" | CLD 23 PE |
| ELOFIT 12HIMJ16SS MALE JOINT ADAPTER 16"DIPS x 16" IPS SDR9 | 16" x 16" | CLD 23 PE |
| ELOFIT 12HIMJ18 MALE JOINT ADAPTER 18"DIPS x 18" IPS SDR9 | 18" x 18" | CLD 23 PE |
| ELOFIT 12HIMJ18D MALE JOINT ADAPTER 18"DIPS x 18" DIPS SDR9 | 18" x 18" | CLD 23 PE |
| ELOFIT 12HIMJ20 MALE JOINT ADAPTER 20"DIPS x 20" IPS SDR9 | 20" x 20" | CLD 23 PE |
| ELOFIT 12HIMJ20D MALE JOINT ADAPTER 20"DIPS x 20" DIPS SDR9 | 20" x 20" | CLD 23 PE |
| ELOFIT 12HIMJ24 MALE JOINT ADAPTER 24"DIPS x 24" IPS SDR9 | 24" x 24" | CLD 23 PE |
| ELOFIT 12HIMJ24D MALE JOINT ADAPTER 24"DIPS x 24" DIPS SDR9 | 24" x 24" | CLD 23 PE |
| ELOFIT 12HIR0302 BUT FUSION REDUCER D. 3"IPS x 2"IPS PE100 SDR9 | 3" x 2" | CLD 23 PE |
| ELOFIT 12HIR0402 BUT FUSION REDUCER D. 4"IPS x 2"IPS PE100 SDR9 | 4" x 2" | CLD 23 PE |
| ELOFIT 12HIR0403 BUT FUSION REDUCER D. 4"IPS x 3"IPS PE100 SDR9 | 4" x 3" | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12HIR0604 BUT FUSION REDUCER D. 6"IPS x 4"IPS PE100 SDR9 | 6" x 4" | CLD 23 PE |
| ELOFIT 12HIR0804 BUT FUSION REDUCER D. 8"IPS x 4"IPS PE100 SDR9 | 8" x 4" | CLD 23 PE |
| ELOFIT 12HIR0806 BUT FUSION REDUCER D. 8"IPS x 6"IPS PE100 SDR9 | 8" x 6" | CLD 23 PE |
| ELOFIT 12HIR1006 BUT FUSION REDUCER D. 10"IPS x 6"IPS PE100 SDR9 | 10" x 6" | CLD 23 PE |
| ELOFIT 12HIR1008 BUT FUSION REDUCER D. 10"IPS x 8"IPS PE100 SDR9 | 10" x 8" | CLD 23 PE |
| ELOFIT 12HIR1206 BUT FUSION REDUCER D. 12"IPS x 6"IPS PE100 SDR9 | 12" x 6" | CLD 23 PE |
| ELOFIT 12HIR1208 BUT FUSION REDUCER D. 12"IPS x 8"IPS PE100 SDR9 | 12" x 8" | CLD 23 PE |
| ELOFIT 12HIT03 PE100 SDR9 BUTT FUSION TEE 3" IPS | 3" | CLD 23 PE |
| ELOFIT 12HIT04 PE100 SDR9 BUTT FUSION TEE 4" IPS | 4" | CLD 23 PE |
| ELOFIT 12HIT06 PE100 SDR9 BUTT FUSION TEE 6" IPS | 6" | CLD 23 PE |
| ELOFIT 12HRD1163 LONG SPIGOT REDUCER 110 x 63 mm (PE100 SDR9) | 110 mm x 63 mm | CLD 23 PE |
| ELOFIT 12HRD1175 LONG SPIGOT REDUCER 110 x 75 mm (PE100 SDR9) | 110 mm x 75 mm | CLD 23 PE |
| ELOFIT 12HRD1190 LONG SPIGOT REDUCER 110 x 90 mm (PE100 SDR9) | 110 mm x 90 mm | CLD 23 PE |
| ELOFIT 12HRD1211 LONG SPIGOT REDUCER 125 x 110 mm (PE100 SDR9) | 125 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HRD1263 LONG SPIGOT REDUCER 125 x 63 mm (PE100 SDR9) | 125 mm x 63 mm | CLD 23 PE |
| ELOFIT 12HRD1275 LONG SPIGOT REDUCER 125 x 75 mm (PE100 SDR9) | 125 mm x 75 mm | CLD 23 PE |
| ELOFIT 12HRD1290 LONG SPIGOT REDUCER 125 x 90 mm (PE100 SDR9) | 125 mm x 90 mm | CLD 23 PE |
| ELOFIT 12HRD1411 LONG SPIGOT REDUCER 140 x 110 mm (PE100 SDR9) | 140 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HRD1412 LONG SPIGOT REDUCER 140 x 125 mm (PE100 SDR9) | 140 mm x 125 mm | CLD 23 PE |
| ELOFIT 12HRD1490 LONG SPIGOT REDUCER 140 x 90 mm (PE100 SDR9) | 140 mm x 90 mm | CLD 23 PE |
| ELOFIT 12HRD1611 LONG SPIGOT REDUCER 160 x 110 mm (PE100 SDR9) | 160 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HRD1612 LONG SPIGOT REDUCER 160 x 125 mm (PE100 SDR9) | 160 mm x 125 mm | CLD 23 PE |
| ELOFIT 12HRD1614 LONG SPIGOT REDUCER 160 x 140 mm (PE100 SDR9) | 160 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HRD1690 LONG SPIGOT REDUCER 160 x 90 mm (PE100 SDR9) | 160 mm x 90 mm | CLD 23 PE |
| ELOFIT 12HRD1812 LONG SPIGOT REDUCER 180 x 125 mm (PE100 SDR9) | 180 mm x 125 mm | CLD 23 PE |
| ELOFIT 12HRD1814 LONG SPIGOT REDUCER 180 x 140 mm (PE100 SDR9) | 180 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HRD1816 LONG SPIGOT REDUCER 180 x 160 mm (PE100 SDR9) | 180 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HRD2014 LONG SPIGOT REDUCER 200 x 140 mm (PE100 SDR9) | 200 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HRD2016 LONG SPIGOT REDUCER 200 x 160 mm (PE100 SDR9) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HRD2018 LONG SPIGOT REDUCER 200 x 180 mm (PE100 SDR9) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HRD2216 LONG SPIGOT REDUCER 225 x 160 mm (PE100 SDR9) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HRD2218 LONG SPIGOT REDUCER 225 x 180 mm (PE100 SDR9) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HRD2220 LONG SPIGOT REDUCER 225 x 200 mm (PE100 SDR9) | 225 mm x 200 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|-----------------|-----------|
| ELOFIT 12HRD2518 LONG SPIGOT REDUCER 250 x 180 mm (PE100 SDR9) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HRD2520 LONG SPIGOT REDUCER 250 x 200 mm (PE100 SDR9) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HRD2522 LONG SPIGOT REDUCER 250 x 225 mm (PE100 SDR9) | 250 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HRD2820 LONG SPIGOT REDUCER 280 x 200 mm (PE100 SDR9) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HRD2822 LONG SPIGOT REDUCER 280 x 225 mm (PE100 SDR9) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HRD2825 LONG SPIGOT REDUCER 280 x 250 mm (PE100 SDR9) | 280 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HRD3125 LONG SPIGOT REDUCER 315 x 250 mm (PE100 SDR9) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HRD3128 LONG SPIGOT REDUCER 315 x 280 mm (PE100 SDR9) | 315 mm x 280 mm | CLD 23 PE |
| ELOFIT 12HRD3528 LONG SPIGOT REDUCER 355 x 280 mm (PE100 SDR9) | 355 mm x 280 mm | CLD 23 PE |
| ELOFIT 12HRD3531 LONG SPIGOT REDUCER 355 x 315 mm (PE100 SDR9) | 355 mm x 315 mm | CLD 23 PE |
| ELOFIT 12HRD4031 LONG SPIGOT REDUCER 400 x 315 mm (PE100 SDR9) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12HRD4035 LONG SPIGOT REDUCER 400 x 355 mm (PE100 SDR9) | 400 mm x 355 mm | CLD 23 PE |
| ELOFIT 12HRD6332 LONG SPIGOT REDUCER 63 x 32 mm (PE100 SDR9) | 63 mm x 32 mm | CLD 23 PE |
| ELOFIT 12HRD6340 LONG SPIGOT REDUCER 63 x 40 mm (PE100 SDR9) | 63 mm x 40 mm | CLD 23 PE |
| ELOFIT 12HRD6350 LONG SPIGOT REDUCER 63 x 50 mm (PE100 SDR9) | 63 mm x 50 mm | CLD 23 PE |
| ELOFIT 12HRD7563 LONG SPIGOT REDUCER 75 x 63 mm (PE100 SDR9) | 75 mm x 63 mm | CLD 23 PE |
| ELOFIT 12HRD9050 LONG SPIGOT REDUCER 90 x 50 mm (PE100 SDR9) | 90 mm x 50 mm | CLD 23 PE |
| ELOFIT 12HRD9063 LONG SPIGOT REDUCER 90 x 63 mm (PE100 SDR9) | 90 mm x 63 mm | CLD 23 PE |
| ELOFIT 12HRD9075 LONG SPIGOT REDUCER 90 x 75 mm (PE100 SDR9) | 90 mm x 75 mm | CLD 23 PE |
| ELOFIT 12HRDC2016 SHORT SPIGOT REDUCER 200 x 160 mm (PE100 SDR9) | 200 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HRDC2018 SHORT SPIGOT REDUCER 200 x 180 mm (PE100 SDR9) | 200 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HRDC2216 SHORT SPIGOT REDUCER 225 x 160 mm (PE100 SDR9) | 225 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HRDC2218 SHORT SPIGOT REDUCER 225 x 180 mm (PE100 SDR9) | 225 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HRDC2220 SHORT SPIGOT REDUCER 225 x 200 mm (PE100 SDR9) | 225 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HRDC2518 SHORT SPIGOT REDUCER 250 x 180 mm (PE100 SDR9) | 250 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HRDC2520 SHORT SPIGOT REDUCER 250 x 200 mm (PE100 SDR9) | 250 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HRDC2522 SHORT SPIGOT REDUCER 250 x 225 mm (PE100 SDR9) | 250 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HRDC2820 SHORT SPIGOT REDUCER 280 x 200 mm (PE100 SDR9) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HRDC2822 SHORT SPIGOT REDUCER 280 x 225 mm (PE100 SDR9) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HRDC2825 SHORT SPIGOT REDUCER 280 x 250 mm (PE100 SDR9) | 280 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HRDC3122 SHORT SPIGOT REDUCER 315 x 225 mm (PE100 SDR9) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HRDC3125 SHORT SPIGOT REDUCER 315 x 250 mm (PE100 SDR9) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HRDC3128 SHORT SPIGOT REDUCER 315 x 280 mm (PE100 SDR9) | 315 mm x 280 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12HRDC3525 SHORT SPIGOT REDUCER 355 x 250 mm (PE100 SDR9) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HRDC3528 SHORT SPIGOT REDUCER 355 x 280 mm (PE100 SDR9) | 355 mm x 280 mm | CLD 23 PE |
| ELOFIT 12HRDC3531 SHORT SPIGOT REDUCER 355 x 315 mm (PE100 SDR9) | 355 mm x 315 mm | CLD 23 PE |
| ELOFIT 12HRDC4028 SHORT SPIGOT REDUCER 400 x 280 mm (PE100 SDR9) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12HRDC4031 SHORT SPIGOT REDUCER 400 x 315 mm (PE100 SDR9) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12HRDC4035 SHORT SPIGOT REDUCER 400 x 355 mm (PE100 SDR9) | 400 mm x 355 mm | CLD 23 PE |
| ELOFIT 12HRDC4531 SHORT SPIGOT REDUCER 450 x 315 mm (PE100 SDR9) | 450 mm x 315 mm | CLD 23 PE |
| ELOFIT 12HRDC4535 SHORT SPIGOT REDUCER 450 x 355 mm (PE100 SDR9) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12HRDC4540 SHORT SPIGOT REDUCER 450 x 400 mm (PE100 SDR9) | 450 mm x 400 mm | CLD 23 PE |
| ELOFIT 12HRDC5035 SHORT SPIGOT REDUCER 500 x 355 mm (PE100 SDR9) | 500 mm x 355 mm | CLD 23 PE |
| ELOFIT 12HRDC5040 SHORT SPIGOT REDUCER 500 x 400 mm (PE100 SDR9) | 500 mm x 400 mm | CLD 23 PE |
| ELOFIT 12HRDC5045 SHORT SPIGOT REDUCER 500 x 450 mm (PE100 SDR9) | 500 mm x 450 mm | CLD 23 PE |
| ELOFIT 12HT063 LONG SPIGOT 90° TEE 63 mm (PE100 SDR9) | 63 mm | CLD 23 PE |
| ELOFIT 12HT075 LONG SPIGOT 90° TEE 75 mm (PE100 SDR9) | 75 mm | CLD 23 PE |
| ELOFIT 12HT090 LONG SPIGOT 90° TEE 90 mm (PE100 SDR9) | 90 mm | CLD 23 PE |
| ELOFIT 12HT110 LONG SPIGOT 90° TEE 110 mm (PE100 SDR9) | 110 mm | CLD 23 PE |
| ELOFIT 12HT125 LONG SPIGOT 90° TEE 125 mm (PE100 SDR9) | 125 mm | CLD 23 PE |
| ELOFIT 12HT140 LONG SPIGOT 90° TEE 140 mm (PE100 SDR9) | 140 mm | CLD 23 PE |
| ELOFIT 12HT160 LONG SPIGOT 90° TEE 160 mm (PE100 SDR9) | 160 mm | CLD 23 PE |
| ELOFIT 12HT180 LONG SPIGOT 90° TEE 180 mm (PE100 SDR9) | 180 mm | CLD 23 PE |
| ELOFIT 12HT200 LONG SPIGOT 90° TEE 200 mm (PE100 SDR9) | 200 mm | CLD 23 PE |
| ELOFIT 12HT225 LONG SPIGOT 90° TEE 225 mm (PE100 SDR9) | 225 mm | CLD 23 PE |
| ELOFIT 12HT250 LONG SPIGOT 90° TEE 250 mm (PE100 SDR9) | 250 mm | CLD 23 PE |
| ELOFIT 12HT280 LONG SPIGOT 90° TEE 280 mm (PE100 SDR9) | 280 mm | CLD 23 PE |
| ELOFIT 12HT315 LONG SPIGOT 90° TEE 315 mm (PE100 SDR9) | 315 mm | CLD 23 PE |
| ELOFIT 12HTM355 LONG SPIGOT 90° TEE 355 mm (PE100 SDR9) | 355 mm | CLD 23 PE |
| ELOFIT 12HTM400 LONG SPIGOT 90° TEE 400 mm (PE100 SDR9) | 400 mm | CLD 23 PE |
| ELOFIT 12HTM450 LONG SPIGOT 90° TEE 450 mm (PE100 SDR9) | 450 mm | CLD 23 PE |
| ELOFIT 12HTMC355 SHORT SPIGOT 90° TEE 355 mm (PE100 SDR9) | 355 mm | CLD 23 PE |
| ELOFIT 12HTMC400 SHORT SPIGOT 90° TEE 400 mm (PE100 SDR9) | 400 mm | CLD 23 PE |
| ELOFIT 12HTMC450 SHORT SPIGOT 90° TEE 450 mm (PE100 SDR9) | 450 mm | CLD 23 PE |
| ELOFIT 12HTRMC2811 SHORT SPIGOT REDUCING TEE 280 x 110 mm (PE100 SDR9) | 280 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HTRMC2812 SHORT SPIGOT REDUCING TEE 280 x 125 mm (PE100 SDR9) | 280 mm x 125 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12HTRMC2814 SHORT SPIGOT REDUCING TEE 280 x 140 mm (PE100 SDR9) | 280 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HTRMC2816 SHORT SPIGOT REDUCING TEE 280 x 160 mm (PE100 SDR9) | 280 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HTRMC2818 SHORT SPIGOT REDUCING TEE 280 x 180 mm (PE100 SDR9) | 280 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HTRMC2820 SHORT SPIGOT REDUCING TEE 280 x 200 mm (PE100 SDR9) | 280 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HTRMC2822 SHORT SPIGOT REDUCING TEE 280 x 225 mm (PE100 SDR9) | 280 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HTRMC2863 SHORT SPIGOT REDUCING TEE 280 x 63 mm (PE100 SDR9) | 280 mm x 63 mm | CLD 23 PE |
| ELOFIT 12HTRMC2875 SHORT SPIGOT REDUCING TEE 280 x 75 mm (PE100 SDR9) | 280 mm x 75 mm | CLD 23 PE |
| ELOFIT 12HTRMC2890 SHORT SPIGOT REDUCING TEE 280 x 90 mm (PE100 SDR9) | 280 mm x 90 mm | CLD 23 PE |
| ELOFIT 12HTRMC3111 SHORT SPIGOT REDUCING TEE 315 x 110 mm (PE100 SDR9) | 315 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HTRMC3112 SHORT SPIGOT REDUCING TEE 315 x 125 mm (PE100 SDR9) | 315 mm x 125 mm | CLD 23 PE |
| ELOFIT 12HTRMC3114 SHORT SPIGOT REDUCING TEE 315 x 140 mm (PE100 SDR9) | 315 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HTRMC3116 SHORT SPIGOT REDUCING TEE 315 x 160 mm (PE100 SDR9) | 315 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HTRMC3118 SHORT SPIGOT REDUCING TEE 315 x 180 mm (PE100 SDR9) | 315 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HTRMC3120 SHORT SPIGOT REDUCING TEE 315 x 200 mm (PE100 SDR9) | 315 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HTRMC3122 SHORT SPIGOT REDUCING TEE 315 x 225 mm (PE100 SDR9) | 315 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HTRMC3125 SHORT SPIGOT REDUCING TEE 315 x 250 mm (PE100 SDR9) | 315 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HTRMC3163 SHORT SPIGOT REDUCING TEE 315 x 63 mm (PE100 SDR9) | 315 mm x 63 mm | CLD 23 PE |
| ELOFIT 12HTRMC3175 SHORT SPIGOT REDUCING TEE 315 x 75 mm (PE100 SDR9) | 315 mm x 75 mm | CLD 23 PE |
| ELOFIT 12HTRMC3190 SHORT SPIGOT REDUCING TEE 315 x 90 mm (PE100 SDR9) | 315 mm x 90 mm | CLD 23 PE |
| ELOFIT 12HTRMC3511 SHORT SPIGOT REDUCING TEE 355 x 110 mm (PE100 SDR9) | 355 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HTRMC3512 SHORT SPIGOT REDUCING TEE 355 x 125 mm (PE100 SDR9) | 355 mm x 125 mm | CLD 23 PE |
| ELOFIT 12HTRMC3514 SHORT SPIGOT REDUCING TEE 355 x 140 mm (PE100 SDR9) | 355 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HTRMC3516 SHORT SPIGOT REDUCING TEE 355 x 160 mm (PE100 SDR9) | 355 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HTRMC3518 SHORT SPIGOT REDUCING TEE 355 x 180 mm (PE100 SDR9) | 355 mm x 180 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|-----------|
| ELOFIT 12HTRMC3520 SHORT SPIGOT REDUCING TEE 355 x 200 mm (PE100 SDR9) | 355 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HTRMC3522 SHORT SPIGOT REDUCING TEE 355 x 225 mm (PE100 SDR9) | 355 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HTRMC3525 SHORT SPIGOT REDUCING TEE 355 x 250 mm (PE100 SDR9) | 355 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HTRMC3590 SHORT SPIGOT REDUCING TEE 355 x 90 mm (PE100 SDR9) | 355 mm x 90 mm | CLD 23 PE |
| ELOFIT 12HTRMC4011 SHORT SPIGOT REDUCING TEE 400 x 110 mm (PE100 SDR9) | 400 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HTRMC4012 SHORT SPIGOT REDUCING TEE 400 x 125 mm (PE100 SDR9) | 400 mm x 125 mm | CLD 23 PE |
| ELOFIT 12HTRMC4014 SHORT SPIGOT REDUCING TEE 400 x 140 mm (PE100 SDR9) | 400 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HTRMC4016 SHORT SPIGOT REDUCING TEE 400 x 160 mm (PE100 SDR9) | 400 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HTRMC4018 SHORT SPIGOT REDUCING TEE 400 x 180 mm (PE100 SDR9) | 400 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HTRMC4020 SHORT SPIGOT REDUCING TEE 400 x 200 mm (PE100 SDR9) | 400 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HTRMC4022 SHORT SPIGOT REDUCING TEE 400 x 225 mm (PE100 SDR9) | 400 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HTRMC4025 SHORT SPIGOT REDUCING TEE 400 x 250 mm (PE100 SDR9) | 400 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HTRMC4028 SHORT SPIGOT REDUCING TEE 400 x 280 mm (PE100 SDR9) | 400 mm x 280 mm | CLD 23 PE |
| ELOFIT 12HTRMC4031 SHORT SPIGOT REDUCING TEE 400 x 315 mm (PE100 SDR9) | 400 mm x 315 mm | CLD 23 PE |
| ELOFIT 12HTRMC4511 SHORT SPIGOT REDUCING TEE 450 x 110 mm (PE100 SDR9) | 450 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HTRMC4512 SHORT SPIGOT REDUCING TEE 450 x 125 mm (PE100 SDR9) | 450 mm x 125 mm | CLD 23 PE |
| ELOFIT 12HTRMC4514 SHORT SPIGOT REDUCING TEE 450 x 140 mm (PE100 SDR9) | 450 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HTRMC4516 SHORT SPIGOT REDUCING TEE 450 x 160 mm (PE100 SDR9) | 450 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HTRMC4518 SHORT SPIGOT REDUCING TEE 450 x 180 mm (PE100 SDR9) | 450 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HTRMC4520 SHORT SPIGOT REDUCING TEE 450 x 200 mm (PE100 SDR9) | 450 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HTRMC4522 SHORT SPIGOT REDUCING TEE 450 x 225 mm (PE100 SDR9) | 450 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HTRMC4525 SHORT SPIGOT REDUCING TEE 450 x 250 mm (PE100 SDR9) | 450 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HTRMC4528 SHORT SPIGOT REDUCING TEE 450 x 280 mm (PE100 SDR9) | 450 mm x 280 mm | CLD 23 PE |
| ELOFIT 12HTRMC4531 SHORT SPIGOT REDUCING TEE 450 x 315 mm (PE100 SDR9) | 450 mm x 315 mm | CLD 23 PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----------------|---------------|
| ELOFIT 12HTRMC4535 SHORT SPIGOT REDUCING TEE 450 x 355 mm (PE100 SDR9) | 450 mm x 355 mm | CLD 23 PE |
| ELOFIT 12HTRMC5011 SHORT SPIGOT REDUCING TEE 500 x 110 mm (PE100 SDR9) | 500 mm x 110 mm | CLD 23 PE |
| ELOFIT 12HTRMC5012 SHORT SPIGOT REDUCING TEE 500 x 125 mm (PE100 SDR9) | 500 mm x 125 mm | CLD 23 PE |
| ELOFIT 12HTRMC5014 SHORT SPIGOT REDUCING TEE 500 x 140 mm (PE100 SDR9) | 500 mm x 140 mm | CLD 23 PE |
| ELOFIT 12HTRMC5016 SHORT SPIGOT REDUCING TEE 500 x 160 mm (PE100 SDR9) | 500 mm x 160 mm | CLD 23 PE |
| ELOFIT 12HTRMC5018 SHORT SPIGOT REDUCING TEE 500 x 180 mm (PE100 SDR9) | 500 mm x 180 mm | CLD 23 PE |
| ELOFIT 12HTRMC5020 SHORT SPIGOT REDUCING TEE 500 x 200 mm (PE100 SDR9) | 500 mm x 200 mm | CLD 23 PE |
| ELOFIT 12HTRMC5022 SHORT SPIGOT REDUCING TEE 500 x 225 mm (PE100 SDR9) | 500 mm x 225 mm | CLD 23 PE |
| ELOFIT 12HTRMC5025 SHORT SPIGOT REDUCING TEE 500 x 250 mm (PE100 SDR9) | 500 mm x 250 mm | CLD 23 PE |
| ELOFIT 12HTRMC5028 SHORT SPIGOT REDUCING TEE 500 x 280 mm (PE100 SDR9) | 500 mm x 280 mm | CLD 23 PE |
| ELOFIT 12HTRMC5031 SHORT SPIGOT REDUCING TEE 500 x 315 mm (PE100 SDR9) | 500 mm x 315 mm | CLD 23 PE |
| ELOFIT 12HTRMC5035 SHORT SPIGOT REDUCING TEE 500 x 355 mm (PE100 SDR9) | 500 mm x 355 mm | CLD 23 PE |
| Niron 27NBRF20 1/2" x 1/2" All- Plastic Unions with Socket Fusion Ends | 1/2" x 1/2" | C. HOT PP-RCT |
| Niron 27NBRF25 3/4" x 3/4" All- Plastic Unions with Socket Fusion Ends | 3/4" x 3/4" | C. HOT PP-RCT |
| Niron 27NBRF32 1" x 1" All-Plastic Unions with Socket Fusion Ends | 1" x 1" | C. HOT PP-RCT |
| Niron 27NBRF40 1 1/4" x 1 1/4" All- Plastic Unions with Socket Fusion Ends | 1 1/4" x 1 1/4" | C. HOT PP-RCT |
| Niron 27NC2251190MML PP-RCT SDR11 22.5° 3" Long Elbow | 3" | C. HOT PP-RCT |
| Niron 27NC45110 3 1/2" Socket Fusion 45° Elbow | 3 1/2" | C. HOT PP-RCT |
| Niron 27NC4511110MM 3 1/2" Butt Weld 45° Elbow - Long Spigot (SDR 11) | 3 1/2" | C. HOT PP-RCT |
| Niron 27NC4511125MM 4" Butt Weld 45° Elbow - Long Spigot (SDR 11) | 4" | C. HOT PP-RCT |
| Niron 27NC4511125MM 4" SDR11 45° Elbow - Long Spigot | 4" | C. HOT PP-RCT |
| Niron 27NC4511160MM 6" Butt Weld 45° Elbow - Long Spigot (SDR 11) | 6" | C. HOT PP-RCT |
| Niron 27NC4511160MM 6" SDR11 45° Elbow - Long Spigot | 6" | C. HOT PP-RCT |
| Niron 27NC4511200MM 8" Butt Weld 45° Elbow - Long Spigot (SDR 11) | 8" | C. HOT PP-RCT |
| Niron 27NC4511200MM 8" SDR11 45° Elbow - Long Spigot | 8" | C. HOT PP-RCT |
| Niron 27NC4511250MM 10" Butt Weld 45° Elbow - Long Spigot (SDR 11) | 10" | C. HOT PP-RCT |
| Niron 27NC4511250MM 10" SDR11 45° Elbow - Long Spigot | 10" | C. HOT PP-RCT |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------|---------------|
| Niron 27NC4511250MM2 10" SDR11 45° Elbow - Long Spigot(2 Segm Fitt) | 10" | C. HOT PP-RCT |
| Niron 27NC4511315MM 12" Butt Weld 45° Elbow - Long Spigot (SDR 11) | 12" | C. HOT PP-RCT |
| Niron 27NC4511315MM2 12" SDR11 45° Elbow - Long Spigot (2 Segmented Fitt) | 12" | C. HOT PP-RCT |
| Niron 27NC4511315MMA 12" 45° Elbow - Long Spigot SDR 11 | 12" | C. HOT PP-RCT |
| Niron 27NC4511315MMA 12" SDR11 45° Elbow - Long Spigot | 12" | C. HOT PP-RCT |
| Niron 27NC4511315MMB 12" 45° Elbow - Long Spigot (Segmented Fitting) SDR 11 | 12" | C. HOT PP-RCT |
| Niron 27NC4511315MMB 12" SDR11 45° Elbow - Long Spigot (Segmented Fitt) | 12" | C. HOT PP-RCT |
| Niron 27NC4511355MM 14" Segmented 45° Elbow - Long Spigot (SDR 11) | 14" | C. HOT PP-RCT |
| Niron 27NC4511355MM2 14" SDR11 45° Elbow-Long Spigot(2 Segm Fitt) | 14" | C. HOT PP-RCT |
| Niron 27NC4511355MMB 14" 45° Elbow - Long Spigot (Segmented Fitting) SDR 12 | 14" | C. HOT PP-RCT |
| Niron 27NC4511355MMB 14" SDR11 45° Elbow - Long Spigot (Segmented Fitt) | 14" | C. HOT PP-RCT |
| Niron 27NC4511355MMC 14" 45° Elbow - Long Spigot (Injected Alongated) SDR 11 | 14" | C. HOT PP-RCT |
| Niron 27NC4511400MM 16" Segmented 45° Elbow - Long Spigot (SDR 11) | 16" | C. HOT PP-RCT |
| Niron 27NC4511400MMB 16" 45° Elbow - Long Spigot (Segmented Fitting) SDR 13 | 16" | C. HOT PP-RCT |
| Niron 27NC4511400MMB 16" SDR11 45° Elbow - Long Spigot (Segmented Fitt) | 16" | C. HOT PP-RCT |
| Niron 27NC4511400MMC 16" 45° Elbow - Long Spigot (Injected Alongated) SDR 12 | 16" | C. HOT PP-RCT |
| Niron 27NC4511450MM 18" Segmented 45° Elbow - Long Spigot (SDR 11) | 18" | C. HOT PP-RCT |
| Niron 27NC4511450MMB 18" 45° Elbow - Long Spigot (Segmented Fitting) SDR 14 | 18" | C. HOT PP-RCT |
| Niron 27NC4511450MMC 18" 45° Elbow - Long Spigot (Injected Alongated) SDR 13 | 18" | C. HOT PP-RCT |
| Niron 27NC4511500MM 20" Segmented 45° Elbow - Long Spigot (SDR 11) | 20" | C. HOT PP-RCT |
| Niron 27NC4511500MMB 20" 45° Elbow - Long Spigot (Segmented Fitting) SDR 15 | 20" | C. HOT PP-RCT |
| Niron 27NC451163MM 2" Butt Weld 45° Elbow - Long Spigot (SDR 11) | 2" | C. HOT PP-RCT |
| Niron 27NC451175MM 2 1/2" SDR11 45° Elbow - Long Spigot | 2 1/2" | C. HOT PP-RCT |
| Niron 27NC451190MM 3" Butt Weld 45° Elbow - Long Spigot (SDR 11) | 3" | C. HOT PP-RCT |
| Niron 27NC45125 4" Socket Fusion 45° Elbow | 4" | C. HOT PP-RCT |
| Niron 27NC4517110MM 3 1/2" Butt Weld 45° Elbow - Long Spigot (SDR 17) | 3 1/2" | C. HOT PP-RCT |
| Niron 27NC4517110MM 3 1/2" SDR17 45° Elbow - Long Spigot | 3 1/2" | C. HOT PP-RCT |
| Niron 27NC4517125MM 4" Butt Weld 45° Elbow - Long Spigot (SDR 17) | 4" | C. HOT PP-RCT |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|-----|---------------|
| Niron 27NC4517125MM 4" SDR17 45° Elbow - Long Spigot | 4" | C. HOT PP-RCT |
| Niron 27NC4517160MM 6" Butt Weld 45° Elbow - Long Spigot (SDR 17) | 6" | C. HOT PP-RCT |
| Niron 27NC4517160MM 6" SDR17 45° Elbow - Long Spigot | 6" | C. HOT PP-RCT |
| Niron 27NC4517200MM 8" Butt Weld 45° Elbow - Long Spigot (SDR 17) | 8" | C. HOT PP-RCT |
| Niron 27NC4517200MM 8" SDR17 45° Elbow - Long Spigot | 8" | C. HOT PP-RCT |
| Niron 27NC4517250MM 10" Butt Weld 45° Elbow - Long Spigot (SDR 17) | 10" | C. HOT PP-RCT |
| Niron 27NC4517250MM 10" SDR17 45° Elbow - Long Spigot | 10" | C. HOT PP-RCT |
| Niron 27NC4517315MM 12" Butt Weld 45° Elbow - Long Spigot (SDR 17) | 12" | C. HOT PP-RCT |
| Niron 27NC4517315MMA 12" 45° Elbow - Long Spigot SDR 17 | 12" | C. HOT PP-RCT |
| Niron 27NC4517315MMA 12" SDR17 45° Elbow - Long Spigot | 12" | C. HOT PP-RCT |
| Niron 27NC4517315MMB 12" 45° Elbow - Long Spigot (Segmented Fitting) SDR 17 | 12" | C. HOT PP-RCT |
| Niron 27NC4517315MMB 12" SDR17 45° Elbow - Long Spigot (Segmented Fitt) | 12" | C. HOT PP-RCT |
| Niron 27NC4517355MM 14" Segmented 45° Elbow - Long Spigot (SDR 17) | 14" | C. HOT PP-RCT |
| Niron 27NC4517355MMB 14" 45° Elbow - Long Spigot (Segmented Fitting) SDR 18 | 14" | C. HOT PP-RCT |
| Niron 27NC4517355MMB 14" SDR17 45° Elbow - Long Spigot (Segmented Fitt) | 14" | C. HOT PP-RCT |
| Niron 27NC4517355MMC 14" 45° Elbow - Long Spigot (Injected Alongated) SDR 17 | 14" | C. HOT PP-RCT |
| Niron 27NC4517355MMC 14" SDR17 45°Elbow-Long Spigot (Injected Alongated) | 14" | C. HOT PP-RCT |
| Niron 27NC4517400MM 16" Segmented 45° Elbow - Long Spigot (SDR 17) | 16" | C. HOT PP-RCT |
| Niron 27NC4517400MMB 16" 45° Elbow - Long Spigot (Segmented Fitting) SDR 19 | 16" | C. HOT PP-RCT |
| Niron 27NC4517400MMB 16" SDR17 45° Elbow - Long Spigot (Segmented Fitt) | 16" | C. HOT PP-RCT |
| Niron 27NC4517400MMC 16" 45° Elbow - Long Spigot (Injected Alongated) SDR 18 | 16" | C. HOT PP-RCT |
| Niron 27NC4517400MMC 16" SDR17 45°Elbow-Long Spigot(Injected Alongated) | 16" | C. HOT PP-RCT |
| Niron 27NC4517450MM 18" Segmented 45° Elbow - Long Spigot (SDR 17) | 18" | C. HOT PP-RCT |
| Niron 27NC4517450MMB 18" 45° Elbow - Long Spigot (Segmented Fitting) SDR 20 | 18" | C. HOT PP-RCT |
| Niron 27NC4517450MMC 18" 45° Elbow - Long Spigot (Injected Alongated) SDR 19 | 18" | C. HOT PP-RCT |
| Niron 27NC4517500MM 20" Segmented 45° Elbow - Long Spigot (SDR 17) | 20" | C. HOT PP-RCT |
| Niron 27NC4517500MMB 20" 45° Elbow - Long Spigot (Segmented Fitting) SDR 21 | 20" | C. HOT PP-RCT |
| Niron 27NC4517500MMB 20" SDR17 45° Elbow - Long Spigot (Segmented Fitt) | 20" | C. HOT PP-RCT |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------|---------------|
| Niron 27NC4517560MM 22" Segmented 45° Elbow - Long Spigot (SDR 17) | 22" | C. HOT PP-RCT |
| Niron 27NC4517560MMB 22" 45° Elbow - Long Spigot (Segmented Fitting) SDR 22 | 22" | C. HOT PP-RCT |
| Niron 27NC4517560MMB 22" SDR17 45° Elbow - Long Spigot (Segmented Fitt) | 22" | C. HOT PP-RCT |
| Niron 27NC4517630MM 24" Segmented 45° Elbow - Long Spigot (SDR 17) | 24" | C. HOT PP-RCT |
| Niron 27NC4517630MMB 24" 45° Elbow - Long Spigot (Segmented Fitting) SDR 23 | 24" | C. HOT PP-RCT |
| Niron 27NC4517630MMB 24" SDR17 45° Elbow - Long Spigot (Segmented Fitt) | 24" | C. HOT PP-RCT |
| Niron 27NC451763MM 2" Butt Weld 45° Elbow - Long Spigot (SDR 17) | 2" | C. HOT PP-RCT |
| Niron 27NC451763MM 2" SDR17 45° Elbow - Long Spigot | 2" | C. HOT PP-RCT |
| Niron 27NC451775MM 2 1/2" SDR17 45° Elbow - Long Spigot | 2 1/2" | C. HOT PP-RCT |
| Niron 27NC451790MM 3" Butt Weld 45° Elbow - Long Spigot (SDR 17) | 3" | C. HOT PP-RCT |
| Niron 27NC451790MM 3" SDR17 45° Elbow - Long Spigot | 3" | C. HOT PP-RCT |
| Niron 27NC4520 1/2" Socket Fusion 45° Elbow | 1/2" | C. HOT PP-RCT |
| Niron 27NC4525 3/4" Socket Fusion 45° Elbow | 3/4" | C. HOT PP-RCT |
| Niron 27NC4532 1" Socket Fusion 45° Elbow | 1" | C. HOT PP-RCT |
| Niron 27NC4540 1 1/4" Socket Fusion 45° Elbow | 1 1/4" | C. HOT PP-RCT |
| Niron 27NC4550 1 1/2" Socket Fusion 45° Elbow | 1 1/2" | C. HOT PP-RCT |
| Niron 27NC4563 2" Socket Fusion 45° Elbow | 2" | C. HOT PP-RCT |
| Niron 27NC4573110MM 3 1/2" 45° Elbow - Long Spigot SDR 7.6 | 3 1/2" | C. HOT PP-RCT |
| Niron 27NC4573125MM 4" 45° Elbow - Long Spigot SDR 7.7 | 4" | C. HOT PP-RCT |
| Niron 27NC4573125MM 4" SDR7,3 45° Elbow-Long Spigot | 4" | C. HOT PP-RCT |
| Niron 27NC4573160MM 6" 45° Elbow - Long Spigot SDR 7.8 | 6" | C. HOT PP-RCT |
| Niron 27NC4573160MMB 6" SDR7,3 45° Elbow-Long Spigot (Segm Fitt) | 6" | C. HOT PP-RCT |
| Niron 27NC4573200MMB 8" 45° Elbow - Long Spigot (Segmented Fitting) SDR 7.3 | 8" | C. HOT PP-RCT |
| Niron 27NC4573200MMB 8" SDR7,3 45° Elbow-Long Spigot (Segm Fitt) | 8" | C. HOT PP-RCT |
| Niron 27NC4573250MMB 10" 45° Elbow - Long Spigot (Segmented Fitting) SDR 7.4 | 10" | C. HOT PP-RCT |
| Niron 27NC4573250MMB 10" SDR7,3 45° Elbow-Long Spigot (Segm Fitt) | 10" | C. HOT PP-RCT |
| Niron 27NC4573315MM2 12" SDR7,3 45° Elbow-Long Spigot (2Segm Fitt) | 12" | C. HOT PP-RCT |
| Niron 27NC4573315MMB 12" 45° Elbow - Long Spigot (Segmented Fitting) SDR 7.5 | 12" | C. HOT PP-RCT |
| Niron 27NC4573315MMB 12" SDR7,3 45° Elbow-Long Spigot (Segm Fitt) | 12" | C. HOT PP-RCT |
| Niron 27NC4573355MMB 14" 45° Elbow - Long Spigot (Segmented Fitting) SDR 7.6 | 14" | C. HOT PP-RCT |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|--|--------|---------------|
| Niron 27NC457363MM 2" 45° Elbow - Long Spigot SDR 7.3 | 2" | C. HOT PP-RCT |
| Niron 27NC457363MM 2" SDR7,3 45° Elbow-Long Spigot | 2" | C. HOT PP-RCT |
| Niron 27NC457375MM 2 1/2" 45° Elbow - Long Spigot SDR 7.4 | 2 1/2" | C. HOT PP-RCT |
| Niron 27NC457390MM 3" 45° Elbow - Long Spigot SDR 7.5 | 3" | C. HOT PP-RCT |
| Niron 27NC4574110MM 3 1/2" Butt Weld 45° Elbow - Long Spigot (SDR 7.4) | 3 1/2" | C. HOT PP-RCT |
| Niron 27NC4574125MM 4" Butt Weld 45° Elbow - Long Spigot (SDR 7.4) | 4" | C. HOT PP-RCT |
| Niron 27NC4574160MM 6" Butt Weld 45° Elbow - Long Spigot (SDR 7.4) | 6" | C. HOT PP-RCT |
| Niron 27NC4574200MM 8" Segmented 45° Elbow - Long Spigot (SDR 7.4) | 8" | C. HOT PP-RCT |
| Niron 27NC4574250MM 10" Segmented 45° Elbow - Long Spigot (SDR 7.4) | 10" | C. HOT PP-RCT |
| Niron 27NC4574315MM 12" Segmented 45° Elbow - Long Spigot (SDR 7.4) | 12" | C. HOT PP-RCT |
| Niron 27NC4574355MM 14" Segmented 45° Elbow - Long Spigot (SDR 7.4) | 14" | C. HOT PP-RCT |
| Niron 27NC457463MM 2" Butt Weld 45° Elbow - Long Spigot (SDR 7.4) | 2" | C. HOT PP-RCT |
| Niron 27NC457490MM 3" Butt Weld 45° Elbow - Long Spigot (SDR 7.4) | 3" | C. HOT PP-RCT |
| Niron 27NC4575 2 1/2" Socket Fusion 45° Elbow | 2 1/2" | C. HOT PP-RCT |
| Niron 27NC4590 3" Socket Fusion 45° Elbow | 3" | C. HOT PP-RCT |
| Niron 27NC45MF20 1/2" Street 45° Elbow - Socket Fusion | 1/2" | C. HOT PP-RCT |
| Niron 27NC45MF25 3/4" Street 45° Elbow - Socket Fusion | 3/4" | C. HOT PP-RCT |
| Niron 27NC45MF32 1" Street 45° Elbow - Socket Fusion | 1" | C. HOT PP-RCT |
| Niron 27NCART40011S 16" SDR11 Stub Flange - Short Spigot | 16" | C. HOT PP-RCT |
| Niron 27NCART40011S 16" Stub Flange - Short Spigot | 16" | C. HOT PP-RCT |
| Niron 27NCC110 3 1/2" Socket Fusion End Cap | 3 1/2" | C. HOT PP-RCT |
| Niron 27NCC11011M 3 1/2" SDR11 End Cap - Long Spigot | 3 1/2" | C. HOT PP-RCT |
| Niron 27NCC11017M 3 1/2" SDR17 End Cap - Long Spigot | 3 1/2" | C. HOT PP-RCT |
| Niron 27NCC125 4" Socket Fusion End Cap | 4" | C. HOT PP-RCT |
| Niron 27NCC12511M 4" SDR11 End Cap - Long Spigot | 4" | C. HOT PP-RCT |
| Niron 27NCC12517M 4" SDR17 End Cap - Long Spigot | 4" | C. HOT PP-RCT |
| Niron 27NCC12573M 4" SDR 7,3 End Cap - Long Spigot | 4" | C. HOT PP-RCT |
| Niron 27NCC16011M 6" End Cap - Long Spigot (SDR 11) | 6" | C. HOT PP-RCT |
| Niron 27NCC16017M 6" End Cap - Long Spigot (SDR 17) | 6" | C. HOT PP-RCT |
| Niron 27NCC16073MS 6" SDR7,3 End Cap - Short Spigot | 6" | C. HOT PP-RCT |
| Niron 27NCC16074M 6" End Cap - Long Spigot (SDR 7.4) | 6" | C. HOT PP-RCT |
| Niron 27NCC20 1/2" Socket Fusion End Cap | 1/2" | C. HOT PP-RCT |
| Niron 27NCC20011M 8" End Cap - Long Spigot (SDR 11) | 8" | C. HOT PP-RCT |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|--------|---------------|
| Niron 27NCC20017M 8" End Cap - Long Spigot (SDR 17) | 8" | C. HOT PP-RCT |
| Niron 27NCC20073MS 8" SDR7,3 End Cap - Short Spigot | 8" | C. HOT PP-RCT |
| Niron 27NCC20074M 8" End Cap - Long Spigot (SDR 7.4) | 8" | C. HOT PP-RCT |
| Niron 27NCC25 3/4" Socket Fusion End Cap | 3/4" | C. HOT PP-RCT |
| Niron 27NCC25011M 10" SDR17 End Cap - Long Spigot | 10" | C. HOT PP-RCT |
| Niron 27NCC25011MS 10" End Cap - Short Spigot (SDR 11) | 10" | C. HOT PP-RCT |
| Niron 27NCC25017MS 10" End Cap - Short Spigot (SDR 17) | 10" | C. HOT PP-RCT |
| Niron 27NCC25017MS 10" SDR17 End Cap - Short Spigot | 10" | C. HOT PP-RCT |
| Niron 27NCC25073MS 10" SDR7,3 End Cap - Short Spigot | 10" | C. HOT PP-RCT |
| Niron 27NCC25074MS 10" End Cap - Short Spigot (SDR 7.4) | 10" | C. HOT PP-RCT |
| Niron 27NCC31511MS 12" End Cap - Short Spigot (SDR 11) | 12" | C. HOT PP-RCT |
| Niron 27NCC31517MS 12" End Cap - Short Spigot (SDR 17) | 12" | C. HOT PP-RCT |
| Niron 27NCC31517MS 12" SDR17 End Cap - Short Spigot | 12" | C. HOT PP-RCT |
| Niron 27NCC31573MS 12" SDR7,3 End Cap - Short Spigot | 12" | C. HOT PP-RCT |
| Niron 27NCC31574MS 12" End Cap - Short Spigot (SDR 7.4) | 12" | C. HOT PP-RCT |
| Niron 27NCC32 1" Socket Fusion End Cap | 1" | C. HOT PP-RCT |
| Niron 27NCC35511MS 14" End Cap - Short Spigot (SDR 11) | 14" | C. HOT PP-RCT |
| Niron 27NCC35517MS 14" End Cap - Short Spigot (SDR 17) | 14" | C. HOT PP-RCT |
| Niron 27NCC35517MS 14" SDR17 End Cap - Short Spigot | 14" | C. HOT PP-RCT |
| Niron 27NCC35574MS 14" End Cap - Short Spigot (SDR 7.4) | 14" | C. HOT PP-RCT |
| Niron 27NCC40 1 1/4" Socket Fusion End Cap | 1 1/4" | C. HOT PP-RCT |
| Niron 27NCC40011MS 16" End Cap - Short Spigot (SDR 11) | 16" | C. HOT PP-RCT |
| Niron 27NCC40017MS 16" End Cap - Short Spigot (SDR 17) | 16" | C. HOT PP-RCT |
| Niron 27NCC40017MS 16" SDR17 End Cap - Short Spigot | 16" | C. HOT PP-RCT |
| Niron 27NCC40074MS 16" End Cap - Short Spigot (SDR 7.4) | 16" | C. HOT PP-RCT |
| Niron 27NCC45011MS 18" End Cap - Short Spigot (SDR 11) | 18" | C. HOT PP-RCT |
| Niron 27NCC45017MS 18" End Cap - Short Spigot (SDR 17) | 18" | C. HOT PP-RCT |
| Niron 27NCC45017MS 18" SDR17 End Cap - Short Spigot | 18" | C. HOT PP-RCT |
| Niron 27NCC45074MS 18" End Cap - Short Spigot (SDR 7.4) | 18" | C. HOT PP-RCT |
| Niron 27NCC50 1 1/2" Socket Fusion End Cap | 1 1/2" | C. HOT PP-RCT |
| Niron 27NCC50011MS 20" SDR11 End Cap - Short Spigot | 20" | C. HOT PP-RCT |
| Niron 27NCC50017MS 20" SDR17 End Cap - Short Spigot | 20" | C. HOT PP-RCT |
| Niron 27NCC56017MS 22" SDR17 End Cap - Short Spigot | 22" | C. HOT PP-RCT |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|---|------------|---------------|
| Niron 27NCC63 2" Socket Fusion End Cap | 2" | C. HOT PP-RCT |
| Niron 27NCC63017MS 24" SDR17 End Cap - Short Spigot | 24" | C. HOT PP-RCT |
| Niron 27NCC6311M 2" SDR11 End Cap - Long Spigot | 2" | C. HOT PP-RCT |
| Niron 27NCC6317M 2" SDR17 End Cap - Long Spigot | 2" | C. HOT PP-RCT |
| Niron 27NCC6373M 2" SDR 7,3 End Cap - Long Spigot | 2" | C. HOT PP-RCT |
| Niron 27NCC75 2 1/2" Socket Fusion End Cap | 2 1/2" | C. HOT PP-RCT |
| Niron 27NCC7511M 2 1/2" SDR11 End Cap - Long Spigot | 2 1/2" | C. HOT PP-RCT |
| Niron 27NCC7517M 2 1/2" SDR17 End Cap - Long Spigot | 2 1/2" | C. HOT PP-RCT |
| Niron 27NCC90 3" Socket Fusion End Cap | 3" | C. HOT PP-RCT |
| Niron 27NCC9011M 3" SDR11 End Cap - Long Spigot | 3" | C. HOT PP-RCT |
| Niron 27NCC9017M 3" SDR17 End Cap - Long Spigot | 3" | C. HOT PP-RCT |
| Fittings [G] | | |
| Niron ^[9] [10] | 1/2" - 4" | C. HOT MLTPL |
| Niron ^[1] [2] [3] [4] [5] [6] [7] [8] | 1/2" - 24" | C. HOT PP-RCT |

- [1] Configurations include:
- Socket Long Radius 90° Elbow
 - 27NCLR20 1/2"
 - 27NCLR25 3/4"
 - Crossover Pipe - Plain End
 - 27NSOR20 1/2"
 - 27NSOR25 3/4"
 - 27NSOR32 1"
 - Compact Cross Over F/F - Socket
 - 27NSOFF20 1/2"
 - 27NSOFF25 3/4"
 - Compact Cross Over M/F - Socket
 - 27NSOFM20 1/2"
 - 27NSOFM25 3/4"
 - Socket Fusion 90° Elbow
 - 27NG20 1/2"
 - 27NG25 3/4"
 - 27NG32 1"
 - 27NG40 1 1/4"
 - 27NG50 1 1/2"
 - 27NG63 2"
 - 27NG75 2 1/2"
 - 27NG90 3"
 - 27NG110 3 1/2"
 - 27NG125 4"
 - Butt Weld 90° Elbow - Long Spigot (SDR 7.3)
 - 27NG907463MM 2"
 - 27NG907490MM 3"
 - 27NG9074110MM 3 1/2"
 - 27NG9074125MM 4"
 - 27NG9074160MM 6"
 - Segmented 90° Elbow - Long Spigot (SDR 7.3)
 - 27NG9074200MM 8"
 - 27NG9074250MM 10"
 - 27NG9074315MM 12"
 - 27NG9074355MM 14"
 - Butt Weld 90° Elbow - Long Spigot (SDR 11)
 - 27NG901163MM 2"
 - 27NG901190MM 3"
 - 27NG9011110MM 3 1/2"
 - 27NG9011125MM 4"
 - 27NG9011160MM 6"
 - 27NG9011200MM 8"
 - 27NG9011250MM 10"
 - 27NG9011315MM 12"
 - Segmented 90° Elbow - Long Spigot (SDR 11)
 - 27NG9011355MM 14"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NG9011400MM 16"
27NG9011450MM 18"
27NG9011500MM 20"
Butt Weld 90° Elbow - Long Spigot (SDR 17)
27NG901763MM 2"
27NG901790MM 3"
27NG9017110MM 3 1/2"
27NG9017125MM 4"
27NG9017160MM 6"
27NG9017200MM 8"
27NG9017250MM 10"
27NG9017315MM 12"
Segmented 90° Elbow - Long Spigot (SDR 17)
27NG9017355MM 14"
27NG9017400MM 16"
27NG9017450MM 18"
27NG9017500MM 20"
27NG9017560MM 22"
27NG9017630MM 24"
Socket Fusion Street 90° Elbow
27NGMF20 1/2"
27NGMF25 3/4"
27NGMF32 1"
27NGMF40 1 1/4"
Socket Fusion 45° Elbow
27NC4520 1/2"
27NC4525 3/4"
27NC4532 1"
27NC4540 1 1/4"
27NC4550 1 1/2"
27NC4563 2"
27NC4575 2 1/2"
27NC4590 3"
27NC45110 3 1/2"
27NC45125 4"
Butt Weld 45° Elbow - Long Spigot (SDR 7.3)
27NC457463MM 2"
27NC457490MM 3"
27NC4574110MM 3 1/2"
27NC4574125MM 4"
27NC4574160MM 6"
Segmented 45° Elbow - Long Spigot (SDR 7.3)
27NC4574200MM 8"
27NC4574250MM 10"
27NC4574315MM 12"
27NC4574355MM 14"
Butt Weld 45° Elbow - Long Spigot (SDR 11)
27NC451163MM 2"
27NC451190MM 3"
27NC4511110MM 3 1/2"
27NC4511125MM 4"
27NC4511160MM 6"
27NC4511200MM 8"
27NC4511250MM 10"
27NC4511315MM 12"
Segmented 45° Elbow - Long Spigot (SDR 11)
27NC4511355MM 14"
27NC4511400MM 16"
27NC4511450MM 18"
27NC4511500MM 20"
Butt Weld 45° Elbow - Long Spigot (SDR 17)
27NC451763MM 2"
27NC451790MM 3"
27NC4517110MM 3 1/2"
27NC4517125MM 4"
27NC4517160MM 6"
27NC4517200MM 8"
27NC4517250MM 10"
27NC4517315MM 12"
Segmented 45° Elbow - Long Spigot (SDR 17)
27NC4517355MM 14"
27NC4517400MM 16"
27NC4517450MM 18"
27NC4517500MM 20"
27NC4517560MM 22"
27NC4517630MM 24"
Socket Fusion Street 45° Elbow
27NCMP4520 1/2"
27NCMP4525 3/4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Socket Fusion Tee
27NT20 1/2"
27NT25 3/4"
27NT32 1"
27NT40 1 1/4"
27NT50 1 1/2"
27NT63 2"
27NT75 2 1/2"
27NT90 3"
27NT110 3 1/2"
27NT125 4"
Butt Weld - Socket Fusion Tee (SDR 7.3)
27NT7463MM 2"
27NT7490MM 3"
27NT74110MM 3 1/2"
27NT74125MM 4"
27NT74160MM 6"
Segmented - Socket Fusion Tee (SDR 7.3)
27NT74200MM 8"
27NT74250MM 10"
27NT74315MM 12"
27NT74355MM 14"
Butt Weld Tee - Long Spigot (SDR 11)
27NT1163MM 2"
27NT1190MM 3"
27NT11110MM 3 1/2"
27NT11125MM 4"
27NT11160MM 6"
27NT11200MM 8"
27NT11250MM 10"
Segmented Tee - Long Spigot (SDR 11)
27NT11315MM 12"
27NT11355MM 14"
27NT11400MM 16"
27NT11450MM 18"
27NT11500MM 20"
Butt Weld Tee - Long Spigot (SDR 17)
27NT1763MM 2"
27NT1790MM 3"
27NT17110MM 3 1/2"
27NT17125MM 4"
27NT17160MM 6"
27NT17200MM 8"
27NT17250MM 10"
Segmented Tee - Long Spigot (SDR 17)
27NT17315MM 12"
27NT17355MM 14"
27NT17400MM 16"
27NT17450MM 18"
27NT17500MM 20"
27NT17560MM 22"
27NT17630MM 24"

[2] Socket Fusion Reduced Tee
27NTR252020 3/4" x 1/2" x 1/2"
27NTR252025 3/4" x 1/2" x 3/4"
27NTR252520 3/4" x 3/4" x 1/2"
27NTR323225 1" x 1" x 3/4"
27NTR253225 3/4" x 1" x 3/4"
27NTR322020 1" x 1/2" x 1/2"
27NTR322025 1" x 1/2" x 3/4"
27NTR322525 1" x 3/4" x 3/4"
27NTR322032 1" x 1/2" x 1"
27NTR322532 1" x 3/4" x 1"
27NTR402040 1 1/4" x 1/2" x 1 1/4"
27NTR402540 1 1/4" x 3/4" x 1 1/4"
27NTR403240 1 1/4" x 1" x 1 1/4"
27NTR502050 1 1/2" x 1/2" x 1 1/2"
27NTR502550 1 1/2" x 3/4" x 1 1/2"
27NTR503250 1 1/2" x 1" x 1 1/2"
27NTR504050 1 1/2" x 1 1/4" x 1 1/2"
27NTR632563 2" x 3/4" x 2"
27NTR633263 2" x 1" x 2"
27NTR634063 2" x 1 1/4" x 2"
27NTR635063 2" x 1 1/2" x 2"
27NTR753275 2 1/2" x 1" x 2 1/2"
27NTR754075 2 1/2" x 1 1/4" x 2 1/2"
27NTR755075 2 1/2" x 1 1/2" x 2 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NTR756375 2 1/2" x 2" x 2 1/2"
27NTR906390 3" x 2" x 3"
27NTR907590 3" x 2 1/2" x 3"
27NTR11063110 3 1/2" x 2" x 3 1/2"
27NTR11075110 3 1/2" x 2 1/2" x 3 1/2"
27NTR11090110 3 1/2" x 3" x 3 1/2"
27NTR12575125 4" x 2 1/2" x 4"
27NTR12590125 4" x 3" x 4"
27NTR125110125 4" x 3 1/2" x 4"
Fusion Male Side Fusion Reduced Tee - Long Spigot
27NTR11160110M160 6" x 3 1/2" x 6"
27NTR11160125M160 6" x 4" x 6"
27NTR11200110M200 8" x 3 1/2" x 8"
27NTR11200125M200 8" x 4" x 8"
27NTR11200160M200 8" x 6" x 8"
27NTR11250110M250 10" x 3 1/2" x 10"
27NTR11250125M250 10" x 4" x 10"
27NTR11250160M250 10" x 6" x 10"
27NTR11315110M315 12" x 3 1/2" x 12"
27NTR11315125M315 12" x 4" x 12"
27NTR11315160M315 12" x 6" x 12"
27NTR11355110M355 14" x 3 1/2" x 14"
27NTR11355125M355 14" x 4" x 14"
27NTR11355160M355 14" x 6" x 14"
Fusion Female Side Fusion Reduced Tee - Long Spigot
27NTR119040F90 3" x 1 1/4" x 3"
27NTR119050F90 3" x 1 1/2" x 3"
27NTR119063F90 3" x 2" x 3"
27NTR1111040F110 3 1/2" x 1 1/4" x 3 1/2"
27NTR1111050F110 3 1/2" x 1 1/2" x 3 1/2"
27NTR1111063F110 3 1/2" x 2" x 3 1/2"
27NTR1112540F125 4" x 1 1/4" x 4"
27NTR1112550F125 4" x 1 1/2" x 4"
27NTR1112563F125 4" x 2" x 4"
27NTR1112575F125 4" x 2 1/2" x 4"
27NTR1112590F125 4" x 3" x 4"
27NTR1116040F160 6" x 1 1/4" x 6"
27NTR1116050F160 6" x 1 1/2" x 6"
27NTR1116063F160 6" x 2" x 6"
27NTR1116075F160 6" x 2 1/2" x 6"
27NTR1116090F160 6" x 3" x 6"
27NTR1120040F200 8" x 1 1/4" x 8"
27NTR1120050F200 8" x 1 1/2" x 8"
27NTR1120063F200 8" x 2" x 8"
27NTR1120075F200 8" x 2 1/2" x 8"
27NTR1120090F200 8" x 3" x 8"
27NTR1125040F250 10" x 1 1/4" x 10"
27NTR1125050F250 10" x 1 1/2" x 10"
27NTR1125063F250 10" x 2" x 10"
27NTR1125075F250 10" x 2 1/2" x 10"
27NTR1125090F250 10" x 3" x 10"
27NTR1131540F315 12" x 1 1/4" x 12"
27NTR1131550F315 12" x 1 1/2" x 12"
27NTR1131563F315 12" x 2" x 12"
27NTR1131575F315 12" x 2 1/2" x 12"
27NTR1131590F315 12" x 3" x 12"
27NTR1135540F355 14" x 1 1/4" x 14"
27NTR1135550F355 14" x 1 1/2" x 14"
27NTR1135563F355 14" x 2" x 14"
27NTR1135575F355 14" x 2 1/2" x 14"
27NTR1135590F355 14" x 3 1/2" x 14"
Socket Fusion Reduced Cross
27NCR402020 1 1/4" x 1/2" x 1/2" x 1 1/4"
27NCR402525 1 1/4" x 3/4" x 3/4" x 1 1/4"
Socket Fusion Side Elbow Three Outlets
27NCTV20 1/2"
Socket Fusion Reduced Bushing
27NR2520 3/4" x 1/2"
27NR3220 1" x 1/2"
27NR3225 1" x 3/4"
27NR4020 1 1/4" x 1/2"
27NR4025 1 1/4" x 3/4"
27NR4032 1 1/4" x 1"
27NR5020 1 1/2" x 1/2"
27NR5025 1 1/2" x 3/4"
27NR5032 1 1/2" x 1"
27NR5040 1 1/2" x 1"
27NR6325 2" x 3/4"
27NR6332 2" x 1"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NR6340 2" x 1 1/4"
27NR6350 2" x 1 1/2"
27NR7520 2 1/2" x 1/2"
27NR7525 2 1/2" x 3/4"
27NR7532 2 1/2" x 1"
27NR7540 2 1/2" x 1 1/4"
27NR7550 2 1/2" x 1 1/2"
27NR7563 2 1/2" x 2"
27NR9063 3" x 2"
27NR9075 3" x 2 1/2"
27NR11063 3 1/2" x 2"
27NR11075 3 1/2" x 2 1/2"
27NR11090 3 1/2" x 3"
27NR12590 4" x 3"
27NR125110 4" x 3 1/2"
27NR160110 6" x 3 1/2"
27NR160125 6" x 4"

[3] Male Concentric Reducer - Long Spigot

27NR754011MM 2 1/2" x 1 1/4"
27NR755011MM 2 1/2" x 1 1/2"
27NR756311MM 2 1/2" x 2"
27NR905011MM 3" x 1 1/2"
27NR906311MM 3" x 2"
27NR907511MM 3" x 2 1/2"
27NR1106311MM 3 1/2" x 2"
27NR1107511MM 3 1/2" x 2 1/2"
27NR1109011MM 3 1/2" x 3"
27NR12511011MM 4" x 3 1/2"
27NR1257511MM 4" x 2 1/2"
27NR1259011MM 4" x 3"
27NR16011011MM 6" x 3 1/2"
27NR16012511MM 6" x 4"
27NR20016011MM 8" x 6"

Socket Fusion Coupling

27NMAN20 1/2"
27NMAN25 3/4"
27NMAN32 1"
27NMAN40 1 1/4"
27NMAN50 1 1/2"
27NMAN63 2"
27NMAN75 2 1/2"
27NMAN90 3"
27NMAN110 3 1/2"
27NMAN125 4"

Socket Fusion End Cap

27NCC20 1/2"
27NCC25 3/4"
27NCC32 1"
27NCC40 1 1/4"
27NCC50 1 1/2"
27NCC63 2"
27NCC75 2 1/2"
27NCC90 3"
27NCC110 3 1/2"
27NCC125 4"

End Cap - Long Spigot (SDR 7.3)

27NCC16074M 6"
27NCC20074M 8"

End Cap - Short Spigot (SDR 7.3)

27NCC25074MS 10"
27NCC31574MS 12"
27NCC35574MS 14"
27NCC40074MS 16"
27NCC45074MS 18"

End Cap - Long Spigot (SDR 11)

27NCC16011M 6"
27NCC20011M 8"

End Cap - Short Spigot (SDR 11)

27NCC25011MS 10"
27NCC31511MS 12"
27NCC35511MS 14"
27NCC40011MS 16"
27NCC45011MS 18"

End Cap - Long Spigot (SDR 17)

27NCC16017M 6"
27NCC20017M 8"

End Cap - Short Spigot (SDR 17)

27NCC25017MS 10"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NCC31511MS 12"
27NCC35511MS 14"
27NCC40011MS 16"
27NCC45011MS 18"
Stub Flange - Long Spigot
27NCRT3211 1"
27NCRT4011 1 1/4"
27NCRT5011 1 1/2"
27NCRT6311 2"
27NCRT7511 2 1/2"
27NCRT9011 3"
27NCRT11011 3 1/2"
27NCRT12511 4"
27NCRT16011 6"
27NCRT20011 8"
27NCRT25011 10"
Stub Flange - Short Spigot
27NCRT31511S 12"
27NCRT35511S 14"
27NCART40011S 16"
27NCRT45011S 18"
27NCRT50011S 20"
Electrofusion Coupling
27NME2073 1/2"
27NME2573 3/4"
27NME3273 1"
27NME4073 1 1/4"
27NME5073 1 1/2"
27NME6373 2"
27NME7573 2 1/2"
27NME9011 3"
27NME11011 3 1/2"
27NME12511 4"
27NME16011 6"
27NME20011 8"
27NME25011 10"
27NME31511 12"
Electrofusion Reducer
27NRDE3225 1/2" x 3/4"
27NRDE4032 1 1/4" x 1"
27NRDE5032 1 1/2" x 1"
27NRDE5040 1 1/2" x 1 1/4"
27NRDE6332 2" x 1"
27NRDE6340 2" x 1 1/4"
27NRDE6350 2" x 1 1/2"
27NRDE7563 2 1/2" x 2"
27NRDE9063 3" x 2"
27NRDE1163 3 1/2" x 2"
27NRDE1190 3 1/2" x 3"
Electrofusion 90° Elbow
27NGEM20 1/2"
27NGEM25 3/4"
27NGEM32 1"
27NGEM4073 1 1/4"
27NGEM50 1 1/2"
27NGEM63 2"
27NGEM75 2 1/2"
27NGEM90 3"
27NGEM110 3 1/2"
Electrofusion 45° Elbow
27NCEM32 1"
27NCEM40 1 1/4"
27NCEM50 1 1/2"
27NCEM63 2"
27NCEM75 2 1/2"
27NCEM90 3"
27NCEM110 3 1/2"
Electrofusion Tee
27NTCE20 1/2"
27NTCE25 3/4"
27NTCE32 1"
27NTCE40 1 1/4"
27NTCE50 1 1/2"
27NTCE63 2"
27NTCE75 2 1/2"
27NTCE90 3"
27NTCE110 3 1/2"
27NTCE160 6"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



- [4] Item # Description
All-Plastic Unions with Socket Fusion Ends
27NBRF20 1/2" x 1/2"
27NBRF25 3/4" x 3/4"
27NBRF32 1" x 1"
27NBRF40 1 1/4" x 1 1/4"
22.5° 3" Long Elbow
27NC2251190MML PP-RCT SDR 11
45° Elbow - Long Spigot
27NC457363MM 2" SDR 7.3
27NC4573125MM 4" SDR 7.3
27NC451175MM 2 1/2" SDR 11
27NC4511125MM 4" SDR 11
27NC4511160MM 6" SDR 11
27NC4511200MM 8" SDR 11
27NC4511250MM 10" SDR 11
27NC4511315MMA 12" SDR 11
27NC451763MM 2" SDR 17
27NC451775MM 2 1/2" SDR 17
27NC4517110MM 3 1/2" SDR 17
27NC451790MM 3" SDR 17
27NC4517125MM 4" SDR 17
27NC4517160MM 6" SDR 17
27NC4517200MM 8" SDR 17
27NC4517250MM 10" SDR 17
27NC4517315MMA 12" SDR 17
45° Elbow-Long Spigot (2 Segmented Fitt)
27NC4573315MM2 12" SDR 7.3
27NC4511355MM2 14" SDR 11
45° Elbow - Long Spigot (Segmented Fitt)
27NC4511250MM2 10" SDR 11
27NC4511315MM2 12" SDR 11
27NC4511315MMB 12" SDR 11
27NC4511355MMB 14" SDR 11
27NC4511400MMB 16" SDR 11
27NC4517315MMB 12" SDR 17
27NC4517355MMB 14" SDR 17
27NC4517400MMB 16" SDR 17
27NC4517500MMB 20" SDR 17
27NC4517560MMB 22" SDR 17
27NC4517630MMB 24" SDR 17
27NC4573160MMB 6" SDR 7.3
27NC4573200MMB 8" SDR 7.3
27NC4573250MMB 10" SDR 7.3
27NC4573315MMB 12" SDR 7.3
45° Elbow-Long Spigot (Injected Alongated)
27NC4517355MMC 14" SDR 17
27NC4517400MMC 16" SDR 17
Street 45° Elbow - Socket Fusion
27NC45MF20 1/2"
27NC45MF25 3/4"
27NC45MF32 1"
End Cap - Long Spigot
27NCC6373M 2" SDR 7.3
27NCC12573M 4" SDR 7.3
27NCC6311M 2" SDR 11
27NCC7511M 2 1/2" SDR 11
27NCC9011M 3" SDR 11
27NCC11011M 3 1/2" SDR 11
27NCC12511M 4" SDR 11
27NCC6317M 2" SDR 17
27NCC7517M 2 1/2" SDR 17
27NCC9017M 3" SDR 17
27NCC11017M 3 1/2" SDR 17
27NCC12517M 4" SDR 17
27NCC25011M 10" SDR 17
End Cap - Short Spigot
27NCC16073MS 6" SDR 7.3
27NCC20073MS 8" SDR 7.3
27NCC25073MS 10" SDR 7.3
27NCC31573MS 12" SDR 7.3
27NCC50011MS 20" SDR 11
27NCC25017MS 10" SDR 17
27NCC31517MS 12" SDR 17
27NCC35517MS 14" SDR 17
27NCC40017MS 16" SDR 17
27NCC45017MS 18" SDR 17
27NCC50017MS 20" SDR 17
27NCC56017MS 22" SDR 17

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NCC63017MS 24" SDR 17
Electrofusion 45° Elbow
27NCEMUV50 1 1/2"
27NCEMUV63 2"
27NCEMUV75 2 1/2"
27NCEMUV90 3"
27NCEMUV110 3 1/2"
27NCEMUV160 6"
27NCEM160 6"
27NCEM200 8"
27NCEMUV200 8"
Stub Flange - Socket Fusion
27NCOSA32 1"
27NCOSA40 1 1/4"
27NCOSA50 1 1/2"
27NCOSA63 2"
27NCOSA75 2 1/2"
27NCOSA90 3"
27NCOSA110 3 1/2"
27NCOSA125 4"
Stub Flange - Long Spigot 55° Beveled
27NCRT6373 2" SDR 7.3
27NCRT9073 3" SDR 7.3
27NCRT16073 6" SDR 7.3
27NCRT20073 8" SDR 7.3
27NCRT25073 10" SDR 7.3
27NCRT3211 1" SDR 11
27NCRTUV5011 1 1/2" SDR 11
27NCRT6317 2" SDR 17
27NCRT7511 2 1/2" SDR 11
27NCRT9011 3" SDR 11
27NCRT11011 3 1/2" SDR 11
27NCRT12511 4" SDR 11
27NCRT12517 4" SDR 17
27NCRT16011 6" SDR 11
27NCRT20011 8" SDR 11
27NCRT25011 10" SDR 11
27NCRT31511 12" SDR 11
27NCRT3217 1" SDR 17
27NCRT4017 1 1/4" SDR 17
27NCRT5017 1 1/2" SDR 17
27NCRT7517 2 1/2" SDR 17
27NCRT9017 3" SDR 17
27NCRT11017 3 1/2" SDR 17
27NCRT16017 6" SDR 17
27NCRT20017 8" SDR 17
27NCRT25017 10" SDR 17
27NCRT31517 12" SDR 17
Stub Flange - Short Spigot 55° Beveled
27NCRT11073S 3 1/2" SDR 7.3
27NCRT12573S 4" SDR 7.3
27NCRT31573S 12" SDR 7.3
Stub Flange - Short Spigot Beveled
27NCRT12511A5 125-4" SDR 11
27NCRT12517A5 125-4" SDR 17
Stub Flange - Short Spigot
27NCRT35511S 14" SDR 11
27NCRT35517S 14" SDR 17
27NCART40011S 16" SDR 11
27NCRT40017S 16" SDR 17
27NCRT45011S 18" SDR 11
27NCRT45017S 18" SDR 17
27NCRT50011S 20" SDR 11
27NCRT50017S 20" SDR 17
27NCRT56017S 22" SDR 17
27NCRT63017S 24" SDR 17
Stub Flange Spacer
27NCRTSPACER160 6"
27NCRTSPACER200 8"
27NCRTSPACER250 10"
27NCRTSPACER315 12"
27NCRTSPACER355 14"
27NCRTSPACER400 16"
Union with Brass Nuts and Socket Ends
27NCSJ2020 1/2" - 1/2"
27NCSJ2525 3/4" - 3/4"
27NCSJ3232 1" - 1"
27NCSJ4040 1 1/4" - 1 1/4"
27NCSJ5050 1 1/2" - 1 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NCSJ6363 2" - 2"
90° Elbow - Socket Fusion
27NG110 3 1/2"

[5] 90° Elbow - Long Spigot
27NG9011110MM 3 1/2" SDR 11
27NG9011125MM 4" SDR 11
27NG9011160MM 6" SDR 11
27NG9011200MM 8" SDR 11
27NG9011250MM 10" SDR 11
27NG9011315MMA 12" SDR 11
27NG901163MM 2" SDR 11
27NG901175MM 2 1/2" SDR 11
27NG901190MM 3" SDR 11
27NG9017110MM 3 1/2" SDR 17
27NG9017125MM 4" SDR 17
27NG9017160MM 6" SDR 17
27NG9017315MMA 12" SDR 17
27NG901763MM 2" SDR 17
27NG901775MM 2 1/2" SDR 17
27NG901790MM 3" SDR 17
27NG9073125MM 4" SDR 7.3
27NG907363MM 2" SDR 7.3
27NG907390MM 3" SDR 7.3
27NG9011250MM3 10" SDR 11
27NG9011315MM3 12" SDR 11
27NG9011355MM3 14" SDR 11
27NG9011400MM3 16" SDR 11
27NG9073250MM3 10" SDR 7.3
27NG9073315MM3 12" SDR 7.3
90° Elbow-Long Spigot (Segmented Fitt)
27NG9011315MMB 12" SDR 11
27NG9011355MMB 14" SDR 11
27NG9011400MMB 16" SDR 11
27NG9011500MMB 20" SDR 11
27NG9017315MMB 12" SDR 17
27NG9017355MMB 14" SDR 17
27NG9017400MMB 16" SDR 17
27NG9017500MMB 20" SDR 17
27NG9017560MMB 22" SDR 17
27NG9017630MMB 24" SDR 17
27NG9073125MMB 4" SDR 7.3
27NG9073160MMB 6" SDR 7.3
27NG9073200MMB 8" SDR 7.3
27NG9073250MMB 10" SDR 7.3
27NG9073315MMB 12" SDR 7.3
90° Elbow-Long Spigot (Injected Alongated)
27NG9017355MMC 14" SDR 17
27NG9017400MMC 16" SDR 17
Coupling - Socket Fusion
27NMAN110 3 1/2"
27NMAN125 4"
27NMAN20 1/2"
27NMAN25 3/4"
27NMAN32 1"
27NMAN40 1 1/4"
27NMAN50 1 1/2"
27NMAN63 2"
27NMAN75 2 1/2"
27NMAN90 3"
Electrofusion 90° Elbow
27NGEM160 6"
27NGEM200 8"
27NGEMUV110 3 1/2"
27NGEMUV160 6"
27NGEMUV200 8"
27NGEMUV50 1 1/2"
27NGEMUV63 2"
27NGEMUV75 2 1/2"
27NGEMUV90 3"
27NMEUV50 1 1/2"
27NMEUV63 2"
27NMEUV75 2 1/2"
27NMEUV90 3"
Electrofusion Coupling
27NME12511 4" SDR 11
27NME16011 6" SDR 11
27NME16017 6" SDR 17
27NME2073 1/2" SDR 7.3

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NME20017 8" SDR 17
27NME20073 8" SDR 7.3
27NME2573 3/4" SDR 7.3
27NME25017 10" SDR 17
27NME31517 12" SDR 17
27NME31573 12" SDR 7.3
27NME3273 1" SDR 7.3
27NME35511 14" SDR 11
27NME35517 14" SDR 17
27NME4073 1 1/4" SDR 7.3
27NME40011 16" SDR 11
27NME40017 16" SDR 17
27NME45017 18" SDR 17
27NME5073 1 1/2" SDR 7.3
27NME50017 20"s
27NME56017 22"s
27NME6373 2" SDR 7.3
27NME63017 24"s
27NME7573 2 1/2" SDR 7.3
27NME9011 3" SDR 11
27NMEUV110 3 1/2"
27NMEUV125 4"
27NMEUV160 6"
27NMEUV200 8"
27NMEUV250 10"
27NPH250 Niron Pull Head for 10" SDR 11 pipe
27NPH250S Niron Pull Head for 10" SDR 11 pipe Short
Male Concentric Reducer-Long Spigot
27NR634011MM 2" x 1 1/4" SDR 11
27NR634017MM 2" x 1 1/4" SDR 17
27NR634073MM 2" x 1 1/4" SDR 7.3
27NR635011MM 2" x 1 1/2" SDR 11
27NR635017MM 2" x 1 1/2" SDR 17
27NR635073MM 2" x 1 1/2" SDR 7.3
27NR754011MM 2 1/2" x 1 1/4" SDR 11
27NR754017MM 2 1/2" x 1 1/4" SDR 17
27NR755017MM 2 1/2" x 1 1/2" SDR 17
27NR756317MM 2 1/2" x 2" SDR 17
27NR905017MM 3" x 1 1/2" SDR 17
27NR906317MM 3" x 2" SDR 17
27NR907517MM 3" x 2 1/2" SDR 17
27NR1106317MM 3 1/2" x 2" SDR 17
27NR1107511MM 3 1/2" x 2 1/2" SDR 11
27NR1109011MM 3 1/2" x 3" SDR 11
27NR1109017MM 3 1/2" x 3" SDR 17
27NR1109073MM 3 1/2" x 3" SDR 7.3
27NR12511011MM 4" x 3 1/2" SDR 11
27NR12511017MM 4" x 3 1/2" SDR 17
27NR1256373MM 4" x 2" SDR 7.3
27NR1257511MM 4" x 2 1/2" SDR 11
27NR1257517MM 4" x 2 1/2" SDR 17
27NR1259011MM 4" x 3" SDR 11
27NR1259017MM 4" x 3" SDR 17
27NR16011011MM 6" x 3 1/2" SDR 11
27NR16011017MM 6" x 3 1/2" SDR 17
27NR16012511MM 6" x 4" SDR 11
27NR16012517MM 6" x 4" SDR 17
27NR1609011MM 6" x 3" SDR 11
27NR1609017MM 6" x 3" SDR 17
27NR20016011MM 8" x 6" SDR 11
27NR20016017MM 8" x 6" SDR 17
27NR20016073MM 8" x 6" SDR 7.3
27NR25020011MM 10" x 8" SDR 11
27NR25020017MM 10" x 8" SDR 17

[6] Male Concentric Reducer Short Spig
27NRCC16011073MM 6" x 3 1/2" SDR 7.3
27NRCC25016011MM 10"x 6" SDR 11
27NRCC25016017MM 10" x 6" SDR 17
27NRCC25020011MM 10" x 8" SDR 11
27NRCC25020017MM 10" x 8" SDR 17
27NRCC31511017MM 12" x 3 1/2" SDR 17
27NRCC31511073MM 12" x 3 1/2" SDR 7.3
27NRCC31516011MM 12" x 6" SDR 11
27NRCC31516017MM 12" x 6" SDR 17
27NRCC31520011MM 12" x 8" SDR 11
27NRCC31520017MM 12" x 8" SDR 17
27NRCC31520073MM 12"x 8" SDR 7.3
27NRCC31525011MM 12" x 10" SDR 11

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NRCC31525017MM 12" x 10" SDR 17
27NRCC31525073MM 12" x 10" SDR 7.3
27NRCC35520011MM 14" x 8" SDR 11
27NRCC35520017MM 14" x 8" SDR 17
27NRCC35525011MM 14" x 10" SDR 11
27NRCC35525017MM 14" x 10" SDR 17
27NRCC35531511MM 14" x 12" SDR 11
27NRCC35531517MM 14" x 12" SDR 17
27NRCC40025011MM 16" x 10" SDR 11
27NRCC40025017MM 16" x 10" SDR 17
27NRCC40031511MM 16" x 12" SDR 11
27NRCC40031517MM 16" x 12" SDR 17
27NRCC40035511MM 16" x 14" SDR 11
27NRCC40035517MM 16" x 14" SDR 17
27NRCC45031511MM 18" x 12" SDR 11
27NRCC45031517MM 18" x 12" SDR 17
27NRCC45035511MM 18" x 14" SDR 11
27NRCC45035517MM 18" x 14" SDR 17
27NRCC45040011MM 18" x 16" SDR 11
27NRCC45040017MM 18" x 16" SDR 17
27NRCC50031517MM 20" x 12" SDR 11
27NRCC50035511MM 20" x 14" SDR 11
27NRCC50035517MM 20" x 14" SDR 17
27NRCC50040011MM 20" x 16" SDR 11
27NRCC50040017MM 20" x 16" SDR 17
27NRCC50045011MM 20" x 18" SDR 11
27NRCC50045017MM 20" x 18" SDR 17
27NRCC56040017MM 22" x 16" SDR 17
27NRCC56045017MM 22" x 18" SDR 17
27NRCC56050017MM 22" x 20" SDR 17
27NRCC63040017MM 24" x 16" SDR 17
27NRCC63045017MM 24" x 18" SDR 17
27NRCC63050017MM 24" x 20" SDR 17
27NRCC63056017MM 24" x 22" SDR 17
Male Concentric Reducer-Plain End
27NRCC20012573MM 8" x 4" SDR 7.3
27NRCC20016073MM 8" x 6" SDR 7.3
27NRCC25016073MM 10" x 6" SDR 7.3
27NRCC25020073MM 10" x 8" SDR 7.3
Male Concentric Red-Long Spigot
27NR1107517MM 4" x 2 1/2" SDR 17
Reducing - Socket Fusion
27NR11090 3 1/2" x 3"
27NR125110 4" x 3 1/2"
27NR12575 4" x 2 1/2"
27NR12590 4" x 3"
27NR160110 6" x 3 1/2"
27NR160125 6" x 4"
27NR9050 3" x 1 1/2"
27NR9063 3" x 2"
RED. D.200 MALE SH. D.125 SOCKET FUS.
27NR20011MS125SF PP-RCT SDR 11
RED. D.200 MALE D.125 SOCKET FUS.
27NR20073MS125SF PP-RCT SDR 7.3
Eccentric Reducer Short
27NRCE25016011MM 10" X 6" SDR 11
27NRCE35525011MM 14" X 10" SDR 11
Electrofusion Reducer
27NRDE1211 4"- 3 1/2"
27NRDE1263 4" - 2"
27NRDE1290 4"- 3"
27NRDE1611 6"- 3 1/2"
27NRDE1612 6"- 4"
27NRDE1690 6"- 3"
27NRDE2016 8"- 6"
Eccentric Reducer Short - Socket Fusion
27NRES9063 3" x 2"
Tee - Long Spigot (Segmented Fitting)
27NT73160MMB 6" SDR 7.3
27NT73200MMB 8" SDR 7.3
27NT73250MMB 10" SDR 7.3
27NT73315MMB 12" SDR 7.3
27NT11250MMB 10" SDR 11
27NT11315MMB 12" SDR 11
27NT11355MMB 14" SDR 11
27NT11400MMB 16" SDR 11
27NT17315MMB 12" SDR 17
27NT17355MMB 14" SDR 17
27NT17400MMB 16" SDR 17

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NT17500MMB 20" SDR 17
27NT17630MMB 24" SDR 17
Tee - Long Spigot
27NT7363MM 2" SDR 7.3
27NT7390MM 3" SDR 7.3
27NT1175MM 2 1/2" SDR 11
27NT1775MM 2 1/2" SDR 17
27NT73110MM 3 1/2" SDR 7.3
27NT17110MM 3 1/2" SDR 17
27NT17125MM 4" SDR 17
27NT73160MM 6" SDR 7.3
27NT17160MM 6" SDR 17
27NT17200MM 8" SDR 17
27NT17250MM 10" SDR 17
27NT17315MMA 12" SDR 17
27NT11315MMA 12" SDR 11
Single Wire Electr Equal Tee w/Spigot End
27NTCE020 1/2"
27NTCE025 3/4"
27NTCE032 1"
27NTCE040 1 1/4"
27NTCE050 1 1/2"
27NTCE063 2"
27NTCE075 2 1/2"
27NTCE110 3 1/2"
27NTCE160 6"
Double Wire Electrofusion Equal Tee
27NTCE90 3" SDR 11
Fem Side Fus RedTee-LongSpigot 3"
27NTR119040F90 3" x 3" x 1 1/4" SDR 11
27NTR119050F90 3" x 3" x 1 1/2" SDR 11
27NTR119063F90 3" x 3" x 2" SDR 11
FemSideFus RedTee-Long Spigot6"
27NTR1116075F160 6"x 6" x 2 1/2" SDR 11
27NTR1116090F160 6"x 6" x 3" SDR 11

[7] Male Side Fus Red Tee-Long Spigot
27NTR1116075M160 6" x 6" x 2½" SDR 11
27NTR17160125M160 6" x 6" x 4" SDR 17
27NTR1716075M160 6" x 6" x 3" SDR 17
27NTR1716090M160 6" x 6" x 3" SDR 17
27NTR1120090M200 8" x 8" x 3" SDR 11
27NTR17200110M200 8" x 8" x 3½" SDR 17
27NTR17200125M200 8" x 8" x 4" SDR 17
27NTR17200160M200 8" x 8" x 6" SDR 17
27NTR1720075M200 8" x 8" x 2½" SDR 17
27NTR1720090M200 8" x 8" x 3" SDR 17
27NTR11250200M250 10" x 10" x 8" SDR 11
27NTR1125090M250 10" x 10" x 3" SDR 11
27NTR17250110M250 10" x 10" x 3½" SDR 17
27NTR17250125M250 10" x 10" x 4" SDR 17
27NTR17250160M250 10" x 10" x 6" SDR 17
27NTR11315200M315 12" x 12" x 8" SDR 11
27NTR11315250M315 12" x 12" x 10" SDR 11
27NTR1131590M315 12" x 12" x 3" SDR 11
27NTR17315110M315 12" x 12" x 3½" SDR 17
27NTR1731590M315 12" x 12" x 3" SDR 17
27NTR11355160M355 14" x 14" x 6" SDR 11
27NTR11355250M355 14" x 14" x 10" SDR 11
27NTR11355315M355 14" x 14" x 12" SDR 11
27NTR17355110M355 14" x 14" x 3½" SDR 17
27NTR17355125M355 14" x 14" x 4" SDR 17
27NTR17355200M355 14" x 14" x 8" SDR 17
27NTR17355250M355 14" x 14" x 10" SDR 17
27NTR17355315M355 14" x 14" x 12" SDR 17
27NTR1735575M355 14" x 14" x 2½" SDR 17
27NTR1735590M355 14" x 14" x 3" SDR 17
27NTRS11160125MM 6" x 6" x 4" SDR 11
27NTRS1116063MM 6" x 6" x 2" SDR 11
27NTRS1116075MM 6" x 6" x 2½" SDR 11
27NTRS1116090MM 6" x 6" x 3" SDR 11
27NTRS11200110MM 8" x 8" x 3½" SDR 11
27NTRS11200125MM 8" x 8" x 4" SDR 11
27NTRS11200160MM 8" x 8" x 6" SDR 11
27NTRS1120063MM 8" x 8" x 2" SDR 11
27NTRS1120075MM 8" x 8" x 2½" SDR 11
27NTRS1120090MM 8" x 8" x 3" SDR 11
27NTRS11250110MM 10" x 10" x 3½" SDR 11
27NTRS11250125MM 10" x 10" x 4" SDR 11

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NTRS11250160MM 10" x 10" x 6" SDR 11
27NTRS11250200MM 10" x 10" x 8" SDR 11
27NTRS1125090MM 10" x 10" x 3" SDR 11
27NTRS116332MM 2" x 2" x 1" SDR 11
27NTRS116350MM 2" x 2" x 1/2" SDR 11
27NTRS119040MM 3" x 3" x 1 1/4" SDR 11
27NTRS119050MM 3" x 3" x 1 1/2" SDR 11
27NTRS119063MM 3" x 3" x 2" SDR 11
27NTRS119075MM 3" x 3" x 2 1/2" SDR 11
27NTRS1711050MM 3 1/2" x 3 1/2" x 1 1/2" SDR 17
27NTRS1711063MM 3 1/2" x 3 1/2" x 2" SDR 17
27NTRS1711075MM 3 1/2" x 3 1/2" x 2 1/2" SDR 17
27NTRS1711090MM 3 1/2" x 3 1/2" x 3" SDR 17
27NTRS17125110MM 4" x 4" x 3 1/2" SDR 17
27NTRS1712550MM 4" x 4" x 1 1/2" SDR 17
27NTRS1712563MM 4" x 4" x 2" SDR 17
27NTRS1712575MM 4" x 4" x 2 1/2" SDR 17
27NTRS1712590MM 5" x 5" x 3" SDR 17
27NTRS17160110MM 6" x 6" x 3 1/2" SDR 17
27NTRS17160125MM 6" x 6" x 4" SDR 17
27NTRS1716063MM 6" x 6" x 2" SDR 17
27NTRS1716075MM 6" x 6" x 2 1/2" SDR 17
90° Reducing Tee - Long Spigot
27NTRS1111040MM 3 1/2" x 3 1/2" x 1 1/2" SDR 11
27NTRS1111050MM 3 1/2" x 3 1/2" x 1 1/2" SDR 11
27NTRS1111063MM 3 1/2" x 3 1/2" x 2" SDR 11
27NTRS1111075MM 3 1/2" x 3 1/2" x 2 1/2" SDR 11
27NTRS1111090MM 3 1/2" x 3 1/2" x 3" SDR 11
27NTRS11125110MM 4" x 4" x 3 1/2" SDR 11
27NTRS1112550MM 4" x 4" x 1 1/2" SDR 11
27NTRS1112563MM 4" x 4" x 2" SDR 11
27NTRS1112575MM 4" x 4" x 2 1/2" SDR 11
27NTRS1112590MM 3 1/2" x 4" x 3" SDR 11
27NTRS11160110MM 6" x 6" x 3 1/2" SDR 11
27NTRS1716090MM 6" x 6" x 3" SDR 17
27NTRS17200110MM 8" x 8" x 3 1/2" SDR 17
27NTRS17200125MM 8" x 8" x 4" SDR 17
27NTRS17200160MM 8" x 8" x 6" SDR 17
27NTR11400200M400 16" x 16" x 8" SDR 11
27NTR11400250M400 16" x 16" x 10" SDR 11
27NTR17500315M500 20" x 20" x 12" SDR 17
27NTR17500355M500 20" x 20" x 14" SDR 17
27NTR17630125M630 24" x 24" x 4" SDR 17
27NTR17630160M630 24" x 24" x 6" SDR 17
27NTR17630355M630 24" x 24" x 14" SDR 17
27NTR17630400M630 24" x 24" x 16" SDR 17
Reduced Tee - Socket Fusion
27NTR12563125 4" x 4" x 2"
27NTR252020 3/4" x 1/2" x 1/2"
27NTR252025 3/4" x 3/4" x 1/2"
27NTR252520 3/4" x 1/2" x 3/4"
27NTR253225 3/4" x 3/4" x 1"
27NTR322020 1" x 1/2" x 1/2"
27NTR322025 1" x 3/4" x 1/2"
27NTR322032 1" x 1" x 1/2"
27NTR322525 1" x 3/4" x 3/4"
27NTR322532 1" x 1" x 3/4"
27NTR323225 1" x 3/4" x 1"
27NTR403232 1 1/4" x 1" x 1"
27NTR635040 2" x 1 1/2" x 1 1/4"
Male Side Fusion Red Tee
27NTR73315200M315 12" x 12" x 10" SDR 7.3
27NTR73315250M315 12" x 12" x 10" SDR 7.3
27NTR73355250M355 14" x 14" x 10" SDR 7.3

[8] 90° Reducing Tee - Long Spigot
27NTRS1720090MM 8" x 8" x 3" SDR 17
27NTRS17250110MM 10" x 10" x 4" SDR 17
27NTRS17250125MM 10" x 10" x 5" SDR 17
27NTRS17250160MM 10" x 10" x 6" SDR 17
27NTRS17250200MM 10" x 10" x 8" SDR 17
27NTRS1725090MM 10" x 10" x 3" SDR 17
27NTRS179032MM 3" x 3" x 1" SDR 17
27NTRS179040MM 3" x 3" x 1 1/4" SDR 17
27NTRS179050MM 3" x 3" x 1 1/2" SDR 17
27NTRS179063MM 3" x 3" x 2" SDR 17
27NTRS179075MM 3" x 3" x 2 1/2" SDR 17
27NTRS7312563MM 5" x 5" x 2" SDR 7.3
Wye lateral 45° - SDR 17 Segmented

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



27NWYE17110 4"
27NWYE17160 6"
27NWYE17200 8"
27NWYE17315 12"

[9] Configurations include:

Socket Female Threaded 90° Elbow w/NPT Lead Free Brass
1/2" x 1/2"NPT (27NGF2012NPT)
3/4" x 1/2"NPT (27NGF2512NPT)
3/4" x 3/4"NPT (27NGF2534NPT)
1" x 1/2"NPT (27NGF3212NPT)
1" x 3/4"NPT (27NGF3234NPT)
1" x 1"NPT (27NGF321NPT)
1 1/4" x 1"NPT (27NGF401NPT)
1 1/2" x 1 1/4"NPT (27NGF50114NPT)
1 1/2" x 1 1/2"NPT (27NGF50112NPT)
2" x 1"NPT (27NGF63112NPT)
2" x 2"NPT (27NGF632NPT)
Socket Male Threaded 90° Elbow w/NPT Lead Free Brass
1/2" x 1/2"NPT (27NGM2012NPT)
3/4" x 1/2"NPT (27NGM2512NPT)
3/4" x 3/4"NPT (27NGM2534NPT)
1" x 1/2"NPT (27NGM3212NPT)
1" x 3/4"NPT (27NGM3234NPT)
1" x 1"NPT (27NGM321NPT)
Socket Female Threaded Back Plate 90° w/NPT Lead Free Brass
1/2" x 1/2"NPT (27NTER2012NPT)
Female Threaded Winged 90° w/NPT Lead Free Brass
1/2" x 3/8"NPT (27NGTF2038NPT)
1/2" x 1/2"NPT (27NGTF2012NPT)
Socket Fusion Male Threaded Winged 90° w/NPT Lead Free Brass
1/2" x 3/8"NPT (27NGTM2038NPT)
1/2" x 1/2"NPT (27NGTM2012NPT)
Female Threaded 90° Elbow for Template with NPT Lead Free Brass
1/2" x 3/8"NPT (27NGOF2012NPT)
3/4" x 1/2"NPT (27NGOF2512NPT)
Male Threaded 90° Elbow for Template with NPT Lead Free Brass
1/2" x 1/2"NPT (27NGOM2012NPT)
Female Threaded Street 90° Elbows w/NPT Lead Free Brass
1/2" x 1/2"NPT (27NGMFF2012NPT)
Female Threaded Tee w/NPT Lead Free Brass
1/2" x 1/2"NPT (27NTF2012NPT)
3/4" x 1/2"NPT (27NTF2512NPT)
3/4" x 3/4"NPT (27NTF2534NPT)
1" x 1/2"NPT (27NTF3212NPT)
1" x 3/4"NPT (27NTF3234NPT)
1" x 1"NPT (27NTF321NPT)
Male Threaded Tee w/NPT Lead Free Brass
1/2" x 1/2"NPT (27NTM2012NPT)
3/4" x 1/2"NPT (27NTM2512NPT)
3/4" x 3/4"NPT (27NTM2534NPT)
1" x 1/2"NPT (27NTM3212NPT)
1" x 3/4"NPT (27NTM3234NPT)
1" x 1"NPT (27NTM321NPT)
Female Threaded Adapter w/NPT Lead Free Brass
1/2" x 1/2"NPT (27NRFF2012NPT)
1/2" x 3/4"NPT (27NRFF2034NPT)
3/4" x 1/2"NPT (27NRFF2512NPT)
3/4" x 3/4"NPT (27NRFF2534NPT)
1" x 3/4"NPT (27NRFF3234NPT)
1" x 1"NPT (27NRFF321NPT)
1 1/4" x 1"NPT (27NRFF401NPT)
1 1/4" x 1 1/4"NPT (27NRFF40114NPT)
1 1/2" x 1 1/4"NPT (27NRFF50114NPT)
1 1/2" x 1 1/2"NPT (27NRFF50112NPT)
2" x 1 1/2"NPT (27NRFF63112NPT)
2" x 2"NPT (27NRFF632NPT)
2 1/2" x 2"NPT (27NRFF752NPT)
2 1/2" x 2 1/2"NPT (27NRFF75212NPT)
3" x 3"NPT (27NRFF903NPT)
3 1/2" x 4"NPT (27NRFF1104NPT)
4" x 4"NPT (27NRFF1254NPT)
Male Threaded Adapter w/NPT Lead Free Brass
1/2" x 1/2"NPT (27NRFM2012NPT)
1/2" x 3/4"NPT (27NRFM2034NPT)
3/4" x 1/2"NPT (27NRFM2512NPT)
3/4" x 3/4"NPT (27NRFM2534NPT)
1" x 3/4"NPT (27NRFM3234NPT)
1" x 1"NPT (27NRFM321NPT)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



- 1 1/4" x 1"NPT (27NRFM401NPT)
- 1 1/4" x 1 1/4"NPT (27NRFM40114NPT)
- 1 1/2" x 1 1/4"NPT (27NRFM50114NPT)
- 1 1/2" x 1 1/2"NPT (27NRFM50112NPT)
- 2" x 1 1/2"NPT (27NRFM63112NPT)
- 2" x 2"NPT (27NRFM632NPT)
- 2 1/2" x 2"NPT (27NRFM752NPT)
- 2 1/2" x 2 1/2"NPT (27NRFM75212NPT)
- 3" x 3"NPT (27NRFM903NPT)
- 3 1/2" x 4"NPT (27NRFM1104NPT)
- 4" x 4"NPT (27NRFM1254NPT)

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

- [10] FemThr90° Elbows w/NPT & L.F.B.-Socket Fus
 - 27NGF50114NPT 1 1/2" x 1 1/4"
 - 27NGF63112NPT 2" x 1 1/2"
 - 27NGF632NPT 2" x 2"
 - Male Thr90° Elbows w/NPT & L.F.B.-Socket Fus
 - 27NGM2012NPT 1/2" x 1/2"
 - 27NGM2512NPT 3/4" x 1/2"
 - 27NGM2534NPT 3/4" x 3/4"
 - 27NGM3212NPT 1" x 1/2"
 - 27NGM321NPT 1" x 1"
 - 27NGM3234NPT 1" x 3/4"
 - FemThr90°Elbow Templ w/NPT&L.F.B.-Socket Fus
 - 27NGOF2012NPT 1/2" x 1/2"
 - 27NGOF2512NPT 3/4" x 1/2"
 - MaleThr90°Elbow Templw/NPT&L.F.B.-Socket Fus
 - 27NGOM2012NPT 1/2" x 1/2"
 - FemThr Winged 90° w/NPT & L.F.B.-Socket Fus
 - 27NGTF2012NPT 1/2" x 1/2"
 - Template for External Bath Taps
 - 27NGVF2012NPT 1/2" x 1/2"
 - 27NGVF2512NPT 3/4" x 1/2"
 - Mounting Unit with Elbow - Socket Fusion
 - 27NGVRF2012NPT 1/2" x 1/2"
 - PEX ADAPTER Fusion Welding Saddle
 - 27NPGS124050 1/2" x 1 1/4" - 1 1/2"
 - 27NPGS126375 1/2" x 2"/21/2"
 - 27NPGS1290110125 1/2" x 3"/3 1/2" x 4"
 - 27NPGS16375 1" x 2"/21/2"
 - 27NPGS190110125 1" x 3"/3 1/2" x 4"
 - 27NPGS344050 Saddle 3/4" x 1 1/4" - 1 1/2"
 - 27NPGS346375 3/4" x 2"/21/2"
 - 27NPGS3490110125 3/4" x 3"/3 1/2" x 4"
 - Instaheader Pex Adapt(Crimp Ring F1807)
 - 27NPGSCR346375 3/4" x 2"-21/2"
 - PEX ADAPTER (EXPANSION) with Socket Ends
 - 27NPR0132 1" x 1"
 - 27NPR1220 1/2" x 1/2"
 - 27NPR1225 3/4" x 1/2"
 - 27NPR3425 3/4" x 3/4"
 - COOPER Adapter with Socket Ends
 - 27NCUA01C32L- 1" x 1" CTS
 - 27NCUA12C20L- 1/2" x 1/2" CTS
 - 27NCUA34C25L- 3/4" x 3/4" CTS
 - FemThr BackPlate 90°w/NPT &L.F.B.-Socket Fus
 - 27NTER2012NPT 1/2" x 1/2"
 - Male Threaded Tee w/NPT & SS - Socket Fus
 - 27NTM3212SSNPT 1" x 1/2"
 - PP-RCT/BRASS female adapter NPT threaded
 - 27NAPPF12NPT 1/2"
 - 27NAPPF34NPT 3/4"
 - 27NAPPF1NPT 1"

Facility: Castel Guelfo di Bologna (BO), Italy

Pipes and Related Products

| Trade Name | Size | Water Contact Temp | Water Contact Material |
|--------------------------------|-----------------|--------------------|------------------------|
| [G] Pipe NADIR/HDPE Pipe | 20 mm - 1000 mm | CLD 23 | PE |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|------------------------------|----------------|---------------|
| NADIR/HDPE Pipe | 1/2" - 36" | CLD 23 PE |
| Niron Blue | 20 mm - 160 mm | C. HOT PP |
| Niron Clima | 20 mm - 630 mm | C. HOT PP-RCT |
| Niron Clima with Red Stripes | 25 mm - 125 mm | C. HOT PP-RCT |
| Niron FG | 20 mm - 160 mm | C. HOT PP-RCT |
| Niron Grey | 20 mm - 160 mm | C. HOT PP |

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.

99 of 99